

NEW APPLICATION
LAW OFFICES

FENNEMORE CRAIG ED
A PROFESSIONAL CORPORATION



0000045791

2002 AUG 22 P 4: 05

DARCY RENFRO

Direct Phone: (602) 916-5345
Direct Fax: (602) 916-5545
drenfro@fclaw.com

AZ CORP COMMISSION
DOCUMENT CONTROL

OFFICES IN:
PHOENIX, TUCSON,
NOGALES, AZ; LINCOLN, NE
3003 NORTH CENTRAL AVENUE
SUITE 2600
PHOENIX, ARIZONA 85012-2913
PHONE: (602) 916-5000
FAX: (602) 916-5999

August 21, 2002

Arizona Corporation Commission
DOCKETED

AUG 22 2002

BY HAND DELIVERY

Docket Control
Arizona Corporation Commission
1200 West Washington
Phoenix, Arizona 85007

T-01051B-02-0643
T-03016A-02-0643

DOCKETED BY *CAE*

Re: In the Matter of the Application of Qwest Corporation for Approval of an Unbundled Network Elements (UNE), Unbundled Loops, Subloop Unbundling, Network Interface Device (NID) and Unbundled Dark Fiber Amendment to the Interconnection Agreement with TCG-Phoenix.

Dear Madam or Sir:

Please find enclosed the Unbundled Network Elements (UNE), Unbundled Loops, Subloop Unbundling, Network Interface Device (NID) and Unbundled Dark Fiber Amendment Number Seven to the Interconnection Agreement between Qwest Corporation ("Qwest") and TCG-Phoenix ("TCG").

The Amendment is made in order to add terms, conditions and rates for Unbundled Network Elements (UNE), Unbundled Loops, Subloop Unbundling, Network Interface Device (NID) and Unbundled Dark Fiber as set forth in Attachments 1,2,3 4 and 5 and Exhibits A, B & C. The Arizona Corporation Commission approved the underlying Agreement between Qwest and TCG on October 18, 1996 in Docket No.U-3016-96-402, Decision No. 59937. Enclosed is a service list for these dockets.


FENNEMORE CRAIG

Docket Control
August 21, 2002
Page 2

Please contact me at (602) 916-5345 if you have any questions concerning the enclosed.
Thank you for your assistance in this matter.

Sincerely,

FENNEMORE CRAIG


Darcy Renfro

Enclosures

cc: Mitchell H. Menezes, AT&T Corp.
Michael Hydock, AT&T Corp.
Ernest G. Johnson, ACC Utilities Division
Chris Kempley, Chief Counsel, ACC Legal Division

FENNEMORE CRAIG

Docket Control
August 21, 2002
Page 3

Service List for Docket U-3016-96-402

Mr. Timothy Berg
Fennemore Craig
3003 N. Central Avenue, Suite 2600
Phoenix, Arizona 85012

Mr. Mitchell H. Menezes
Chief Commercial Counsel
AT&T Corp.
1875 Lawrence Street, Room 15-21
Denver, CO 80202

Mr. Michael Hydock
District Manager Local Service and Access Management
AT&T Corp.
1875 Lawrence Street, Room 8-19
Denver, CO 80202

Mr. Chris Kempley
Legal Division
ARIZONA CORPORATION COMMISSION
1200 West Washington
Phoenix, AZ 85007

Mr. Ernest G. Johnson, Director
Utilities Division
ARIZONA CORPORATION COMMISSION
1200 West Washington
Phoenix, AZ 85007

DSCHNEID/1333337/67817.179

**Unbundled Network Elements (UNE), Unbundled Loops, Subloop Unbundling, Network
Interface Device (NID) and Unbundled Dark Fiber
Amendment Number 7
to the Interconnection Agreement between
Qwest Corporation and
TCG-Phoenix
for the State of Arizona**

This is an Amendment to the Interconnection Agreement between Qwest Corporation ("Qwest"), a Colorado corporation, and TCG-Phoenix ("CLEC"). CLEC and Qwest shall be known jointly as the "Parties".

RECITALS

WHEREAS, CLEC and Qwest entered into an Interconnection Agreement ("Agreement") for service in the state of Arizona which was approved by the Arizona Corporation Commission ("Commission"); and

WHEREAS, the Parties wish to amend the Agreement further under the terms and conditions contained herein.

AGREEMENT

NOW THEREFORE, in consideration of the mutual terms, covenants and conditions contained in this Amendment and other good and valuable consideration, the receipt and sufficiency of which is hereby acknowledged, the Parties agree as follows:

A. Amendment Terms

The Agreement is hereby amended by adding terms, conditions and rates for Unbundled Network Elements (UNE), Unbundled Loops, Subloop Unbundling, Network Interface Device (NID) and Unbundled Dark Fiber as set forth in Attachments 1, 2, 3, 4 and 5 and Exhibits A, B and C to this Amendment, attached hereto and incorporated herein by this reference.

B. Effective Date

This Amendment shall be deemed effective upon approval by the Commission; however, the Parties agree to implement the provisions of this Amendment upon execution. Qwest acknowledges that, in advance of execution of this Amendment, CLEC completed and provided to Qwest New Product Questionnaires for the products and services addressed by this Amendment. Within a reasonable amount time, CLEC may place orders for the products and services addressed by this Amendment and Qwest shall process such orders as set forth in the Agreement, as modified by this Amendment.

C. Further Amendments

Except as modified herein, the provisions of the Agreement shall remain in full force and effect. The provisions of this Amendment, including the provisions of this sentence, may not be amended, modified or supplemented, and waivers or consents to departures from the provisions of this Amendment may not be given without the written consent thereto by both Parties'

	Company	Atty. Contact	Status
1	Mountain Telecommunication		Consolidated with CV96-18667; Remanded to ACC 5/3/02
2	CapRock CV2000-000760	Bill Haas 319-790-7295	Spoke with counsel. CapRock was acquired by McLeod USA as of 12/02. Case can be dismissed.
3	Frontier CV99-09626	Joan Burke	Acquired by Citizens Communications. Case dismissed in Superior Court on 01/23/02.
4	Great West/Simcom CV99-12723	Tom Campbell	No longer in existence; Case dismissed in Superior Court on 6/21/02
5	Intermedia CV99-11211	Tom Campbell	Filed with Superior Court 08/13/02.
6	Level 3 CV99-12703	Tom Campbell	Filed with Superior Court 7/25/02.
7	Microwave Services/ Teligent CV-98-22607	Michael Patten 602-256-6100	Bankruptcy, Faxed stip. to M. Patten for review on 08/12/02. S/w M. Patten on 08/16/02, forward copy of stipulation to Teligent. Stipulation sent to ACC for signature on 08/21/02.
8	NextLink	Joan Burke	Filed with Superior Court on 8/8/02
9	North County CV2000-000761	Michael Patten	Filed with Superior Court on 08/15/02.
10	One Point CV99-23123	Jeff Guldner	Case dismissed in Superior Court on 06/21/02. Guldner requested that matter remain dismissed.
11	Optel CV98-10021		Bankruptcy, company no longer telecommunications. Motion to dismiss case entered 08/12/02.
12	Pac-West CV99-18686	Lynn Martinez 800-399-1234	Stipulation faxed for approval 08/13/02. S/w Lynn on 08/16/02, Stipulation Fed-ex'd to L. Martinez for signature on 08/21/02.
13	Rhythm Links CV99-17048		Bankruptcy; Case dismissed in Superior Court on 1/11/02
14	Williams CV99-22477	Jeff Guldner	Stipulation filed with Superior Court on 08/09/02.

authorized representative. No waiver by any party of any default, misrepresentation, or breach of warranty or covenant hereunder, whether intentional or not, will be deemed to extend to any prior or subsequent default, misrepresentation, or breach of warranty or covenant hereunder or affect in any way any rights arising by virtue of any prior or subsequent such occurrence.

D. Entire Agreement

This Amendment (including the documents referred to herein) constitutes the full and entire understanding and agreement between the Parties with regard to the subjects of this Amendment and supersedes any prior understandings, agreements, or representations by or between the Parties, written or oral, to the extent they relate in any way to the subjects of this Amendment.

E. Reservation of Rights

Qwest acknowledges that CLEC believes that the rates, terms and conditions set forth in this Amendment should be altered. The Parties acknowledge that the rates, terms and conditions set forth in this Amendment are taken from Qwest's SGAT which is currently under review by the Commission for impasse resolution as part of Qwest's application under Section 271 of the Act. If rates, terms or conditions set forth in Qwest's SGAT, from which provisions of this Amendment were taken, are modified by order of the Commission, the Parties shall amend this Agreement to incorporate such changes. The rates, and to the extent practicable, other terms and conditions contained in a modification to this Amendment that results from SGAT changes ordered by the Commission will relate back to the date this Amendment was executed. The Parties enter into this Amendment without prejudice to or waiver of any of their respective rights to challenge the terms and conditions of this Amendment under the Act, FCC or Commission rules.

TCG-Phoenix

Michael Hydock
Signature

MICHAEL HYDOCK
Name Printed/Typed

DIST. MGR - ICA_s
Title

8/7/02
Date

Qwest Corporation

L. T. Christensen
Signature

L. T. Christensen
Name Printed/Typed

Director - Business Policy
Title

8/14/02
Date

ATTACHMENT 1

SECTION 9.0 - UNBUNDLED NETWORK ELEMENTS

9.1 General Terms

9.1.1 Unbundled Network Elements shall include network elements Qwest has obtained with capitalized Indefeasible Right to Use (IRUs) or capitalized leases that do not prohibit Qwest's ability to provide access to another person or entity. Unbundled Network Elements shall not be limited to facilities owned by Qwest, but will include in place and easily called into service facilities to which Qwest has otherwise obtained a right of access, including but not limited to capitalized Indefeasible Right to Use (IRUs) or capitalized leases. Qwest shall not be required to extend access in a manner that is inconsistent with the restrictions and other terms and conditions that apply to Qwest's access; however, in the case of access obtained from an Affiliate: (a) the actual practice and custom as between Qwest and the Affiliate shall apply, in the event that it provides broader access than does any documented agreement that may exist, and (b) any terms restricting access by CLEC that are imposed by the agreement with the Affiliate (excluding good-faith restrictions imposed by any agreement with a third party from whom the Affiliate has gained rights of access) shall not be applied to restrict CLEC access. Upon request, Qwest shall provide CLEC a copy of such agreement, if one exists, for the purposes of ensuring CLEC has non-discriminatory access to the Unbundled Network Element. If no such agreement exists, Qwest shall describe the actual practice and custom which applies or to certify that no agreement, custom or practice exists to permit access to CLECs.

9.1.2 Qwest shall provide non-discriminatory access to Unbundled Network Elements on rates, terms and conditions that are non-discriminatory, just and reasonable. The quality of an Unbundled Network Element Qwest provides, as well as the access provided to that element, will be equal between all Carriers requesting access to that element; second, where Technically Feasible, the access and Unbundled Network Element provided by Qwest will be provided in "substantially the same time and manner" to that which Qwest provides to itself or to its Affiliates. In those situations where Qwest does not provide access to network elements to itself, Qwest will provide access in a manner that provides CLEC with a meaningful opportunity to compete. For the period of time Qwest provides access to CLEC to an Unbundled Network Element, CLEC shall have exclusive use of the network element, except when the provisions herein indicate that a network element will be shared (such as shared transport). Notwithstanding the foregoing, Qwest shall provide access and UNEs at the service performance levels set forth in Section 20. Notwithstanding specific language in other sections of this Amendment, all provisions of this Amendment regarding Unbundled Network Elements are subject to this requirement. In addition, Qwest shall comply with all state wholesale service quality requirements.

9.1.2.1 If facilities are not available, Qwest will build facilities dedicated to an End User Customer if Qwest would be legally obligated to build such facilities to meet its Provider of Last Resort (POLR) obligation to provide basic local Exchange Service or its Eligible Telecommunications Carrier (ETC) obligation to provide primary basic local Exchange Service. CLEC will be responsible for any construction charges for which an End User Customer would be responsible. In other situations, Qwest does not agree that it is obligated to build UNEs, but it will consider requests to build UNEs pursuant to the Agreement.

9.1.2.1.1 Upon receipt of an LSR or ASR, Qwest will follow the same process that it would follow for an equivalent retail service to determine if assignable facilities exist that fit the criteria necessary for the service requested. If available facilities are not readily identified through the normal assignment process, but facilities can be made ready by the requested Due Date, CLEC will not receive an additional FOC, and the order Due Date will not be changed.

9.1.2.1.2 If cable capacity is available, Qwest will complete incremental facility work (i.e., conditioning, place a drop, add a network interface device, card existing subscriber Loop carrier systems at the Central Office and remote terminal, add Central Office tie pairs, add field cross jumpers) in order to complete facilities to the Customer premises.

9.1.2.1.3 During the normal assignment process, if no available facilities are identified for the UNE requested, Qwest will look for existing engineering job orders that could fill the request in the future. If an engineering job currently exists, Qwest will add CLEC's request to that engineering job and send CLEC a jeopardy notice. Upon completion of the engineering job, Qwest will send CLEC another FOC with a new Due Date. If facilities are not available and no engineering job exists that could fill the request in the future, Qwest will treat CLEC's request as follows:

9.1.2.1.3.1 For UNEs that meet the requirements set forth in Section 9.1.2.1, CLEC will receive a jeopardy notice. Qwest will initiate an engineering job order for delivery of primary service to the End User Customer. When the engineering job is completed, CLEC will receive another FOC identifying a new Due Date when the Loop will be ready for installation. Upon receipt of the second FOC, CLEC can request a different Due Date by submitting a SUP to change the Due Date to a later date.

9.1.2.1.3.2 For UNEs that do not meet the requirements in Section 9.1.2.1, Qwest will send CLEC a rejection notice canceling the LSR or ASR. Upon receipt of the rejection notice, CLEC may submit a request to build UNEs.

9.1.2.1.4 Qwest will provide CLEC notification of major Loop facility builds through the ICONN database. This notification shall include the identification of any funded outside plant engineering jobs that exceeds \$100,000 in total cost, the estimated ready for service date, the number of pairs or fibers added, and the location of the new facilities (e.g., Distribution Area for copper distribution, route number for copper feeder, and termination CLLI codes for fiber). CLEC acknowledges that Qwest does not warrant or guarantee the estimated ready for service

dates. CLEC also acknowledges that funded Qwest outside plant engineering jobs may be modified or cancelled at any time.

9.1.3 It is a Qwest practice to reuse IOF facilities whenever the entire IOF copper plant is retired and replaced by fiber and the facilities are in good enough shape to use as Loop facilities. These facilities will be available as Loop facilities and will be visible in the raw Loop data tool upon completion of the outside plant reclamation job.

9.1.4 Qwest will provide a connection between Unbundled Network Elements and a Loop Demarcation Point. Such connection is an Interconnection Tie Pair (ITP). An ITP is required for each Unbundled Network Element or ancillary service delivered to CLEC. The ITP provides the connection between the Unbundled Network Element and the ICDF or other Central Office Demarcation Point. The ITP is ordered in conjunction with a UNE. The charges for the ITP are contained in Exhibit A. CLEC may order regeneration along with an ITP, and the charges listed in Exhibit A will apply, unless there exists in the affected Premises another available Collocation space whose use by CLEC would not require regeneration, or such a space would have existed except for Qwest's reservation of the space for its own future use. The ITP may be ordered per termination. The Demarcation Point shall be:

- a) at CLEC-provided Cross Connection equipment located in CLEC's Virtual or Physical Collocation Space; or
- b) if CLEC elects to use ICDF Collocation, at the Interconnection Distribution Frame (ICDF); or
- c) if CLEC elects to use an ICDF in association with Virtual or Physical Collocation, at the ICDF; or
- d) if CLEC elects to use a direct connection from its Collocation space to the distribution frame serving a particular element, at the distribution frame; or
- e) at another Central Office Demarcation Point mutually-agreed to by the Parties.

9.1.5 CLEC may connect network elements in any Technically Feasible manner. Qwest will provide CLEC with the same features, functions and capabilities of a particular element or combinations of elements that Qwest provides to itself. Qwest will provide CLEC with all of the features and functionalities of a particular element or combination of elements (regardless of whether such combination of elements is ordered from Qwest in combination or as elements to be combined by CLEC), so that CLEC can provide any Telecommunications Services that can be offered by means of such element or combination of elements. Qwest will provide Unbundled Network Elements to CLEC in a manner that allows CLEC to combine such elements to provide any Telecommunications Services. Qwest shall not in any way restrict CLECs use of any element or combination of elements (regardless of whether such combination of elements is ordered from Qwest in combination or as elements to be combined by CLEC) except as Qwest may be expressly permitted or required by Existing Rules.

9.1.6 Except as set forth in the UNE Combinations Section, Qwest provides UNEs on an individual element basis. Charges, if any, for testing pursuant to this paragraph are

contained in Exhibit A to this Amendment.

9.1.6.1 When elements are provisioned by Qwest on an individual element basis (whether or not such elements are combined by CLEC with other elements provided by Qwest or CLEC):

- a) Qwest will perform testing necessary or reasonably requested by CLEC, to determine that such UNE is capable of meeting the technical parameters established for each UNE.
- b) Qwest will repair and maintain such element to ensure that UNE continues to meet the technical parameters established for each UNE. CLEC is responsible for the end-to-end transmission and circuit functionality testing for UNE Combinations created by CLEC.
- c) Qwest will cooperate with CLEC in any Technically Feasible testing necessary or reasonably requested by CLEC to assist in determining end-to-end transmission and circuit functionality of such UNE.

9.1.6.2 When elements are provisioned by Qwest in combination:

- a) Qwest will perform testing necessary or reasonably requested by CLEC to determine that such combination and each UNE included in such combination is capable of meeting the technical parameters of the combination.
- b) Qwest will repair and maintain such combination and each UNE included in such combination to ensure that such UNE continues to meet the technical parameters of the combination.
- c) Qwest will cooperate with CLEC in any Technically Feasible testing necessary or reasonably requested by CLEC to determine end-to-end transmission and circuit functionality of such combination.

9.1.7 Installation intervals for Unbundled Network Elements are contained in Exhibit B.

9.1.8 Maintenance and repair is described herein. The repair center contact telephone numbers are provided in the PCAT, which is located on the Qwest Web site.

9.1.9 In order to maintain and modernize the network properly, Qwest may make necessary modifications and changes to the UNEs in its network on an as needed basis. Such changes may result in minor changes to transmission parameters. Network maintenance and modernization activities will result in UNE transmission parameters that are within transmission limits of the UNE ordered by CLEC. Qwest shall provide advance notice of changes that affect network Interoperability pursuant to applicable FCC rules. Changes that affect network Interoperability include changes to local dialing from seven (7) to ten (10) digit, area code splits, and new area code implementation. FCC rules are contained in CFR Part 51 and 52. Qwest provides such disclosures on an Internet web site.

9.1.10 Channel Regeneration Charge. This charge is required when the distance from the Qwest network to the leased physical space (for Physical Collocation), the collocated equipment (for Virtual Collocation), or the ICDF (for ICDF Collocation) is of sufficient length to require regeneration. Channel Regeneration Charges shall not apply if Qwest fails to make available to CLEC: (a) a requested, available location at which regeneration would not be necessary or (b) Collocation space that would have been available and sufficient, but for its reservation for the future use of Qwest, or (c) until the Commission approves Qwest's authentication plan. Note: Cable distance limitations are addressed in ANSI Standard T1.102-1993 "Digital Hierarchy – Electrical Interface; Annex B".

9.1.11 Exhibit A contains the rates for Unbundled Network Elements.

9.1.12 Miscellaneous Charges are in addition to nonrecurring and recurring charges set forth in Exhibit A. Miscellaneous Charges apply to activities CLEC requests Qwest perform, activities CLEC authorizes, or charges that are a result of CLECs actions, such as cancellation charges. Rates for Miscellaneous Charges are contained in Exhibit A. Unless otherwise provided for in this Amendment, no additional charges will apply.

ATTACHMENT 2

9.2 Unbundled Loops

9.2.1 Description

The Local Loop network element is defined as a transmission facility between a distribution frame (or its equivalent) in an incumbent LEC Central Office and the Loop Demarcation Point at an End User Customer's premises, including inside wire owned by the incumbent LEC. The Local Loop network element includes all features, functions, and capabilities of such transmission facility. Those features, functions, and capabilities include, but are not limited to, Dark Fiber, attached electronics (except those electronics used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), and line conditioning. The Local Loop includes, but is not limited to, DS0, DS1, DS3, fiber, and other high capacity Loops.

9.2.1.1 "Loop Demarcation Point" – is defined for purposes of this section as the point where Qwest owned or controlled facilities cease, and CLEC, End User Customer, owner or landlord ownership of facilities begins.

9.2.2 Terms and Conditions

9.2.2.1 Qwest shall provide CLEC, on a non-discriminatory basis, Unbundled Loops, (unbundled from local switching and transport) of substantially the same quality as the Loop that Qwest uses to provide service to its own End User Customers. For Unbundled Loops that have a retail analogue, Qwest will provide these Unbundled Loops in substantially the same time and manner as Qwest provides to its own End User Customers. Unbundled Loops shall be provisioned in accordance with Exhibit B and the performance metrics set forth in Section 20.

9.2.2.1.1 Use of the word "capable" to describe Loops in Section 9.2 means that Qwest assures that the Loop meets the technical standards associated with the specified Network Channel/Network Channel Interface codes, as contained in the relevant technical publications and industry standards.

9.2.2.1.2 Use of the word "compatible" to describe Loops in Section 9.2 means the Unbundled Loop complies with technical parameters of the specified Network Channel/Network Channel Interface codes as specified in the relevant technical publications and industry standards. Qwest makes no assumptions as to the capabilities of CLEC's Central Office equipment or the Customer premises equipment.

9.2.2.2 Analog (Voice Grade) Unbundled Loops. Analog (voice grade) Unbundled Loops are available as a two-wire or four-wire voice grade, point-to-point configuration suitable for local exchange type services. For the two-wire configuration, CLEC must specify the signaling option. The actual Loop facilities may utilize various technologies or combinations of technologies.

9.2.2.2.1 If Qwest uses Integrated Digital Loop Carrier (IDLC) systems to provide the Local Loop, Qwest will first attempt, to the extent possible, to make alternate arrangements such as Line and Station Transfers (LST), to permit CLEC to obtain a contiguous copper Unbundled Loop. If a LST is not available, Qwest may also seek alternatives such as Integrated Network Access (INA), hair pinning, or placement of a Central Office terminal, to permit CLEC to obtain an Unbundled Loop. If no such facilities are available, Qwest will make every feasible effort to unbundle the IDLC in order to provide the Unbundled Loop for CLEC.

9.2.2.2.1.1 In areas where Qwest has deployed amounts of IDLC that are sufficient to cause reasonable concern about a CLEC's ability to provide service through available copper facilities on a broad scale, CLEC shall have the ability to gain access to Qwest information sufficient to provide CLEC with a reasonably complete identification of such available copper facilities. Qwest shall be entitled to mediate access in a manner reasonably related to the need to protect confidential or proprietary information. CLEC shall be responsible for Qwest's incremental costs to provide such information or access mediation.

9.2.2.2.2 If there are state service quality rules in effect at the time CLEC requests an Analog Unbundled Loop Qwest will provide an Analog Unbundled Loop that meets the state technical standards. If necessary to meet the state standards, Qwest will, at no cost to CLEC, remove load coils and Bridged Taps from the Loop in accordance with the requirements of the specific technical standard.

9.2.2.3 Digital Capable Loops – DS1 and DS3 Capable Loops, Basic Rate (BRI) ISDN Capable Loops, 2/4 Wire Non-Loaded Loops, ADSL Compatible Loops and xDSL-I Capable Loops. Unbundled digital Loops are transmission paths capable of carrying specifically formatted and line coded digital signals. Unbundled digital Loops may be provided using a variety of transmission technologies including, but not limited to, metallic wire, metallic wire based digital Loop carrier, and fiber optic fed digital carrier systems. Qwest will provision digital Loops in a non-discriminatory manner, using the same facilities assignment processes that Qwest uses for itself to provide the requisite service. Digital Loops may use a single or multiple transmission technologies. DC continuity does not apply to digital capable Loops. If conditioning is required on a Loop that is less than 18,000 feet in length that has not been conditioned as a part of Qwest's bulk deloading project, then CLEC shall be charged for such conditioning as set forth in Exhibit A if it authorized Qwest to perform such conditioning.

9.2.2.3.1 Qwest shall provide fiber and other high capacity Loops including but not limited to OC3, OC12, OC48 and OC192 Loops. With the exception of the digital Loops identified in Section 9.2.2.3, Qwest

shall provide unbundled fiber and high capacity Loops to CLEC(s) where facilities are available and existing on an ICB basis. Qwest will provision fiber and other high capacity Loops in a non-discriminatory manner, using the same facilities assignment processes that Qwest uses for itself to provide the requisite service. DC continuity does not apply to fiber and other high capacity Loops provided under this Section. Qwest shall allow CLEC to access these high capacity Loops at accessible terminals including DSXs, FDPs or equivalent in the Central Office, Customer premises, or at Qwest owned outside plant structures (e.g., CEVs, RTs or huts) as defined in this Amendment. Nonrecurring and recurring charges shall apply for fiber and other high capacity Loops provided under this Section as set forth in Exhibit A.

9.2.2.3.2 If CLEC orders a 2/4 wire non loaded or ADSL compatible Unbundled Loop for a Customer served by a digital Loop carrier system, Qwest will conduct an assignment process which considers the potential for a LST or alternative copper facility. If no copper facility capable of supporting the requested service is available, then Qwest will reject the order.

9.2.2.4 Non-Loaded Loops. CLEC may request that Qwest provide a non-loaded Unbundled Loop. In the event that no such facilities are available, CLEC may request that Qwest condition existing spare facilities. CLEC may indicate on the LSR that it pre-approves conditioning if conditioning is necessary. If CLEC has not pre-approved conditioning, Qwest will obtain CLEC's consent prior to undertaking any conditioning efforts. Upon CLEC pre-approval or approval of conditioning, and only if conditioning is necessary, Qwest will dispatch a technician to condition the Loop by removing load coils and excess Bridged Taps to provide CLEC with a non-loaded Loop. CLEC will be charged the nonrecurring conditioning charge (i.e., cable unloading and Bridged Taps removal), if applicable, in addition to the Unbundled Loop installation nonrecurring charge.

9.2.2.4.1 Where Qwest fails to meet a Due Date for performing Loop conditioning, CLEC shall be entitled to a credit equal to the amount of any conditioning charges applied, where it does not secure the Unbundled Loop involved within one (1) month of such Due Date. Where Qwest does not perform conditioning in accord with the standards applicable under this Amendment, CLEC shall be entitled to a credit of one-half (1/2) of the conditioning charges made, unless CLEC can demonstrate that the Loop as conditioned is incapable of substantially performing the functions normally within the parameters applicable to such Loop as this Amendment requires Qwest to deliver it to CLEC. In the case of such fundamental failure, CLEC shall be entitled to a credit of all conditioning charges, except where CLEC asks Qwest to cure any defect and Qwest does so. In the case of such cure, CLEC shall be entitled to the one-half (1/2) credit identified above.

9.2.2.5 When CLEC requests a Basic Rate ISDN capable or an xDSL-I

capable Loop, Qwest will dispatch a technician, if necessary, to provide Extension Technology that takes into account for example: the additional regenerator placement, Central Office powering, Mid-Span repeaters, if required, BRITE cards in order to provision the Basic Rate ISDN capable and xDSL-I capable Loop. Extension Technology may be required in order to bring the circuit to the specifications necessary to accommodate the requested service. If the Circuit Design requires Extension Technology, to bring it up to the design standards, it will be added by Qwest, at no charge. Extension Technology can also be requested by CLEC to meet their specific needs. If Extension Technology is requested by CLEC, but is not required to meet the technical standards, then Qwest will provide the requested Extension Technology and will charge CLEC. Qwest will provision ISDN (BRI) Capable and xDSL-I capable Loops using the specifications in the Technical Publication 77384. Refer to that document for more information. CLEC will be charged an Extension Technology recurring charge in addition to the Unbundled Loop recurring charge, if applicable, as specified in Exhibit A. The ISDN Capable Loop may also require conditioning (e.g., removal of load coils or Bridged Taps).

9.2.2.6 For DS1 or DS3 capable Loops, Qwest will provide the necessary electronics at both ends, including any intermediate repeaters. In addition, CLEC will have access to these terminations for testing purposes.

9.2.2.6.1 DS1 capable Loops provide a transmission path between a Central Office network interface at a DS1 panel or equivalent in a Qwest serving Central Office and the network interface at the End User Customer location. DS1 capable Loops transport bi-directional DS1 signals with a nominal transmission rate of 1.544 Mbit/s. DS1 capable Loops shall meet the design requirements specified in Technical Publication 77375 (Unbundled Loops) and 77375 (DS1).

9.2.2.6.2 DS3 capable Loops provide a transmission path between a Qwest Central Office network interface and an equivalent network interface at an End User Customer location. DS3 capable Loops transport bi-directional DS3 signals with a nominal transmission rate of 44.736 Mbit/s. DS3 capable Loops shall meet the design requirements specified in Technical Publications 77384 (Unbundled Loop) and 77324 (DS3).

9.2.2.7 Qwest is not obligated to provision BRI-ISDN, xDSL-I, DS1, or DS3 capable or ADSL compatible Loops to End User Customers in areas served exclusively by Loop facilities or transmission equipment that are not compatible with the requested service. To avoid spectrum conflict within Qwest facilities, Qwest may control the use of certain cables for spectrum management considerations. Qwest will provide, in writing, the reason why an order was rejected for spectrum management reasons.

9.2.2.8 Loop Qualification Tools. Qwest offers five (5) Loop qualification tools: the ADSL Loop Qualification Tool, Raw Loop Data Tool, POTS Conversion to Unbundled Loop Tool, MegaBit Qualification Tool, and ISDN

Qualification Tool. These and any future Loop qualification tools Qwest develops will provide CLEC access to Loop qualification information in a nondiscriminatory manner and will provide CLEC the same Loop qualification information available to Qwest. Qwest shall provide to CLEC, on a non-discriminatory basis, access to the information contained in Qwest's records, back office systems and databases where Loop qualification information, including information relating to spare facilities resides, that is accessible to any Qwest employee or any affiliate of Qwest. An audit shall be conducted by an independent third party, selected by the Commission, eighteen (18) months after approval of Qwest's Section 271 application, of Qwest's company records, back office systems and databases to determine that Qwest is providing the same access to Loop qualification information to CLECs to which any Qwest employee has access. Thereafter, audits by an independent third party selected by the Commission shall be conducted on a periodic basis, but no more often than every eighteen (18) months, upon request and demonstration of need by a CLEC providing DSL services. Such audit will be in addition to the audit rights contemplated by the Audit Section in the Agreement.

9.2.2.8.1 ADSL Loop Qualification Tool. CLEC may use the ADSL Loop Qualification tool to pre-qualify the requested circuit utilizing the existing telephone number or address to determine whether it meets ADSL specifications. The qualification process screens the circuit for compliance with the design requirements specified in Technical Publication 77384.

9.2.2.8.2 Raw Loop Data Tools. Qwest offers two (2) types of Raw Loop Data Tool. If CLEC has a digital certificate, CLEC may access the Wire Center Raw Loop Data Tool via <http://ecom.qwest.com>. The Wire Center Raw Loop Data Tool provides CLEC the following information: Wire Center CLLI code, cable name, pair name, terminal address, MLT distance, segment (F1, F2), sub-segment (e.g., 1 of F1), segment length, segment gauge, Bridged Taps length by segment, Bridged Taps offset distance, load coil type, and pair gain type. CLEC may also access the IMA Raw Loop Data Tool for Loop specific information. The IMA Raw Loop Data Tool may be accessed through IMA-GUI or IMA-EDI. This tool provides CLEC the following information: Wire Center CLLI code, cable name, pair name, terminal address, MLT distance, segment (F1, F2), sub-segment (e.g., 1 of F1), segment length, segment gauge, bridges taps length by segment, Bridged Taps offset distance, load coil type, number of loads, and pair gain type.

9.2.2.8.3 POTS Conversion to Unbundled Loop Tool. The POTS Conversion to Unbundled Loop Tool is available to CLECs through IMA-GUI or IMA-EDI. This tool informs CLEC whether the facility is copper or pair gain and whether there are loads on the Loop.

9.2.2.8.4 MegaBit Qualification Tool. The MegaBit Qualification Tool is available to CLECs through IMA-GUI or IMA-EDI. This tool provides a "yes/no" answer regarding the Loop's ability to support Qwest DSL

(formerly MegaBit) service. If the MegaBit Qualification Tool returns a "no" answer, it provides a brief explanation.

9.2.2.8.5 ISDN Qualification Tool. The ISDN Qualification Tool is available to CLECs through IMA-GUI or IMA-EDI. This tool permits CLEC to view information on multiple lines and will inform CLEC of the number of lines found. If an ISDN capable Loop is found, the tool identifies the facility and, if applicable, pair gain.

9.2.2.8.6 If the Loop make-up information for a particular facility is not contained in the Loop qualification tools, if the Loop qualification tools return unclear or incomplete information, or if CLEC identifies any inaccuracy in the information returned from the Loop qualification tools, and provides Qwest with the basis for CLEC's belief that the information is inaccurate, then CLEC may request, and Qwest will perform a manual search of the company's records, back office systems and databases where Loop information resides. Qwest will provide CLEC via email, the Loop information identified during the manual search within forty-eight (48) hours of Qwest's receipt of CLEC's request for manual search. The email will contain the following Loop makeup information: composition of the Loop material; location and type of pair gain devices, the existence of any terminals, such as remote terminals or digital Loop terminals, Bridged Tap, and load coils; Loop length, and wire gauge. In the case of Loops served by digital Loop carrier, the email will provide the availability of spare feeder and distribution facilities that could be used to provision service to the Customer, including any spare facilities not connected to the Switch and Loop makeup for such spare facilities. After completion of the investigation, Qwest will load the information into the LFACS database, which will populate this Loop information into the fields in the Loop qualification tools.

9.2.2.9 Provisioning Options. Six (6) Provisioning options are available for Unbundled Loop elements. Charges for these Provisioning options vary depending on the type of Loop requested. Rates are contained in Exhibit A. Testing parameters are described below and in Qwest Technical Publication 77384.

9.2.2.9.1 Basic Installation. Basic Installation may be ordered for new or existing Unbundled Loops. Upon completion, Qwest will call CLEC to notify CLEC that the Qwest work has been completed.

9.2.2.9.1.1 For an existing End User Customer, the Basic Installation option is a "lift and lay" procedure. The Central Office Technician (COT) "lifts" the Loop from its current termination and "lays" it on a new termination connecting to CLEC. There is no associated circuit testing performed.

9.2.2.9.1.2 For new End User Customer service, the Basic

Installation option involves the COT and Field Technician (CST/NT) completing circuit wiring and performing the required performance tests to ensure the new circuit meets the required parameter limits. The test results are NOT provided to CLEC.

9.2.2.9.1.3 For basic installation of existing 2/4 wire analog Loops, Qwest provides a Quick Loop with or without Local Number Portability (LNP) option that enables CLEC to receive the Quick Loop installation interval as set forth in Exhibit B. Quick Loop without LNP installation includes only a simple lift and lay procedure. Quick Loop with LNP installation provides a lift and lay, and the LNP functions. Quick Loop is not available with cooperative testing, coordinated installation, or when unbundling from an IDLC to a copper alternative.

9.2.2.9.2 Basic Installation with Performance Testing. Basic Installation with Performance Testing may be ordered for new or existing Unbundled Loops.

9.2.2.9.2.1 For an existing End User Customer, Basic Installation with Performance Testing is a "lift and lay" procedure. The Central Office Technician (COT) "lifts" the Loop from its current termination and "lays" it on a new termination connecting CLEC. The COT and Implementor/Tester perform the required performance tests to ensure that the new circuit meets required parameter limits.

9.2.2.9.2.2 The Qwest Implementor/Tester will read the test results to CLEC on close-out and email the performance test results within two (2) business days to a single, designated CLEC office email address.

9.2.2.9.2.3 For new End User Customer service, the Basic Installation with Performance Testing option requires a dispatch to the End User premises. The COT and Field Technician complete circuit wiring and perform the required performance tests to ensure the new circuit meets the required parameter limits. These test results are read to CLEC by the Qwest Implementor/Tester on close-out. Within two (2) business days, Qwest will email the performance test results to a single, designated CLEC office email address.

9.2.2.9.3 Coordinated Installation with Cooperative Testing. Coordinated installation with cooperative testing may be ordered for new or existing service. For both new and existing service, CLEC must designate a specific "Appointment Time" when it submits the LSR. On the Due Date (DD), at CLEC designated "Appointment Time", the Qwest Implementor/Tester contacts CLEC to ensure CLEC is ready for installation. If CLEC is not ready within thirty (30) minutes of the

scheduled appointment time, then CLEC must reschedule the installation by submitting a supplemental LSR for a new Due Date and appointment time. If Qwest is not ready within thirty (30) minutes of the scheduled appointment time, Qwest will waive the nonrecurring charge for the installation option and the Parties will attempt to set a new appointment for the same day. If Qwest fails to perform cooperative testing due to Qwest's fault, Qwest will waive the nonrecurring charge for the installation option. If CLEC still desires cooperative testing, the Parties will attempt to set a new appointment time on the same day and, if unable to do so, Qwest will issue a jeopardy notice and a FOC with a new Due Date.

9.2.2.9.3.1 For an existing End User Customer, Coordinated Installation with Cooperative Testing is a "lift and lay" procedure with cooperative testing. The COT completes the installation in the Central Office and performs testing that CLEC requests. Upon completion of Qwest performance testing, the Qwest Implementor/Tester will contact CLEC, read the Qwest test results, and begin CLEC cooperative testing. Within two (2) business days, Qwest will email the Qwest test results to a single, designated CLEC office email address. CLEC will be charged for any Provisioning test CLEC requests that is not defined in the Qwest Technical Publication 77384.

9.2.2.9.3.2 For new End User Customer service, Coordinated Installation with Cooperative Testing may require a dispatch of a technician to the end user premises. The COT and Field Technician complete circuit wiring and perform the required performance tests to ensure that the new circuit meets required parameter limits. Upon completion of Qwest performance testing, the Qwest Implementor/Tester will contact CLEC, read the Qwest test results, and begin CLEC cooperative testing. Within two (2) business days, Qwest will email the Qwest test results to a single, designated CLEC office email address. CLEC will be charged for any Provisioning test not defined in the Qwest Technical Publication 77384.

9.2.2.9.4 Coordinated Installation without Cooperative Testing. Coordinated Installation without Cooperative Testing may be ordered for new or existing service. For both new and existing service, CLEC must designate a specific "Appointment Time" when it submits the LSR. On the Due Date (DD), at the CLEC designated "Appointment Time", the Qwest Implementor/Tester contacts CLEC to ensure CLEC is ready for installation. If CLEC is not ready within thirty (30) minutes of the scheduled appointment time, then CLEC must reschedule the installation by submitting a supplemental LSR. If Qwest is not ready within thirty (30) minutes of the scheduled appointment time, Qwest will waive the nonrecurring charge for the installation option and the Parties will attempt to set a new appointment time on the same day and, if

unable to do so, Qwest will issue a jeopardy notice and a FOC with a new Due Date.

9.2.2.9.4.1 For an existing Unbundled Loop this Coordinated Installation without Cooperative Testing is a "lift and lay" procedure without a dispatch, that offers CLEC the ability to coordinate the conversion activity. The Qwest Implementor advises CLEC when the "lift and lay" procedure is complete.

9.2.2.9.4.2 For new Unbundled Loops, Qwest may dispatch a technician to terminate the new circuit at the End User Customer premises. The Field Technician will not remain on the premises to perform the coordinated installation once the circuit is in place. The COT completes the installation in the Central Office, and the COT and Implementor/Tester complete the required performance tests to ensure that the new circuit meets required parameter limits. CLEC will not receive test results. When installation is complete, Qwest will notify CLEC.

9.2.2.9.5 Basic Installation with Cooperative Testing. Basic Installation with Cooperative Testing may be ordered for new or existing Unbundled Loops.

9.2.2.9.5.1 For an existing End User Customer, Basic Installation with Cooperative Testing is a "lift and lay" procedure with Cooperative Testing on the Due Date. The COT "lifts" the Loop from its current termination and "lays" it on a new termination connecting to CLEC. Upon completion of Qwest performance testing, the Qwest Implementor/Tester will contact CLEC, read the Qwest test results, and begin CLEC cooperative testing. Within two (2) business days, Qwest will email the Qwest test results to a single, designated CLEC office email address. CLEC and Qwest will perform a Loop back acceptance test, accept the Loop, and exchange demarcation information.

9.2.2.9.5.2 For new End User Customer service, Basic Installation with Cooperative Testing may require a dispatch to the end user premises. The COT and Field Technician complete circuit wiring and perform the required performance tests to ensure the new circuit meets the required parameter limits.

9.2.2.9.5.3 If Qwest fails to perform cooperative testing due to Qwest's fault, Qwest will waive the nonrecurring charge for the installation option. If CLEC still desires cooperative testing, the Parties will attempt to set a new appointment time on the same day and, if unable to do so, Qwest will issue a jeopardy notice and a FOC with a new Due Date.

9.2.2.9.6 Performance Testing. Qwest performs the following

performance tests for various Loop types:

2-Wire and 4-Wire Analog Loops

No Opens, Grounds, Shorts, or Foreign Volts

Insertion Loss = 0 to -8.5 dB at 1004 Hz

Automatic Number Identification (ANI) when dial-tone is present

2-Wire and 4-Wire Non-Loaded Loops

No Load Coils, Opens, Grounds, Shorts, or Foreign Volts

Insertion Loss = 0 to -8.5 dB at 1004 Hz

Automatic Number Identification (ANI) when dial-tone is present

Basic Rate ISDN and xDSL-I Capable Loops

No Load Coils, Opens, Grounds, Shorts, or Foreign Volts

Insertion Loss = \leq 40 dB at 40 kHz

Automatic Number Identification (ANI) when dial-tone is present

DS1 Capable Loops

No Load Coils, Opens, Grounds, Shorts, or Foreign Volts

DS3 Capable Loops

Continuity Testing

ADSL Compatible Loops

No Load Coils, Opens, Grounds, Shorts, or Foreign Volts

Insertion Loss = \leq 41 dB at 196 kHz

Automatic Number Identification (ANI) when dial-tone is present

9.2.2.9.7 Project Coordinated Installation: A project coordinated installation permits CLEC to obtain a coordinated installation for Unbundled Loops with or without LNP, where CLEC orders Unbundled DS1 Capable, Unbundled DS3 Capable or twenty-five (25) or more DS0 Unbundled Loops.

9.2.2.9.7.1 The date and time for the project coordinated

installation requires up-front planning and may need to be negotiated between Qwest and CLEC. All requests will be processed on a first come, first served basis and are subject to Qwest's ability to meet a reasonable demand. Considerations such as system down time, Switch upgrades, Switch maintenance, and the possibility of other CLECs requesting the same FDT in the same Switch (Switch contention) must be reviewed. In the event that any of these situations would occur, Qwest will negotiate with CLEC for an agreed upon FDT, prior to issuing the Firm Order Confirmation (FOC). In special cases where CLEC is ordering Unbundled Loop with LNP, the FDT must be agreed upon, the interval to reach agreement will not exceed two (2) Days from receipt of an accurate LSR. In addition, standard intervals will apply.

9.2.2.9.7.2 CLEC shall request a project coordinated installation by submitting a Local Service Request (LSR) and designating this order as a project coordinated installation in the remarks section of the LSR form.

9.2.2.9.7.3 CLEC will incur additional charges for the project coordinated installation dependent upon the coordinated time. The rates are based upon whether the request is within Qwest's normal business hours or Out Of Hours. Qwest normal business hours for Unbundled Loops are 8:00 a.m. to 5:00 p.m., Monday through Friday. The rates for coordinated installations are set forth in Exhibit A.

9.2.2.9.7.4 Qwest will schedule the appropriate number of employees prior to the cut, normally not to exceed four employees, based upon information provided by CLEC. If the Project Coordinated Installation includes LNP, CLEC will also have appropriate personnel scheduled for the negotiated FDT. If CLEC's information is modified during the installation, and, as a result, non-scheduled employees are required, CLEC shall be charged a three (3) hour minimum callout charge per each additional non-scheduled employee. If the installation is either cancelled, or supplemented (supp) to change the Due Date, within twenty-four (24) hours of the negotiated FDT, CLEC will be charged a one person three (3) hour minimum charge. For Project Coordinated Installations with LNP, if the Coordinated Installation is cancelled due to a Qwest error or a new Due Date is requested by Qwest, within twenty-four (24) hours of the negotiated FDT, Qwest may be charged by CLEC one person three (3) hour minimum charge as set forth in Exhibit A.

9.2.2.9.7.5 If CLEC orders Project Coordinated Installation with LNP and in the event the LNP conversion is not successful, CLEC and Qwest agree to isolate and fix the problem in a timeframe

acceptable to CLEC or the Customer. If the problem cannot be corrected within an acceptable timeframe to CLEC or the Customer, CLEC may request the restoration of Qwest service for the ported Customer. Such restoration shall begin immediately upon request. If CLEC is in error then a supplemental order shall be provided to Qwest. If Qwest is in error, no supplemental order or additional order will be required of CLEC.

9.2.2.9.7.6 If CLEC orders project coordinated Installation with LNP, Qwest shall ensure that any LNP order activity requested in conjunction with a project coordinated installation shall be implemented in a manner that avoids interrupting service to the End User Customer.

9.2.2.10 Multiplexing. Multiplexing is offered in DS3 to DS1 and DS1 to DS0 configurations. Except as specifically set forth in Section 9.2, CLEC may order multiplexing, including conversion from special access or private line circuits for Unbundled Loops under the rates, terms and conditions for multiplexing of Enhanced Extended Loop (EEL). The requirements with respect to providing a significant amount of Local Exchange traffic under the UNE Combinations Section shall not apply to conversions to Unbundled Loops.

9.2.2.11 Transmission characteristics may vary depending on the distance between CLEC's end user and Qwest's end office and may vary due to characteristics inherent in the physical network. In order to properly maintain and modernize the network, Qwest may make necessary modifications and changes to Unbundled Loops, ancillary and Finished Services in its network on an as needed basis. Such changes may result in minor changes to transmission parameters. ~~Changes~~ that affect network Interoperability require advance notice pursuant to the Notices Section of the Agreement.

9.2.2.12 If there is a conflict between an End User Customer or its respective agent and CLEC regarding the disconnection or Provisioning of Unbundled Loops, Qwest will advise the End User Customer to contact CLEC and Qwest will initiate contact with CLEC.

9.2.2.13 Facilities and lines Qwest furnishes on the premises of CLEC's End User Customer up to and including the Loop Demarcation Point are the property of Qwest. Qwest shall have reasonable access to all such facilities for network management purposes. Qwest will coordinate entry dates and times with appropriate CLEC personnel to accommodate testing, inspection repair and maintenance of such facilities and lines. CLEC will not inhibit Qwest's employees and agents from entering said premises to test, inspect, repair and maintain such facilities and lines in connection with such purposes or, upon termination or cancellation of the Unbundled Loop service, to remove such facilities and lines. Such entry is restricted to testing, inspection, repair and maintenance of Qwest's property in that facility. Entry for any other purpose is subject to audit provisions in the Audit section of the Agreement.

9.2.2.14 Reuse of Loop Facilities

9.2.2.14.1 When an End User Customer contacts Qwest with a request to convert their local service from CLEC to Qwest, Qwest will notify CLEC of the loss of the End User Customer, and will disconnect the Loop Qwest provided to CLEC. Qwest will disconnect the Loop only where Qwest has obtained proper proof of authorization.

9.2.2.14.2 When CLEC contacts Qwest with a request to convert an End User Customer from their current CLEC (old CLEC) to them (new CLEC), new CLEC is responsible for notifying old CLEC of the conversion. Qwest will disconnect the Loop Qwest provided old CLEC and, at new CLEC request, where technically compatible, will reuse the Loop for the service requested by new CLEC (e.g., resale service).

9.2.2.14.3. When CLEC contacts Qwest with a request to convert an End User Customer from Qwest to CLEC, at CLEC request, Qwest will reuse the existing Loop facilities for the service requested by CLEC to the extent those facilities are technically compatible with the service to be provided. Upon CLEC request, Qwest will condition the existing Loop in accordance with the rates set forth in Exhibit A.

9.2.2.14.4 Upon completion of the disconnection of the Loop, Qwest will send a Loss Notification report to the original competitive Carrier signifying completion of the loss.

9.2.3 Rate Elements

The following recurring and nonrecurring rates for Unbundled Loops are set forth in Exhibit A. Recurring charges vary based on CLEC selected installation options, conditioning, and extension technology.

9.2.3.1 2/4 Wire Analog Loop (Voice Grade) Recurring and Non-Recurring rates.

9.2.3.2 2/4 Wire Non-Loaded Loop Recurring and Non-Recurring rates.

9.2.3.3 DS1 and DS3 Capable Loop, OC3, OC12, OC48, OC192, Basic Rate (BRI) ISDN, ADSL Compatible Loop and xDSL-I Capable Loop Recurring and Non-Recurring rates.

9.2.3.3.1 DS0, DS1 and DS3 Capable Loop, OCn Conversion Nonrecurring rates associated with the conversion of special access or private lines to Unbundled Loops.

9.2.3.4 Extension Technology Recurring and Non-Recurring rates for Digital Capable Loops, including Basic Rate (BRI) ISDN and xDSL-I Capable Loops.

9.2.3.5 Conditioning Non-Recurring rates 2/4 wire non-loaded Loops, Basic Rate (BRI) ISDN, ADSL Compatible Loop and xDSL-I Capable Loop, as requested and approved by CLEC.

9.2.3.6 Miscellaneous Charges may apply.

9.2.3.7 Out of Hours Coordinated Installations.

9.2.3.7.1 For purposes of service installation, Qwest's installation hours are 8:00 a.m. to 5:00 p.m., Monday through Friday.

9.2.3.7.2 For coordinated installations scheduled to commence Out of Hours, or rescheduled by CLEC to commence Out of Hours, CLEC will incur additional charges for the Out of Hours coordinated installation as set forth in Exhibit A.

9.2.4 Ordering Process

9.2.4.1 Unbundled Loops are ordered via an LSR. Ordering processes are contained in the Support Functions Section of the Agreement. Detailed ordering processes are found on the Qwest wholesale website.

9.2.4.2 Prior to placing orders on behalf of the End User Customer, CLEC shall be responsible for obtaining and have in its possession a Proof of Authorization.

9.2.4.3 Based on the pre-order Loop make-up, CLEC can determine if the circuit can meet the technical parameters for the specific service CLEC intends to offer.

9.2.4.3.1 Before submitting an order for a 2/4 wire non-loaded Loop, ADSL compatible Loop, ISDN capable Loop or xDSL-I capable Loop, CLEC should use one of Qwest's Loop make-up tools available via IMA-EDI, IMA-GUI, or the web-based application interface to obtain specific information about the Loop CLEC seeks to order.

9.2.4.3.1.1 Based on the Loop make up information provided through Qwest tools, CLEC must determine whether conditioning is required to provide the xDSL service it intends to offer. If Loop conditioning is required, CLEC may authorize Qwest to perform such Loop conditioning on its LSR. If CLEC does not pre-approve Loop conditioning, Qwest will assume that CLEC has determined that Loop conditioning is not necessary to provide the xDSL service CLEC seeks to offer. If CLEC or Qwest determines that conditioning is necessary, and CLEC authorizes Qwest to perform the conditioning, Qwest will perform the conditioning. CLEC will be charged for the conditioning in accordance with the rates in Exhibit A. If Qwest determines that conditioning is necessary and CLEC has not previously authorized Qwest to perform the

conditioning on the LSR, Qwest will send CLEC a rejection notice indicating the need to obtain approval for conditioning. The CLEC must submit a revised LSR before the conditioning work will commence. Once Qwest receives the revised LSR, the fifteen (15) business day conditioning interval will begin as described in Section 9.2.4.9.

9.2.4.3.1.2 For a 2/4 wire non-loaded Loop, ADSL compatible Loop, ISDN capable Loop, xDSL-I capable Loop, or DS1 capable, Qwest will return a Firm Order Confirmation (FOC) to CLEC within 72 hours from receipt of a valid and accurate LSR. Return of such FOC will indicate that Qwest has identified a Loop assignment. Such FOC will provide CLEC with a firm Due Date commitment or indication that appropriate facilities are not available to fill CLEC's order.

9.2.4.3.1.2.1 If CLEC has pre-approved Loop conditioning, and conditioning is not necessary, Qwest will return the FOC with the standard interval (i.e. five (5) Days).

9.2.4.3.1.2.2 If CLEC has not pre-approved Loop conditioning and Qwest determines that the Loop contains load coils, Qwest will notify CLEC via a reject notification. CLEC must submit and wait for a new version of the LSR approving Loop conditioning. In this scenario, the application date will correspond to date the new version is received by Qwest.

9.2.4.4 Installation intervals for all Unbundled Loops are defined in Exhibit B. The interval will start when Qwest receives a complete and accurate LSR. The LSR date is considered the start of the service interval if the order is received prior to 7:00 p.m. For service requests received after 7:00 p.m., the service interval will begin on the next business day.

9.2.4.4.1 When CLEC places an order for an Unbundled Loop with Qwest that is complete and accurate, Qwest will reply to CLEC with a Firm Order Confirmation within the time specified in Section 20. The Firm Order Confirmation will contain the Due Date that specifies the date on which Qwest will provision the Loop. Qwest will implement adequate processes and procedures to assure the accuracy of the commitment date. If Qwest must make changes to the commitment date, Qwest will promptly issue a jeopardy notification to CLEC that will clearly state the reason for the change in commitment date. Qwest will also submit a new Firm Order Confirmation that will clearly identify the new Due Date.

9.2.4.5 Installation intervals for Unbundled Loops apply when Qwest has facilities or network capacity available.

9.2.4.6 Upon CLEC request, Qwest will convert special access or private line circuits to Unbundled Loops, with or without multiplexing, provided the service originates at the CLEC Collocation in the Serving Wire Center. If multiplexing is not involved, then the Loop conversion ordering process applies. However, if the conversion includes multiplexing, then the ordering process associated with the conversion to EELs applies. The requirements with respect to providing a significant amount of local exchange traffic under the UNE-Combinations Section shall not apply to conversions to Unbundled Loop.

9.2.4.7 When ordering Unbundled Loops, CLEC is responsible for obtaining or providing facilities and equipment that are compatible with the service CLEC seeks to provide.

9.2.4.8 The installation interval for xDSL Loops depends on the need to condition the Loop.

9.2.4.8.1 When load coils and Bridged Taps do not exist, CLEC may request the standard Due Date interval, which will apply upon submission of a complete and accurate LSR.

9.2.4.8.2 When load coils and/or Bridged Taps do exist, CLEC will request the minimum fifteen (15) business days desired Due Date. CLEC can determine the existence of load coils or Bridged Taps by using one of the Loop make-up tools. CLEC may pre-approve line conditioning on the LSR and, by doing so, CLEC agrees to pay any applicable conditioning charges. If CLEC did not request the fifteen (15) day interval and Qwest determines that conditioning is required, then the fifteen (15) business day interval starts when the need for conditioning is identified and CLEC approves the conditioning charges.

9.2.4.9 Out of Hours Coordinated Installations.

9.2.4.9.1 For purposes of this Section, Qwest's standard installation hours are 8:00 a.m. to 5:00 p.m., Monday through Friday. Installations requested outside of these hours are considered to be Out of Hours Installations.

9.2.4.9.2 CLEC may request an Out of Hours Coordinated Installation outside of Qwest's standard installation hours.

9.2.4.9.3 To request Out of Hours Coordinated Installations, CLEC will submit an LSR designating the desired appointment time. CLEC must specify an Out of Hours Coordinated Installation in the Remarks section of the LSR.

9.2.4.9.4 The date and time for Out of Hours Coordinated Installations may need to be negotiated between Qwest and CLEC because of system downtime, Switch upgrades, Switch maintenance, and the possibility of other CLECs requesting the same appointment

times in the same Switch (Switch contention).

9.2.5 Maintenance and Repair

9.2.5.1 CLEC is responsible for its own End User Customer base and will have the responsibility for resolution of any service trouble report(s) from its End User Customers. CLEC will perform trouble isolation on the Unbundled Loop and any associated ancillary services prior to reporting trouble to Qwest. CLEC shall have access for testing purposes at the NID or Loop Demarcation Point. Qwest will work cooperatively with CLEC to resolve trouble reports when the trouble condition has been isolated and found to be within a portion of Qwest's network. Qwest and CLEC will report trouble isolation test results to the other. For Unbundled Loops, each party shall be responsible for the costs of performing trouble isolation on its facilities, subject to Sections 9.2.5.2 and 9.2.5.3.

9.2.5.2 When CLEC requests that Qwest perform trouble isolation with CLEC, a Maintenance of Service charge will apply if the trouble is found to be on the End User Customer's side of the Loop Demarcation Point. If the trouble is on the end user's side of the Loop Demarcation Point, and CLEC authorizes Qwest to repair the trouble on CLEC's behalf, Qwest will charge CLEC the appropriate Additional Labor Charges set forth in Exhibit A in addition to the Maintenance of Service charge.

9.2.5.3 When CLEC elects not to perform trouble isolation and Qwest performs tests on the Unbundled Loop at CLEC's request, a Maintenance of Service charge shall apply if the trouble is not in Qwest's facilities. Maintenance and repair processes are set forth in the Agreement. Maintenance of Service charges are set forth in Exhibit A.

9.2.5.4 Qwest will maintain detailed records of trouble reports of CLEC-ordered Unbundled Loops comparing CLEC provided data with internal data, and evaluate such reports on at a minimum of a quarterly basis to determine the cause of Loop problems. Qwest will conduct a quarterly root cause analysis of problems associated with UNE Loops provided to CLECs by Qwest. Based on this analysis, Qwest will take corrective measure to fix persistent and recurrent problems, reporting to CLECs on the analysis and the process changes that are instituted implemented to fix the problems.

9.2.5.5 Qwest shall allow access to the NID for testing purposes where access at the Demarcation Point is not adequate to allow testing sufficient to isolate troubles; in the event that Qwest chooses not to allow such access, it shall waive any trouble isolation charges that may otherwise be applicable.

9.2.6 Spectrum Management

9.2.6.1 Qwest will provide 2/4 Wire non-loaded Loops, ADSL compatible Loops, ISDN capable Loops, xDSL-I capable Loops, DS1 capable Loops and

DS3 capable Loops (collectively referred to in this Section 9.2.6 as "xDSL Loops") in a non-discriminatory manner to permit CLEC to provide advanced services to its End User Customers. Such Loops are defined herein and are in compliance with FCC requirements and guidelines recommended by the Network Reliability and Interoperability Council (NRIC) to the FCC, such as guidelines set forth in T1-417.

9.2.6.2 When ordering xDSL Loops, CLEC will provide Qwest with appropriate information using NC/NCI codes to describe the Power Spectral Density Mask (PSD) for the type of technology CLEC will deploy. Qwest will treat such information provided by the CLEC as confidential and proprietary information. CLEC also agrees to notify Qwest of any change in advanced services technology that results in a change in spectrum management class on the xDSL Loop. Qwest agrees CLEC need not provide the speed or power at which the newly deployed or changed technology will operate if the technology fits within a generic PSD mask.

9.2.6.2.1 CLEC information provided to Qwest pursuant to Section 9.2.6.2 shall be deemed Confidential Information and Qwest may not distribute, disclose or reveal, in any form, this material other than as allowed and described in subsections of 9.2.6.2.

9.2.6.2.2 The Parties may disclose, on a need to know basis only, CLEC confidential information provided pursuant to Section 9.2.6.2, to legal personnel, if a legal issue arises, as well as to network and growth planning personnel responsible for spectrum management functions. In no case shall the aforementioned personnel who have access to such Confidential Information be involved in Qwest's retail marketing, sales or strategic planning.

9.2.6.3 If CLEC wishes to deploy new technology not yet designated with a PSD mask, Qwest and CLEC agree to work cooperatively to determine spectrum compatibility. Qwest and CLEC agree, as defined by the FCC, that technology is presumed acceptable for deployment when it complies with existing industry standards, is approved by a standards body or by the FCC or Commission, or if technology has been deployed elsewhere without a "significant degradation of service".

9.2.6.4 Qwest recognizes that the analog T1 service traditionally used within its network is a "known disturber" as designated by the FCC. Qwest will place such T1s, by whomever employed, within binder groups in a manner that minimizes interference. Where such placement is insufficient to eliminate interference that disrupts other services being provided, Qwest shall, whenever it is Technically Feasible, replace its T1s with a technology that will eliminate undue interference problems. Qwest agrees to spectrum manage this technology as defined in the T1E1 spectrum policy and agrees that any future "known disturber" defined by the FCC or the Commission will be managed as required by FCC rules.

9.2.6.5 If either Qwest or CLEC claims a service is significantly degrading the performance of other advanced services or traditional voice band services, then that Party must notify the causing Carrier and allow the causing Carrier a reasonable opportunity to correct the problem. Upon notification, the causing Carrier shall promptly take action to bring its facilities/technology into compliance with industry standards and FCC guidelines, rules, and regulations. Upon request, within forty-eight (48) hours, Qwest will provide CLEC with binder group information including cable, pair, Carrier and PSD class to allow CLEC to notify the causing Carrier.

9.2.6.6 Where CLEC has deployed Central Office based DSL services serving a reasonably defined area, Qwest must, upon request of CLEC, take appropriate measures to mitigate the demonstrable adverse effects on such service that arise from Qwest's use of repeaters or remotely deployed DSL service in that area. It shall be presumed that the costs of such mitigation will not be chargeable to any CLEC or to any other Customers. Qwest shall have the right to rebut this presumption by demonstrating to the Commission by a preponderance of the evidence that the incremental costs of mitigation would be sufficient to cause a substantial effect upon other Customers (including but not limited to CLECs securing UNEs) if charged to them. Upon such a showing, the Commission may determine how to apportion responsibility for those costs, including, but not limited to CLECs taking services under this Amendment. In the event Qwest believes it is entitled to cost recovery for future NRIC or FCC standards relating to remote deployments, Qwest may request such cost recovery in a proceeding in which Staff, the parties and the Commission have an opportunity to evaluate Qwest claims.

9.2.6.7 Qwest will not have the authority to unilaterally resolve any dispute over spectral interference among Carriers. Qwest shall not disconnect Carrier services to resolve a spectral interference dispute, except when voluntarily undertaken by the interfering Carrier or Qwest is ordered to do so by a state commission or other authorized dispute resolution body. CLEC may submit any claims for resolution under the Dispute Resolution Section of the Agreement.

ATTACHMENT 3

9.3 Subloop Unbundling

9.3.1 Description

9.3.1.1 A Subloop is defined as any portion of the Loop that it is Technically Feasible to access at terminals in Qwest's outside plant, including inside wire. An accessible terminal is any point on the Loop where technicians can access the wire or fiber within the cable without removing a splice case to reach the wire or fiber within. Such points may include, but are not limited to, the pole, pedestal, network interface device, minimum point of entry, single point of Interconnection, main distribution frame, remote terminal, Feeder Distribution Interface (FDI), or Serving Area Interface (SAI).

9.3.1.1.1 Building terminals within or physically attached to a privately owned building in a Multi-Tenant Environment (MTE) are one form of accessible terminal. Throughout Section 9.3 the Parties obligations around such "MTE terminals" are segregated because Subloop terms and conditions differ between MTE environments and non-MTE environments.

9.3.1.1.2 For any configuration not specifically addressed in this Amendment, the conditions of CLEC access shall be as required by the particular circumstances. These conditions include: (1) the degree of equipment separation required, (2) the need for separate cross-connect devices, (3) the interval applicable to any Collocation or other Provisioning requiring Qwest performance or cooperation, (4) the security required to maintain the safety and reliability of the facilities of Qwest and other CLECs, (5) the engineering and operations standards and practices to be applied at Qwest facilities where they are also used by CLECs for Subloop element access, and (6) any other requirements, standards, or practices necessary to assure the safe and reliable operation of all Carriers' facilities.

9.3.1.1.3 Any Party may request, under any procedure provided for by this Amendment for addressing non-standard services or network conditions, the development of standard terms and conditions for any configuration(s) for which it can provide reasonably clear technical and operational characteristics and parameters. Once developed through such a process, those terms and conditions shall be generally available to any CLEC for any configuration fitting the requirements established through such process.

9.3.1.1.4 Prior to the development of such standard terms and conditions, Qwest shall impose in the six (6) areas identified in Section 9.3.1.1.2 above only those requirements or intervals that are reasonably necessary, and shall make its determinations within ten (10) business

days and shall apprise CLEC of the conditions for access. If there is a dispute regarding the conditions for access, Qwest shall attempt to accommodate access pending resolution of the specific issues in dispute.

9.3.1.1.4.1 MTE Terminals: Accessible terminals within a building in a MTE environment or accessible terminals physically attached to a building in a MTE environment. Qwest Premises located on real property that constitutes a campus environment, yet are not within or physically attached to a non-Qwest owned building, are not considered MTE Terminals.

9.3.1.1.4.2 Detached Terminals: All accessible terminals other than MTE Terminals.

9.3.1.2 Standard Subloops available.

- a) Two-Wire/Four Wire Unbundled Distribution Loop
- b) DS1 Capable Unbundled Feeder Loop
- c) Two-Wire/Four Wire Non-loaded Distribution Loop
- d) Intrabuilding Cable Loop

9.3.1.3 Standard Subloop Access

9.3.1.3.1 Accessing Subloops in Detached Terminals: Subloop Unbundling is available after a CLEC requested Field Connection Point (FCP) has been installed within or adjacent to the Qwest accessible terminal. The FCP is a Demarcation Point connected to a terminal block from which Cross Connections are run to Qwest Subloop elements.

9.3.1.3.2 Accessing Subloops in MTE Terminals: Subloop Unbundling is available after CLEC has notified Qwest of its intention to Subloop unbundle in the MTE, during or after, an inventory of CLEC's terminations has been created, and CLEC has constructed a cross-connect field at the building terminal.

9.3.1.4 Field Connection Point

9.3.1.4.1 Field Connection Point (FCP) is a Demarcation Point that allows CLEC to interconnect with Qwest outside of the Central Office location where it is Technically Feasible. The FCP interconnects CLEC facilities to a terminal block within the accessible terminal. The terminal block allows a technician to access and combine Unbundled Subloop elements. When a FCP is required, it must be in place before Subloop orders are processed.

9.3.1.4.2 Placement of a FCP within a Qwest Premises for the sole purpose of creating a cross-connect field to support Subloop unbundling constitutes a "Cross-Connect Collocation."

9.3.1.4.2.1 The terms, conditions, intervals and rates for Cross-Connect Collocation are found within section 9.3.

9.3.1.4.2.2 To the extent that CLEC places equipment in a Qwest Premises that requires power and or heat dissipation, such Collocation is governed by the Terms of the Collocation Section in the Agreement and does not constitute a Cross-Connect Collocation.

9.3.1.4.3 A FCP arrangement can be established either within a Qwest accessible terminal, or, if space within the accessible terminal is legitimately exhausted and when Technically Feasible, CLEC may place the FCP in an adjacent terminal. CLEC will have access to the equipment placed within the Collocation for maintenance purposes. However, CLEC will not have access to the FCP Interconnection point.

9.3.1.5 MTE Point of Interconnection (MTE-POI)

9.3.1.5.1 A MTE-POI is necessary when CLEC is obtaining access to the Distribution Loop or Intra-building Cable Loop from an MTE Terminal. CLEC must create the cross-connect field at the building terminal that will allow CLEC to connect its facilities to Qwest's Subloops. The Demarcation Point between CLEC and Qwest's facilities is the MTE-POI.

9.3.1.6 Once a state has determined that it is Technically Feasible to unbundle Subloops at a designated accessible terminal, Qwest shall either agree to unbundle at such access point or shall have the burden to demonstrate, pursuant to the dispute resolution provisions of the Agreement, that it is not Technically Feasible, or that sufficient space is not available to unbundle Subloop elements at such accessible terminal.

9.3.1.7 Qwest shall provide access to additional Subloop elements, e.g. copper feeder, to CLEC where facilities are available pursuant to the Special Request Process in Exhibit C.

9.3.2 Standard Subloops Available

9.3.2.1 Distribution Loops

9.3.2.1.1 Two-Wire/Four-Wire Unbundled Distribution Loop: a Qwest provided facility from the Qwest accessible terminal to the Demarcation Point or Network Interface Device (NID) at the End User Customer location. The Two-Wire/Four-Wire Unbundled Distribution Loop is suitable for local exchange-type services. CLEC can obtain

access to this unbundled element at any Technically Feasible accessible terminal.

9.3.2.1.2 Two-Wire/Four-Wire Non-Loaded Distribution Loop: a Qwest provided facility without load coils and excess Bridged Taps from the Qwest accessible terminal to the Demarcation Point or Network Interface Device (NID) at the End User Customer location. When CLEC requests a Non-Loaded Unbundled Distribution Loop and there are none available, Qwest will contact CLEC to determine if CLEC wishes to have Qwest unload a Loop. If the response is affirmative, Qwest will dispatch a technician to "condition" the Distribution Loop by removing load coils and excess Bridged Taps (i.e., "unload" the Loop). CLEC may be charged the cable unloading and Bridged Taps removal nonrecurring charge in addition to the Unbundled Loop installation nonrecurring charge. If a Qwest technician is dispatched and no load coils or Bridged Taps are removed, the nonrecurring conditioning charge will not apply. CLEC can obtain access to this unbundled element at any Technically Feasible accessible terminal.

9.3.2.1.3 Intrabuilding Cable Loop: a Qwest provided facility from the building terminal inside a MTE to the Demarcation Point at the End User Customer premises inside the same building. This Subloop element only applies when Qwest owns the intrabuilding cable.

9.3.2.1.4 To the extent CLEC accesses Subloop in a campus environment from an accessible terminal that serves multiple buildings, CLEC can access these Subloops by ordering a Distribution Loop pursuant to either Section 9.3.2.1.1 or 9.3.2.1.2. A campus environment is one piece of property, owned by one person or entity, on which there are multiple buildings.

9.3.2.2 Feeder Loops

9.3.2.2.1 DS1 Capable Unbundled Feeder Loop is a digital transmission path that is provisioned from a Qwest Central Office network interface, which consists of a DSX-1 panel or equivalent, to the accessible terminal. The DS1 Capable Unbundled Feeder Loop transports bi-directional DS1 signals with a nominal transmission rate of 1.544 Mbit/s.

9.3.3 MTE Terminal Subloop Access: Terms and Conditions

9.3.3.1 Access to Distribution Loops or Intrabuilding Cable Loops at an MTE Terminal within a non-Qwest owned MTE is done through an MTE-POI. Remote Collocation is not necessary because CLEC can access the Subloop without placing facilities in a Qwest Premises.

9.3.3.2 To obtain such access, CLEC shall complete the "MTE-Access Ordering Process" set forth herein.

9.3.3.3 The optimum point and method to access Subloop elements will be determined during the MTE Access Ordering Process. The Parties recognize a mutual obligation to interconnect in a manner that maintains network integrity, reliability, and security. CLEC may access the MTE Terminal as a test access point.

9.3.3.4 CLEC will work with the MTE building owner to determine where to terminate its facilities within the MTE. CLEC will be responsible for all work associated with bringing its facilities into and terminating the facilities in the MTE. CLEC shall seek to work with the building owner to create space for such terminations without requiring Qwest to rearrange its facilities.

9.3.3.5 If there is space in the building for CLEC to enter the building and terminate its facilities without Qwest having to rearrange its facilities, CLEC must seek to use such space. In such circumstances, an inventory of CLEC's terminations within the MTE shall be input into Qwest's systems to support Subloop orders before Subloop orders are provisioned or in conjunction with the first Subloop order in the MTE. Qwest shall have five (5) calendar Days from receipt of a written request from CLEC, in addition to the interval set forth in this Amendment, to input the inventory of CLEC's terminations into its systems. Qwest may seek an extended interval if the work cannot reasonably be completed within the stated interval. In such cases, Qwest shall provide written notification to CLEC of the extended interval Qwest believes is necessary to complete the work. CLEC may dispute the need for, and the duration of, an extended interval, in which case Qwest must request a waiver from the Commission to obtain the extended interval. If CLEC submits a Subloop order before Qwest inputs the inventory into its systems, Qwest shall process the order in accordance with the terms of this Amendment.

9.3.3.6 If CLEC connects Qwest's Subloop element to CLEC's facilities using any temporary wiring or cut-over devices, CLEC shall remove any remaining temporary wiring or cut-over devices and install permanent wiring within ninety (90) calendar Days. All wiring arrangements, temporary and permanent, must adhere to the National Electric Code.

9.3.3.7 If there is no space for CLEC to place its building terminal or no accessible terminal from which CLEC can access such Subloop elements, and Qwest and CLEC are unable to negotiate a reconfigured Single Point of Interconnection (SPOI) to serve the MDU, Qwest will either rearrange facilities to make room for CLEC or construct a single point of access that is fully accessible to and suitable for CLEC. In such instances, CLEC shall pay Qwest a nonrecurring charge, which shall be ICB, based on the scope of the work required. If CLEC requests that a new SPOI be established, then CLEC shall pay Qwest a nonrecurring charge that shall be ICB, based on the scope of the work required. If the MTE terminal is hard wired in such a manner that a network Demarcation Point cannot be created, Qwest will rearrange the terminal to create a cross-connect field and Demarcation Point. Charges for such rearrangement shall be recovered through recurring termination charges.

9.3.3.7.1 If Qwest must rearrange its MTE Terminal to make space for CLEC, Qwest shall have forty-five (45) calendar Days from receipt of a written request from CLEC to complete the rearrangement. Qwest may seek an extended interval if the work cannot reasonably be completed within forty-five (45) calendar Days. In such cases, Qwest shall provide written notification to CLEC of the extended interval Qwest believes is necessary to complete the work. CLEC may dispute the need for, and the duration of, an extended interval, in which case Qwest must request a waiver from the Commission to obtain an extended interval.

9.3.3.7.2 If Qwest must construct a new detached terminal that is fully accessible to and suitable for CLEC, the interval for completion shall be negotiated between the Parties on an Individual Case Basis.

9.3.3.7.3 CLEC may cancel a request to construct an FCP or SPOI prior to Qwest completing the work by submitting a written notification via certified mail to its Qwest account manager. CLEC shall be responsible for payment of all costs previously incurred by Qwest as well as any costs necessary to restore the property to its original condition.

9.3.3.8 At no time shall either Party rearrange the other Party's facilities within the MTE or otherwise tamper with or damage the other Party's facilities within the MTE. This does not preclude normal rearrangement of wiring or jumpers necessary to connect inside wire or intrabuilding cable to CLEC facilities in the manner described in the MTE Access Protocol. If such damage accidentally occurs, the Party responsible for the damage shall immediately notify the other and shall be financially responsible for restoring the facilities and/or service to its original condition. Any intentional damage may be reported to the proper authorities and may be prosecuted to the full extent of the law.

9.3.4 Detached Terminal Subloop Access: Terms and Conditions

9.3.4.1 Except as to access at an MTE Terminal, access to unbundled Subloop elements at an accessible terminal must be made through a Field Connection Point (FCP) in conjunction with either a Cross-Connect Collocation or, if power and/or heat dissipation is required, a Remote Collocation.

9.3.4.2 To the extent that the accessible terminal does not have adequate capacity to house the network interface associated with the FCP, CLEC may opt to use Adjacent Collocation to the extent it is Technically Feasible. Such adjacent access shall comport with NEBS Level 1 safety standards

9.3.4.3 Field Connection Point

9.3.4.3.1 Qwest is not required to build additional space for CLEC to access Subloop elements. When Technically Feasible, Qwest shall allow CLEC to construct its own structure adjacent to Qwest's

accessible terminal. CLEC shall obtain any necessary authorizations or rights of way required and shall coordinate its facility placement with Qwest, when placing their facilities adjacent to Qwest facilities. Obstacles that CLEC may encounter from cities, counties, electric power companies, property owners and similar third parties, when it seeks to interconnect its equipment at Subloop access points, will be the responsibility of CLEC to resolve with the municipality, utility, property owner or other third party.

9.3.4.3.2 The optimum point and method to access Subloop elements will be determined during the Field Connection Point process. The Parties recognize a mutual obligation to interconnect in a manner that maintains network integrity, reliability, and security.

9.3.4.3.3 CLEC must identify the size and type of cable that will be terminated in the Qwest FCP location. Qwest will terminate the cable in the Qwest accessible terminal if termination capacity is available. If termination capacity is not available, Qwest will expand the FDI at the request of CLEC if Technically Feasible, all reconfiguration costs to be borne by CLEC. In this situation only, Qwest shall seek to obtain any necessary authorizations or rights of way required to expand the terminal. It will be the responsibility of Qwest to seek to resolve obstacles that Qwest may encounter from cities, counties, electric power companies, property owners and similar third parties. The time it takes for Qwest to obtain such authorizations or rights of way shall be excluded from the time Qwest is expected to provision the Collocation. CLEC will be responsible for placing the cable from the Qwest FCP to its equipment. Qwest will perform all of the initial splicing at the FCP.

9.3.4.3.4 CLEC may cancel a Collocation associated with a FCP request prior to Qwest completing the work by submitting a written notification via certified mail to its Qwest account manager. CLEC shall be responsible for payment of all costs previously incurred by Qwest.

9.3.4.3.5 If the Parties are unable to reach an agreement on the design of the FCP through the Field Connection Point Process, the Parties may utilize the Dispute Resolution process pursuant to the Terms and Conditions Dispute Resolution Section of the Agreement. Alternatively, CLEC may seek arbitration under Section 252 of the Act with the Commission, wherein Qwest shall have the burden to demonstrate that there is insufficient space in the accessible terminal to accommodate the FCP, or that the requested Interconnection is not Technically Feasible.

9.3.4.4 At no time shall either Party rearrange the other Party's facilities within the accessible terminal or otherwise tamper with or damage the other Party's facilities. If such damage accidentally occurs, the Party responsible for the damage shall immediately notify the other and shall be financially responsible for restoring the facilities and/or service to its original condition. Any intentional

damage may be reported to the proper authorities and may be prosecuted to the full extent of the law.

9.3.5. Ordering/Provisioning

9.3.5.1 All Subloop Types

9.3.5.1.1 CLEC may order Subloop elements through the Operational Support Systems.

9.3.5.1.2 CLEC shall identify Subloop elements by NC/NCI codes.

9.3.5.2 Additional Terms for Detached Terminal Subloop Access

9.3.5.2.1 CLEC may only submit orders for Subloop elements after the FCP is in place. The FCP shall be ordered pursuant to the terms of this Amendment. CLEC will populate the LSR with the termination information provided at the completion of the FCP process.

9.3.5.2.2 Qwest shall dispatch a technician to run a jumper between its Subloop elements and CLEC's Subloop elements. CLEC shall not at any time disconnect Qwest facilities or attempt to run a jumper between its Subloop elements and Qwest's Subloop elements without specific written authorization from Qwest.

9.3.5.2.3 Once the FCP is in place, the Subloop Provisioning intervals contained in Exhibit B shall apply.

9.3.5.3 Additional Terms for MTE Terminal Subloop Access - MTE-Access Ordering Process

9.3.5.3.1 CLEC shall notify its account manager at Qwest in writing, including via e-mail, of its intention to provide access to Customers that reside within a MTE. Upon receipt of such request, Qwest shall have up to ten (10) calendar Days to notify CLEC and the MTE owner whether Qwest believes it or the MTE owner owns the intrabuilding cable. In the event that there has been a previous determination of on-premises wiring ownership communicated to another CLEC at the same MTE, Qwest shall provide such notification within two (2) business days. In the event that CLEC provides Qwest with a written claim by an authorized representative of the MTE owner that such owner owns the facilities on the Customer side of the terminal, the preceding ten (10) day period shall be reduced to five (5) calendar Days from Qwest's receipt of such claim. Notwithstanding the above intervals Qwest shall use its best efforts to respond to CLEC inquires of requests for access on a more abbreviated basis when circumstances permit.

9.3.5.3.1.1 If Qwest fails to respond to an MTE Ownership Request, or fails to make a determination of ownership or control

of on-premises wiring as provided above within twenty (20) Days after CLEC submits an MTE Ownership Request, or if ownership or control of on-premises wiring is otherwise unclear or disputed, Qwest will not prevent or in any way delay the CLEC's use of the on-premises wiring to meet an End User Customer request for service. After CLEC has commenced use of the on-premises wiring and if Qwest demonstrates that the facility used by CLEC is on-premises wiring, or such determination is made pursuant to Dispute Resolution, CLEC will compensate Qwest for the use of such on-premises wiring, according to rates set forth in this Amendment, on a retroactive basis from the date of when Qwest demonstrates compliance with Sections 9.3.3.2 and 9.3.3.3.

9.3.5.3.2 If the MTE owner owns the facilities on the Customer side of the terminal, CLEC may obtain access to all facilities in the building in accordance with Section 9.5 concerning access to unbundled NIDs.

9.3.5.3.3 If Qwest owns the facilities on the Customer side of the terminal and if CLEC requests space to enter the building and terminate its facilities and Qwest must rearrange facilities or construct new facilities to accommodate such access, CLEC shall notify Qwest. Upon receipt of such notification, the intervals set forth in herein shall begin.

9.3.5.3.4 CLEC may only submit orders for Subloop elements after the facilities are rearranged and/or a new facility constructed, if either are necessary. CLEC will populate the LSR with the termination information provided by CLEC at the completion of the inventory process except when submitting LSRs during the creation of the inventory.

9.3.5.3.5 If CLEC ordered Intrabuilding Cable Loop, CLEC shall dispatch a technician to run a jumper between its Subloop elements and Qwest's Subloop elements to make a connection at the MTE-POI, in accordance with the MTE Access Protocol. If CLEC ordered a Subloop type other than Intrabuilding Cable Loop, Qwest will dispatch a technician to run a jumper between CLECs Subloop elements and Qwest's Subloop elements to make a connection at the MTE-POI. CLEC, at its option, may request that Qwest run the jumper for Intrabuilding cable in MTEs when the inventory is done and a complete LSR has been submitted.

9.3.5.3.5.1 When CLEC accesses a MTE Terminal, it shall employ generally accepted best engineering practices in accordance with industry standards. CLEC shall clearly label the cross-connect wires it uses. CLEC wiring will be neatly dressed. When CLEC accesses Subloops in MTE Terminals, it shall adhere to Qwest's Standard MTE Terminal Access Protocol unless the Parties have negotiated a separate document for such Subloop access. If CLEC requests a MTE Terminal access protocol that is

different from Qwest's Standard MTE Terminal Access Protocol, Qwest shall negotiate with CLEC promptly and in good faith toward that end.

9.3.5.3.6 Once inventory is complete and, if necessary, the facilities are rearranged and or a new facility constructed, and when Qwest runs the jumper, the Subloop Provisioning intervals contained in Exhibit B shall apply.

9.3.5.3.7 For access to Qwest's on-premises MTE wire as a Subloop element, CLEC shall be required to submit an LSR, but need not include thereon the circuit-identifying information or await completion of LSR processing by Qwest before securing such access. Qwest shall secure the circuit-identifying information, and will be responsible for entering it on the LSR when it is received. Qwest shall be entitled to charge for the Subloop element as of the time of LSR submission by CLEC.

9.3.5.4 FCP Ordering Process

9.3.5.4.1 CLEC shall submit a Field Connection Point Request Form to Qwest along with its Collocation Application. The FCP Request Form shall be completed in its entirety.

9.3.5.4.2 After construction of the FCP and Collocation are complete, CLEC will be notified of its termination location, which will be used for ordering Subloops.

9.3.5.4.2.1 The following constitute the intervals for Provisioning Collocation associated with a FCP, which intervals shall begin upon completion of the FCP Request Form and its associated Collocation Application in their entirety:

9.3.5.4.2.1.1 Any Remote Collocation associated with a FCP in which CLEC will install equipment requiring power and/or heat dissipation shall be in accordance with the intervals set forth in the Collocation Section of the Agreement.

9.3.5.4.2.1.2 A Cross-Connect Collocation in a detached terminal shall be provisioned within ninety (90) calendar Days from receipt of a written request by CLEC.

9.3.5.4.2.1.3 If Qwest denies a request for Cross-Connect Collocation in a Qwest Premises due to space limitations, Qwest shall allow CLEC representatives to inspect the entire Premises escorted by Qwest personnel within ten (10) calendar Days of CLECs receipt of the denial of space, or a mutually agreed upon date. Qwest

will review the detailed space plans (to the extent space plans exist) for the Premises with CLEC during the inspection, including Qwest reserved or optioned space. Such tour shall be without charge to CLEC. If, after the inspection of the Premises, Qwest and CLEC disagree about whether space limitations at the Premises make Collocation impractical, Qwest and CLEC may present their arguments to the Commission. In addition, if after the fact it is determined that Qwest has incorrectly identified the space limitations, Qwest will honor the original Cross-Connect Collocation Application date for determining RFS unless both Parties agree to a revised date.

9.3.5.4.2.1.4 Payment for the remaining nonrecurring charges shall be upon the RFS date. Upon completion of the construction activities and payment of the remaining nonrecurring charge, Qwest will schedule with CLEC an inspection of the FCP with CLEC if requested. Upon completion of the Acceptance inspection, CLEC will be provided the assignments and necessary ordering information. With prior arrangements, CLEC can request testing of the FCP at the time of the Acceptance inspection. If Qwest, despite its best efforts, including notification through the contact number on the Cross-Connect Collocation Application, is unable to schedule the Acceptance inspection with CLEC within twenty-one (21) calendar Days of the RFS, Qwest shall activate the applicable charges.

9.3.5.4.2.1.5 Qwest may seek extended intervals if the work cannot reasonably be completed within the set interval. In such cases, Qwest shall provide written notification to CLEC of the extended interval Qwest believes is necessary to complete the work. CLEC may dispute the need for and the duration of, an extended interval, in which case Qwest must request a waiver from the Commission to obtain an extended interval.

9.3.6 Rate Elements

9.3.6.1 All Subloop Types

9.3.6.1.1 Subloop Recurring Charge - CLEC will be charged a monthly recurring charge pursuant to Exhibit A for each Subloop ordered by CLEC.

9.3.6.1.2 Subloop Trouble Isolation Charge - CLEC will be charged a Trouble Isolation Charge when trouble is reported but not found on the Qwest facility.

9.3.6.2 Additional rates for Detached Terminal Subloop Access:

9.3.6.2.1 Cross-Connect Collocation Charge: CLEC shall pay the full nonrecurring charge for creation of the Cross-Connect Collocation set forth in Exhibit A upon submission of the Collocation Application. The FCP Request Form shall not be considered completed in its entirety until complete payment is submitted to Qwest.

9.3.6.2.2 Any Remote Collocation associated with a FCP in which CLEC will install equipment requiring power and/or heat dissipation shall be in accordance with the rate elements set forth in the Collocation Section of the Agreement.

9.3.6.2.3 Subloop Non-Recurring Jumper Charge: CLEC will be charged a nonrecurring basic installation charge for Qwest running jumpers within the accessible terminal pursuant to Exhibit A for each Subloop ordered by CLEC.

9.3.6.3 Additional Rates for MTE Terminal Subloop Access

9.3.6.3.1 Subloop Non-Recurring Jumper Charge – If CLEC ordered a Subloop type other than Intrabuilding Cable Loop, CLEC will be charged a nonrecurring basic installation charge for Qwest running jumpers within the accessible terminal pursuant to Exhibit A for each Subloop ordered by CLEC.

9.3.7 Repair and Maintenance

9.3.7.1 Detached Terminal Subloop Access: Qwest will maintain all of its facilities and equipment in the accessible terminal and CLEC will maintain all of its facilities and equipment in the accessible terminal.

9.3.7.2 MTE Terminal Subloop Access: Qwest will maintain all of its facilities and equipment in the MTE and CLEC will maintain all of its facilities and equipment in the MTE.

ATTACHMENT 4

9.5 Network Interface Device (NID)

9.5.1 Description

The Qwest NID is defined as any means of interconnection of on-premises wiring and Qwest's distribution plant, such as a cross connect device used for that purpose. Specifically, the NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at a premises. If CLEC seeks to access a NID as well as a Subloop connected to that NID, it may do so only pursuant to Section 9.3. If CLEC seeks to access only a NID (i.e., CLEC does not wish to access a Subloop connected to that NID), it may only do so pursuant to this Section. Qwest shall permit CLEC to connect its own Loop facilities to on-premises wiring through Qwest's NID, or at any other Technically Feasible point. The NID carries with it all features, functions and capabilities of the facilities used to connect the Loop distribution plant to the Customer premises wiring, including access to the Cross Connection field, regardless of the particular design of the NID mechanism. Although the NID provides the connection to the Customer premises wiring, it may not represent the Demarcation Point where Qwest ownership or control of the intra-premises wiring ends. The NID contains a protective ground connection that protects the Customer's on-premises wiring against lightning and other high voltage surges and is capable of terminating media such as twisted pair cable. If CLEC orders Unbundled Loops on a reuse basis, the existing drop and Qwest's NID, as well as any on premises wiring that Qwest owns or controls, will remain in place and continue to carry the signal over the Customer's on-premises wiring to the End User Customer's equipment. Notwithstanding the foregoing, an Unbundled Loop and any Subloop terminating at a NID shall include the existing drop and the functionality of the NID as more specifically set forth in Section 9.2. The NID is offered in three (3) varieties:

9.5.1.1 Simple NID - The modular NID is divided into two (2) components, one containing the over-voltage unit (protector) and the other containing the End User Customer's on-premises inside wiring termination, and a modular plug which connects the inside wire to the distribution plant or dial tone source. The non-modular NID is a protector block with the inside wire terminated directly on the distribution facilities.

9.5.1.2 Smart NID - To the extent Qwest has deployed "Smart" devices in general meaning a terminating device that permits the service provider to isolate the Loop facility from the premises wiring for testing purposes, and such devices have spare functioning capacity not currently used by Qwest or any other provider, Qwest shall provide unbundled access to such devices. Qwest shall also continue to allow CLEC, at its option, to use all features and functionality of the Qwest NID including any protection mechanisms, test capabilities, or any other capabilities now existing or as they may exist in the future regardless of whether or not CLEC terminates its own distribution facility on the NID.

9.5.1.3 Multi-Tenant (MTE) NID - The MTE NID is divided into two (2) functional components: one containing the over-voltage unit (protector) and the

other containing the terminations of the on-premises inside wiring. Such devices contain the protectors for, and may be located externally or internally to the premises served.

9.5.2 Terms and Conditions

9.5.2.1 A CLEC can use the existing Qwest NID to terminate its drop if space permits, otherwise a new NID or other Technically Feasible Interconnection point is required. If CLEC installs its own NID, CLEC may connect its NID to the Qwest NID by placing a cross-connect between the two. When Provisioning a NID to NID connection, CLEC will isolate the Qwest facility in the NID by unplugging the modular unit. If CLEC requires that a non-modular unit be replaced with a modular NID, Qwest will perform the replacement for the charge described in Section 9.5.3.1. If CLEC is a facility based provider up to and including its NID, the Qwest facility currently in place, including the NID, will remain in place. At no time should any Carrier remove another Carrier's Loop facilities from the protector side of that Carrier's NID, if the NID is located on the inside of the building. If the NID is located on the outside of the building, a qualified technician of any Carrier may remove or disconnect and cap off another Carrier's drop wire facilities. Only qualified technicians of that Carrier selected by the Customer, who have been trained to perform work under the National Electrical Safety Code and under other applicable industry standards, may cap off Loop facilities in accordance with standard industry practice. If any Carrier removes the facilities of another Carrier from Qwest's NID, it shall provide notice to the affected Carrier of such disconnection.

9.5.2.1.1 Qwest shall allow CLEC to connect its Loops directly to the NID field containing the terminations of the on-premises inside wiring not owned or controlled by Qwest, without restriction. Where Qwest does not own or control the on-premises inside wiring, CLEC and the landowner shall determine procedures for such access.

9.5.2.1.2 Qwest shall allow CLEC to use all features and functionality of the Qwest NID including any protection mechanisms, test capabilities, or any other capabilities now existing or as they may exist in the future.

9.5.2.1.3 Pursuant to generally acceptable work practices, and provided the inside wire retermination is required to meet service requirements of either parties' End User Customer. Either Party may remove the inside wire from the NID and connect that wire to that Party's own NID. Future installation of Qwest NIDs will be such that it will not unnecessarily impede access to the Customer's wiring.

9.5.2.1.4 CLEC may enter the subscriber access chamber or "End User Customer side" of "dual chamber" NID enclosures for the purpose of NID to NID connections.

9.5.2.1.5 Upon CLEC request, Qwest will make other

rearrangements to the inside wire terminations or terminal enclosure. Charges will be assessed per section 9.5.3.4. No such charge shall be applicable if Qwest initiates the rearrangement of such terminations. In all such instances, rearrangements shall be performed in a non-discriminatory fashion and timeframe and without a Customer's perceivable disruption in service. Qwest will not make any rearrangements of wiring that is provided by another Carrier that relocates the other Carrier's test access point without notifying the affected Carrier promptly after such rearrangement if CLEC has properly labeled its cross connect wires.

9.5.2.2 Qwest will retain sole ownership of the Qwest NID and its contents on Qwest's side. Qwest is not required to proactively conduct NID change-outs, on a wide scale basis. At a CLEC's request, Qwest will change the NID on an individual request basis by CLEC and charges will be assessed per section 9.5.3.5 except where Section 9.5.5.1 applies. Qwest is not required to inventory NID locations on behalf of CLEC.

9.5.2.3 When CLEC accesses a Qwest NID, it shall employ generally accepted best engineering practices and comply with industry standards should such standards exist when it physically connects its NID (or equivalent) to the Qwest NID and makes Cross Connections necessary to provide service. At MTE NIDs, CLEC shall clearly label the cross-connect wires it uses to provide service. Qwest shall label its terminals when a technician is dispatched.

9.5.2.4 All services fed through a protector field in a Qwest NID located inside a building will interface on an industry standard termination block and then extend, via a Cross Connection to the Customer's in-premises wiring. All services fed through a protector field in a Qwest NID that is attached to a building will interface on industry standard lugs or a binding post type of termination and then extend, via a Cross Connection, to the Customer's on-premises wiring.

9.5.2.5 If so requested by CLEC, Qwest shall allow CLEC to connect its Loops directly to the protector field at Qwest NIDs that have unused protectors and are not used by Qwest or any other Telecommunications Carrier to provide service to the premises. If a CLEC accesses the Qwest protector field it shall do so on the distribution side of the protector field only where spare protector capacity exists. In such cases, CLEC shall only access a Qwest NID protector field in cable increments appropriate to the NID. If twenty-five (25) or more metallic cable pairs are simultaneously terminated at the MTE NID, additions must be in increments of twenty-five (25) additional metallic pairs. In all cases, Telecommunications cables entering a Qwest NID must be terminated in compliance with FCC 88-57, section 315 of the National Electric Safety Code and section 800.30 of the National Electric Code.

9.5.3 Rate Elements

9.5.3.1 If CLEC requests the current Simple NID to be replaced with a different Simple NID, pursuant to section 9.5.2.1, charges will be assessed on a

time and materials basis with CLEC paying only for the portion of the change out that is specific to and for the functionality that supports CLEC requirements.

9.5.3.2 Recurring rates for unbundled access to the protector field in a Qwest NID are contained in Exhibit A.

9.5.3.3 When a CLEC requests that Qwest perform the work to connect its NID to the Qwest NID, the costs associated with Qwest performing such work will be charged to CLEC on a time and materials basis.

9.5.3.4 Where Qwest makes rearrangements to the inside wire terminations or terminal enclosure on CLEC request pursuant to Section 9.5.2.1.5, charges will be assessed on a time and materials basis.

9.5.3.5. CLEC will be billed on a time and materials basis for any change out Qwest performs pursuant to Section 9.5.2.2. CLEC will be billed only for the portion of the change out that is specific to the CLEC request for additional capacity.

9.5.4 Ordering Process

9.5.4.1 CLEC may access a MTE NID after determining that the terminal in question is a NID, per the process identified in Section 9.3. If the terminal is a NID and CLEC wishes to access the Customer field of the NID, no additional verification is needed by Qwest. CLEC shall tag their jumper wire.

9.5.4.1.1 When CLEC seeks to connect to a cross-connect field other than to the Customer field of the NID, CLEC shall submit a LSR for connection to the NID. Qwest shall notify CLEC, within 10 business days, if the connection is not Technically Feasible. In such cases, Qwest shall inform CLEC of the basis for its claim of technical infeasibility and, at the same time, identify all alternative points of connection that Qwest would support. CLEC shall have the option of employing the alternative terminal or disputing the claim of technical infeasibility pursuant to the Dispute Resolution provisions of the Agreement. No additional verification is needed by Qwest and CLEC shall tag their jumper wire.

9.5.4.2 Subject to the terms of above, CLEC may perform a NID-to-NID connection, and access the Customer field of the NID without notice to Qwest. CLEC may access the protector field of the NID by submitting a LSR.

9.5.5 Maintenance and Repair

9.5.5.1 If Qwest is dispatched to an End User Customer's location on a maintenance issue and finds the NID to be defective, Qwest will replace the defective element or, if beyond repair, the entire device at no cost to CLEC. If the facilities and lines have been removed from the protector field or damaged by CLEC, CLEC will be responsible for all costs associated with returning the

facilities and lines back to their original state. Charges for this work will be on a time and materials basis and billed directly to CLEC. Billing disputes will be resolved in accordance with the Dispute Resolution process contained in the Agreement.

ATTACHMENT 5

9.7 Unbundled Dark Fiber

9.7.1 Description

9.7.1.1 Unbundled Dark Fiber (UDF) is a deployed, unlit pair of fiber optic cable or strands that connects two points within Qwest's network. UDF is a single transmission path between two Qwest Wire Centers, or between a Qwest Wire Center and a CLEC Wire Center, or between a Qwest Wire Center and either an appropriate outside plant structure or an End User Customer premises in the same LATA and state. UDF exists in two (2) distinct forms: (a) UDF Interoffice Facility (UDF-IOF), which constitutes an deployed route between two (2) Wire Centers; and (b) UDF-Loop, which constitutes a deployed Loop or section of a deployed Loop between a Qwest Wire Center and an End User Customer premises.

9.7.2 Terms and Conditions

9.7.2.1 Qwest will provide CLEC with non-discriminatory access to UDF in accordance with section 9.1.2. Qwest will provide UDF of substantially the same quality as the fiber facilities that Qwest uses to provide retail service to its own End User Customers.

9.7.2.2 Qwest provides access to unbundled Dark Fiber at:

9.7.2.2.1 Accessible terminations such as fiber distribution panels.

9.7.2.2.2 Splice cases (except those that are buried and are not readily accessible without excavation) in the UDF-Loop, subject to the following conditions:

9.7.2.2.2.1 Unspliced fiber is available, subject to Section 9.7.2.5;

9.7.2.2.2.2 Available unspliced fiber is not ribbon fiber;

9.7.2.2.2.3 Splice capacity is available in the Qwest splice case;

9.7.2.2.2.4 Space exists for CLEC splice case;

9.7.2.2.2.5 Qwest will perform splice in Qwest splice case;

9.7.2.2.2.6 CLEC shall not have access to Qwest's splice case;

9.7.2.2.2.7 Qwest will provide a fiber stub for CLEC to splice the Qwest fiber stub to CLEC fiber strand in CLEC

splice case;

9.7.2.2.2.8 Qwest will perform all splices in Qwest splice case when CLEC is not providing fiber facilities;

9.7.2.2.2.9 Qwest will not open or break any existing splices on continuous fiber optic cable routes. Where the end of a fiber optic strand exists in a splice case, Qwest will open that splice case and stub out the end of the Dark Fiber strand for CLEC;

9.7.2.2.2.10 CLEC will perform splices in CLEC splice case per Technical Publication 77383;

9.7.2.2.2.11 Qwest will perform all modifications associated with access to UDF via splicing under the terms of Exhibit A; and

9.7.2.2.2.12 All access is subject to the Field Verification and Quote Preparation (FVQP).

9.7.2.2.3 CLEC may request placement of a FDP at any building or controlled environment location in the Qwest network in order to access unterminated UDF.

9.7.2.3 Qwest will provide CLEC with access to deployed Dark Fiber facilities. CLEC shall be responsible for obtaining and connecting electronic equipment, whether light generating or light terminating equipment, to the Dark Fiber, provided that if CLEC requests Qwest to obtain and connect the electronic equipment, Qwest will follow the requirements of the Agreement in deciding whether or not to build the facilities for CLEC. In the event CLEC requests that Qwest obtain and connect the electronic equipment to the Dark Fiber and Qwest does so, then the facilities will be rated and treated as UDIT or EUDIT or Loop UNEs of appropriate optical capacity, as applicable. Qwest will not remove, and CLEC shall be permitted to use, regenerating equipment that already exists in mid-span.

9.7.2.4 Qwest will provide Unbundled Dark Fiber to CLEC in increments of two (2) strands (by the pair). In addition, after May 31, 2001, Qwest will provide UDF to CLEC in increments of one (1) strand. CLEC may obtain up to twenty-five percent (25%) of available Dark Fibers or four (4) Dark Fiber strands, whichever is greater, in each fiber cable segment over a twelve (12) month period. Before CLEC may order additional UDF on such fiber cable segment, CLEC must demonstrate efficient use of existing fiber in each cable segment. Efficient use of interoffice cable segments is defined as providing a minimum of OC-12 termination on each fiber pair. Efficient use of Loop fiber is defined as providing a minimum of OC-3 termination on each fiber pair. Efficient use of E-UDF is defined as providing a minimum of OC-3 termination on each fiber pair. CLEC may designate five percent (5%) of its fibers along a fiber cable segment,

or two (2) strands, whichever is greater, for maintenance spare, which fibers or strands are not subject to the termination requirements in this paragraph.

9.7.2.5 Qwest shall not have an obligation to unbundle Dark Fiber in the following circumstances:

a) Qwest will not unbundle Dark Fiber that Qwest utilizes for maintenance or reserves for maintenance spare for Qwest's own use. Qwest shall not reserve more than five percent (5%) of the fibers in a sheath, or two (2) strands, whichever is greater, for maintenance or maintenance spare for Qwest's own use.

b) Qwest will not be required to unbundle Dark Fiber if Qwest demonstrates to the Commission by a preponderance of the evidence that such unbundling would create a likely and foreseeable threat to its ability to meet its Carrier of last resort obligations as established by any regulatory authority. Qwest shall initiate such proceeding within seven (7) calendar Days of denying CLEC's request (by written notice) to unbundle Dark Fiber where such fiber is available. In this proceeding, Qwest shall not object to using the most expeditious procedure available under state law, rule or regulation. Qwest shall be relieved of its unbundling obligations, related to the specific Dark Fiber at issue, pending the proceeding before the Commission. If Qwest fails to initiate such pending proceeding within such seven (7) day period, CLEC's request to unbundle Dark Fiber shall be reinstated and the ordering and Provisioning processes of Section 9.7.3 shall continue.

9.7.2.6 Qwest will provide CLEC with access to the deployed Dark Fiber in its network in either single-mode or multi-mode. During the inquiry process, Qwest will inform CLEC of the availability of single-mode and multi-mode fiber.

9.7.2.7 Specifications, interfaces and parameters for Dark Fiber are described in Qwest's Technical Publication 77383.

9.7.2.8 CLEC is responsible for trouble isolation before reporting trouble to Qwest.

9.7.2.9 CLEC shall not use UDF as a substitute for special or switched Access Services, except to the extent CLEC provides "a significant amount of local exchange traffic" to its End User Customers over the UDF as set forth by the FCC (See 9.23.3.7.2).

9.7.2.10 Upon thirty (30) calendar Days notification to CLEC, Qwest may initiate a proceeding to reclaim Dark Fiber strands from CLEC that were not serving End User Customers at the time of Qwest's notice to CLEC. In such proceeding, Qwest shall have the burden to prove that Qwest needs such fiber strands in order to meet its Carrier of last resort obligations as established by any regulatory authority. In such proceeding, CLEC shall not object to using the most expeditious procedure available under state law, rule or regulation. CLEC shall

be entitled to retain such strands of UDF for any purpose permitted under this Amendment pending the proceeding before the Commission; provided, however, that such use shall be at CLEC's sole risk of any reclamation approved by the Commission, including the risk of termination of service to End User Customers. CLEC may designate five percent (5%) of its fibers along a fiber cable segment, or two (2) strands, whichever is greater, for maintenance spare, which fibers or strands are not subject to the reclamation requirements in this paragraph.

9.7.2.11 UDF may be combined with another UNE or with other CLEC facilities.

9.7.2.12 CLEC must have established Collocation or other Technically Feasible means of network demarcation pursuant to section 9.1.4 of this Amendment at both terminating points of the UDF-IOF or at the Serving Wire Center of the UDF-Loop unless Loop and transport combinations are ordered. Collocation is only required when the UDF-IOF terminates in a Qwest Wire Center. Qwest will provide fiber cross connects at the Serving Wire Center to connect UDF-Loop with the UDF-IOF if such elements are ordered in combination. No Collocation is required in intermediate Wire Centers within a UDF or at Wire Centers where CLEC's UDFs are cross connected. CLEC has no access to UDF at those intermediate Wire Centers.

9.7.2.12.1 CLEC-to-CLEC connections with UDF for the mutual exchange of traffic is permissible pursuant to the provisions herein.

9.7.2.13 For UDF-Loop, CLEC is responsible for all work activities at the End User Customer premises. All negotiations with the premises End User Customer and or premises owner are solely the responsibility of CLEC.

9.7.2.14 For a UDF-Loop terminating at an existing End User Customer premises FDP, Qwest will provide to CLEC an optical "jumper", not to exceed thirty (30) feet in length, connected to the Qwest UDF-Loop FDP.

9.7.2.15 The Remote Collocation provisions and §9.3.8.1 of this Amendment apply where CLEC needs to gain access to UDF at an outside plant structure.

9.7.2.16 CLEC will incur all costs associated with disconnecting the UDF from its side of the network Demarcation Point.

9.7.2.17 Qwest and CLEC will jointly participate in continuity testing within the Provisioning interval established in Exhibit B. Qwest and CLEC must coordinate on the date and time for this continuity testing. As part of their respective duties regarding this continuity test, Qwest shall furnish a light detector at one termination point of the UDF, and CLEC shall furnish light generating equipment at the other termination point of the UDF as described below:

9.7.2.17.1 UDF-IOF: Qwest and CLEC shall mutually agree on the

Wire Center at which Qwest must provide a light detector and the Wire Center at which CLEC must provide light generating equipment.

9.7.2.17.2 UDF-Loop: Qwest will provide the light detector at the Serving Wire Center, and CLEC will provide the light generating equipment at the appropriate outside plant structure or End User Customer premises.

9.7.2.17.3 For UDF-IOF that terminates at a CLEC Wire Center, Qwest will provide the light detector at the Qwest Wire Center, and CLEC will provide the light generating equipment at the CLEC Wire Center.

9.7.2.18 If, within ten (10) Days of the date Qwest provisioned an order for UDF, CLEC demonstrates that the UDF pair(s) provisioned over requested route do not meet the minimum parameters set forth in Technical Publication 77383, and if the trouble is in the Qwest UDF facility, not due to fault on the part of CLEC, then Qwest will at no additional cost, attempt to repair the UDF as it relates to Qwest cross-connects and jumpers. If Qwest cannot repair the UDF to the minimum parameters set forth in Technical Publication 77383, Qwest will replace the UDF if suitable UDF pair(s) are available, at no additional nonrecurring charge. If Qwest cannot replace the UDF upon receipt of a CLEC disconnect order, Qwest will refund the nonrecurring charges associated with the Provisioning excluding IRI, FVQP and Field Verification and will discontinue all recurring charges.

9.7.2.19 Qwest shall allow CLEC's to access UDF Loops, or sections of UDF Loops, at accessible terminals including FDPS or equivalent in the Central Office, Customer premises or at Qwest owned outside plant location (e.g. CEV, RT or hut).

9.7.2.20 Qwest shall allow CLEC to access Dark Fiber that is a part of a meet point arrangement between Qwest and another Local Exchange Carrier if CLEC has an Interconnection agreement containing access to Dark Fiber with the connecting Local Exchange Carrier. Qwest rates, terms and conditions shall apply to the percentage of the route owned by Qwest.

9.7.3 Ordering Processes

Ordering processes and installation intervals are as follows:

9.7.3.1 The first step of the UDF ordering process is the inquiry process. The UDF inquiry is used to determine the availability of UDF between any two requested locations: between two (2) Qwest Wire Centers, between a Qwest Wire Center and an End User Customer premises, or between a Qwest Wire Center and an appropriate outside plant structure, or a Qwest Wire Center and a CLEC Wire Center.

9.7.3.1.1 CLEC must submit a UDF inquiry through its account team. CLEC must specify the two (2) locations and the number of

fibers requested.

9.7.3.1.2 Qwest will notify CLEC, within the interval set forth in Exhibit B, that: (i) UDF is available to satisfy CLEC's request, (ii) UDF is not available to satisfy CLEC's request; or (iii) Qwest, in writing, denies CLEC's request pursuant to Section 9.7.2.5 (b), Qwest shall provide written notice of denials pursuant to (iii) above.

9.7.3.1.3 If there is UDF available, the UDF Inquiry Response will contain up to five (5) available UDF routes between the CLEC-specified end locations. If additional routes are available, Qwest will notify CLEC that such additional routes exist and negotiate how that additional information will be made available.

9.7.3.2 CLEC will establish network Demarcation Points to accommodate UDF optical terminations via Collocation or other Technically Feasible means or network demarcation pursuant to Section 9.1.4 of this Amendment. If Collocation and or other network demarcation arrangements have not been completed, CLEC must have obtained preliminary APOT address information (CFA – Carrier Facility Assignment) for its network Demarcation Points in each Qwest Wire Center where the UDF terminates prior to placing an order for UDF. When preliminary APOT has been established and delivered to CLEC, Qwest can begin processing the UDF Provisioning order upon receipt of the UDF Provisioning request. If the preliminary APOT address is changed by CLEC, a new Provisioning time line for UDF must be established.

9.7.3.3 Based on the CLEC request for UDF-Loop or UDF-IOF , there are two (2) possible termination scenarios.

9.7.3.3.1 Termination at an Outside Plant Structure: If CLEC requests UDF-Loop going to an outside plant structure such as a Controlled Environmental Vault (CEV), or Remote Terminal (RT), the Remote Collocation provisions of the Agreement will apply. Qwest will prepare and submit to CLEC a quote along with the original Field Verification Quote Preparation form (FVQP) within the interval set forth in Exhibit B. Quotes are on an Individual Case Basis (ICB) and will include costs and an interval in accordance with Exhibit B.

9.7.3.3.2 Termination at Qwest Wire Center, End-user Premises or CLEC Wire Center: If spare fiber is available, and CLEC chooses to proceed, and the request is for UDF-IOF, going to a Qwest or CLEC Wire Center or UDF-Loop going to an End User Customer premises, Qwest will begin the Provisioning process upon notification from CLEC to proceed and the receipt of fifty percent (50%) of the nonrecurring charges. The notification to proceed is accomplished by completing, signing and returning the original inquiry request to the account manager. Provisioning intervals for this type of request are set forth in Exhibit B. CLEC will be notified that Provisioning is complete and the remaining nonrecurring charges and associated recurring charges will

be billed.

9.7.3.3 An order may be canceled any time up to and including the service date. Cancellation charges will apply.

9.7.3.4 CLEC may reserve Dark Fiber for CLEC during Collocation builds. Prior to reserving space, CLEC must place an inquiry pursuant to section 9.7.3.1 of this Amendment and receive a UDF Inquiry Response that reflects that the route to be reserved is available. CLEC is also strongly encouraged to request a Field Verification that the route to be reserved is available. If CLEC does not obtain Field Verification, CLEC assumes the risk that records upon which the UDF Inquiry Response is based may be in error. CLEC may reserve UDF for thirty (30), sixty (60), or ninety (90) Days. CLEC may extend or renew reservations if there is delay in completion of the Collocation build. All applicable UDF recurring charges specified in section 9.7.5.2 will be assessed at the commencement of the reservation. Nonrecurring charges for Provisioning and cross connects will be assessed at the time of installation.

9.7.4 Maintenance and Repair

9.7.4.1 The Parties will perform cooperative testing and trouble isolation to identify where trouble points exist. CLEC Cross Connections will be repaired by CLEC and Qwest Cross Connections will be repaired by Qwest. Maintenance and Repair processes are contained in the Support Functions Section of the Agreement

9.7.4.2 If it is determined that the UDF does not meet the minimum parameters of Technical Publication 77383 without fault of CLEC, and if the trouble is in the Qwest UDF facility, then Qwest will attempt to repair the UDF as it relates to Qwest cross-connects and jumper at no additional cost. If Qwest cannot repair the UDF to the minimum parameters set forth in Technical Publication 77383, then Qwest will replace the UDF at no additional cost if suitable UDF pair(s) are available. If Qwest cannot replace the UDF with available pairs, then it, upon receipt of a CLEC disconnect order, will discontinue the recurring charges effective as of the date of the commencement of the trouble.

9.7.5 Rate Elements

9.7.5.1 Dark fiber rates are contained in Exhibit A and include the following elements:

- a) Initial Records Inquiry (IRI). This rate element is a pre-order work effort that investigates the availability of UDF. This is a one-time charge for each route check requested by CLEC. A simple IRI determines if UDF is available between two Qwest Wire Centers or between a Qwest Wire Center and Qwest Customer premises. A complex IRI determines if UDF is available between a Qwest Wire Center and an outside structure (CEV, Hut, etc.) along the Loop fiber route. Qwest will bill

CLEC the IRI immediately upon receipt of the inquiry. The IRI is a record search and does not guarantee the availability of UDF.

b) Field Verification and Quote Preparation (FVQP). This rate element is a pre-order work effort to estimate the cost of providing UDF access to CLEC at locations other than Qwest Wire Centers or an End User Customer premises. Qwest will prepare a quote which will explain what work activities, timeframes, and costs are associated with providing access to this FDP location. This quote will be good for thirty (30) calendar Days. The FVQP is not necessary when the request is between Qwest Wire Centers or between a Qwest Wire Center and Customer premises (i.e., IRI). If FVQP is applicable pursuant to this section and CLEC orders UDF that has been reserved after a Field Verification has been performed, then the charge for FVQP will be reduced by the amount of the Field Verification charge assessed in the context of the reservation.

c) Field Verification. This rate element is a work effort performed at CLEC's option before placing a request to reserve UDF to verify the availability of UDF that CLEC desires to reserve.

9.7.5.2 The following rate elements are used once the availability of UDF has been established and CLEC chooses to access UDF.

9.7.5.2.1 Unbundled Dark Fiber - IOF Rate Elements

a) UDF-IOF Termination (Fixed) Rate Element. This rate element is a recurring rate element and provides a termination at the interoffice FDP within the Qwest Wire Center. Two UDF-IOF terminations apply per pair. Termination charges apply for each intermediate office terminating at an FDP or like cross-connect point.

b) UDF-IOF Fiber Transport, (Per Pair) Rate Element. This rate element has both a recurring and a nonrecurring component and applies per pair. This rate element provides a transmission path between Qwest and/or CLEC Wire Centers. The recurring component of this rate element is mileage sensitive based on the route miles of the UDF rounded up to the next mile.

c) UDF-IOF Fiber Cross-Connect Rate Element. This rate element has both a recurring and nonrecurring component and is used to extend the optical connection from the IOF FDP to CLEC's optical Demarcation Point (ICDF). A minimum of two (2) UDF-IOF fiber cross-connects apply per pair. Cross-connect charges apply for each intermediate office terminating at an FDP or like cross-connect point. The nonrecurring rate will not be charged for cross-connects already in place prior to CLEC's order for UDF-IOF.

9.7.5.2.2 Unbundled Dark Fiber - Loop Rate Elements

a) UDF-Loop Termination (Fixed) Rate Element. This rate element is a recurring rate element and provides a termination at the interoffice FDP within the Qwest Wire Center and at either the Customer premises or an appropriate outside plant structure. Two UDF-Loop terminations apply per pair.

b) UDF-Loop Fiber (Per Pair) Rate Element. This rate element has both a recurring and a nonrecurring component, and it applies per pair. This rate element provides a transmission path between the Qwest Serving Wire Center and either the Customer premises or an appropriate outside plant structure.

c) UDF-Loop Fiber Cross-Connect Rate Element. This rate element has both a recurring and nonrecurring component, is applied per pair, and is used to extend the optical connection from FDP to FDP. The nonrecurring rate will not be charged for cross-connects already in place prior to CLEC's order for UDF-Loop.

**Exhibit A
Arizona***

		Recurring	Non-Recurring	Notes
9.0 Unbundled Network Elements (UNEs)				
9.1 Interconnection Tie Pairs (ITP) – Per Termination				
9.1.1	DS0	\$0.48		1
9.1.2	DS1 Per each Termination	\$1.52		1
9.1.3	DS3 Per each Termination	\$15.33		1
9.2 Unbundled Loops				
9.2.1 Analog Loops				
	2-Wire Voice Grade		See Installation options, Section 9.2.4	
	Zone 1	\$18.96		
	Zone 2	\$34.94		
	Zone 3	\$56.53		
	4-Wire Voice Grade		See Installation options, Section 9.2.4	
	Zone 1	\$19.88		
	Zone 2	\$35.86		
	Zone 3	\$57.45		
9.2.2 Non-loaded Loops				
	2-wire Non-loaded Loop		See Installation options, Sections 9.2.4 and See also Section 9.2.2.3	
	Zone 1	\$18.96		
	Zone 2	\$34.94		
	Zone 3	\$56.53		
	4-wire Non-loaded Loop		See Installation options, Sections 9.2.4 and See also Section 9.2.2.3	
	Zone 1	\$19.88		
	Zone 2	\$35.86		
	Zone 3	\$57.45		
	Cable Unloading/Bridge Tap Removal		\$114.80	
9.2.3 Digital Capable Loops				
	Basic Rate ISDN / xDSL -I Capable / ADSL Compatible Loops		See Installation options, Sections 9.2.4 and See also Section 9.2.2.3	
	Zone 1	\$18.96		
	Zone 2	\$34.94		
	Zone 3	\$56.53		
	DS1 Capable Loop		See Installation options, Sections 9.2.5	
	Zone 1	\$84.48		1
	Zone 2	\$84.57		1
	Zone 3	\$91.39		1
	DS3 Capable Loop		See Installation options, Sections 9.2.6	
	Zone 1	\$897.72		1
	Zone 2	\$899.73		1
	Zone 3	\$1,053.66		1
	OC n Capable Loop		See Installation options, Sections 9.2.7	
	OC - 3	\$834.95		2
	OC - 12	\$1,268.67		2
	OC - 48	\$3,305.99		2
	2-Wire Extension Technology	\$6.75		

**Exhibit A
Arizona***

		Recurring	Non- Recurring	Notes
9.2.4	Loop Installation Charges for 2 and 4 wire analog, 2 and 4 wire non-loaded, ADSL Compatible, ISDN BRI Capable and xDSL - I Capable Loops where conditioning is not required. (Note: If conditioning is required, additional conditioning charges may apply as specified in Section 9.2.2.3 above).	See related monthly recurring Loop charges above.		
9.2.4.1	Basic Installation			
	Residence 2-wire		\$40.92	
	Business - 2-wire		\$45.92	
	Residence 4-wire		\$41.81	
	Business 4-wire		\$46.92	
9.2.4.2	Basic Installation with Performance Testing			
	First Loop		\$192.29	1
	Each Additional		\$137.97	1
9.2.4.3	Coordinated Installation with Cooperative Testing / Project Coordinated Installation (25 or more DS0 Unbundled Loops)			
	First Loop		\$232.25	1
	Each Additional		\$137.97	1
9.2.4.4	Coordinated Installation without Cooperative Testing / Project Coordinated Installation (25 or more DS0 Unbundled Loops)			
	First Loop		\$95.38	1
	Each Additional		\$83.16	1
9.2.4.5	Basic Install with Cooperative Testing			
	First Loop		\$192.29	1
	Each Additional		\$137.97	1
9.2.5	DS1 Loop Installation Charges	See related monthly recurring Loop charges above.		
9.2.5.1	Basic Installation			
	First Loop		\$144.15	1
	Each Additional		\$110.79	1
9.2.5.2	Basic Installation with Performance Testing			
	First Loop		\$278.18	1
	Each Additional		\$203.72	1
9.2.5.3	Coordinated Installation with Cooperative Testing / Project Coordinated Installation			
	First Loop		\$318.14	1
	Each Additional		\$203.72	1
9.2.5.4	Coordinated Installation without Cooperative Testing / Project Coordinated Installation			
	First Loop		\$153.26	1
	Each Additional		\$119.90	1
9.2.5.5	Basic Install With Cooperative Testing			
	First Loop		\$278.18	1
	Each Additional		\$203.72	1
9.2.6	DS3 Loop Installation Charges	See related monthly recurring Loop charges above.		
9.2.6.1	Basic Installation			
	First Loop		\$144.15	1
	Each Additional		\$110.79	1
9.2.6.2	Basic Installation with Performance Testing			
	First Loop		\$278.18	1
	Each Additional		\$203.72	1
9.2.6.3	Coordinated Installation with Cooperative Testing / Project Coordinated Installation			
	First Loop		\$318.14	1
	Each Additional		\$203.72	1
9.2.6.4	Coordinated Installation without Cooperative Testing / Project Coordinated Installation			

**Exhibit A
Arizona***

		Recurring	Non-Recurring	Notes
	First Loop		\$153.26	1
	Each Additional		\$119.90	1
9.2.6.5	Basic Install With Cooperative Testing			
	First Loop		\$278.18	1
	Each Additional		\$203.72	1
9.2.7	OC 3,12,48 Loop Installation Charges	See related monthly recurring Loop charges above.		
9.2.7.1	Basic Installation			
	First Loop		\$144.15	2
	Each Additional		\$110.79	2
9.2.7.2	Basic Installation with Performance Testing			
	First Loop		\$278.18	2
	Each Additional		\$203.72	2
9.2.7.3	Coordinated Installation with Cooperative Testing			
	First Loop		\$318.14	2
	Each Additional		\$203.72	2
9.2.7.4	Coordinated Installation without Cooperative Testing			
	First Loop		\$153.26	2
	Each Additional		\$119.90	2
9.2.7.5	Basic Install With Cooperative Testing			
	First Loop		\$278.18	2
	Each Additional		\$203.72	2
9.2.8	Private Line to Unbundled Loop Conversions		\$41.43	1
9.3	Subloop			
9.3.1	2 Wire Distribution Loop			
	Install 2 Wire, First		\$121.43	1
	Each Additional		\$55.50	1
	Zone 1	\$12.12		1
	Zone 2	\$17.33		1
	Zone 3	\$29.72		1
9.3.2	Intrabuilding Cable Loop, Per Pair	\$1.19		1
	Intrabuilding Cable No Dispatch First		\$57.28	2
	Intrabuilding Cable No Dispatch Each Additional		\$23.89	2
	Intrabuilding Cable Dispatch First		\$101.49	2
	Intrabuilding Cable Dispatch Each Additional		\$33.75	2
9.3.3	DS1 Capable Feeder Loop			
	First Loop		\$293.36	1
	Each Additional		\$219.50	1
	Zone 1	\$72.62		1
	Zone 2	\$72.71		1
	Zone 3	\$79.53		1
9.3.4	MTE Terminal Subloop Access			
	Subloop MTE-POI Site Inventory (per request)		\$276.45	2
	MTE - POI Rearrangement of Facilities		ICB	3
	MTE-POI Construction of New SPOI	ICB		3
9.3.5	Trouble Isolation Charge		See MSC Charges	
9.3.6	Feasibility Fee/Quote Preparation Fee		\$1,638.81	1
9.3.7	Construction Fee		ICB	3
9.5	Network Interface Device (NID)	\$0.58	\$30.00	
9.7	Unbundled Dark Fiber (UDF)			
9.7.1	Single Strand Increments - 1 Fiber			
	Termination, Fixed 1 Fiber/Office	\$5.23		2
	Fiber Transport, per Mile / 1 Fiber	\$86.57		2
	Fiber Cross-Connect / 1 Fiber	\$2.17		2
	UDF-Loop Charges - 1 Fiber			2
	Termination, Fixed 1 Fiber/Office	\$5.23		2

**Exhibit A
Arizona***

	Recurring	Non-Recurring	Notes
Termination, Fixed 1 Fiber /Prem	\$117.87		2
Fiber Loop, per Route/ 1 Fiber	\$4.67		2
Extended Unbundled Dark Fiber (E-UDF) - 1 Fiber			2
Termination, Fixed 1 Fiber/Office	\$5.23		2
Termination, Fixed 1 Fiber /Prem	\$117.87		2
Fiber Transport, per Route/ 1 Fiber	\$4.67		2
9.7.2 Initial Records Inquiry (IRI)			
Simple		\$159.49	1
Complex		\$203.37	1
9.7.3 Field Verification and Quote Preparation (FVQP)		\$1,485.33	1
9.7.4 Field Verification (Engineering Verification)		\$346.77	2
9.7.5 Splice		\$663.01	1
9.7.6 UDF-IOF Charges			
Order Charge per 1st Pair Route/Order		\$563.63	1
Order Charge ea. Addl. Pair Same Route		\$271.89	1
Termination, Fixed Per Pair/Office	\$6.77		1
Fiber Transport, per Mile / Pair	\$83.07		1
Fiber Cross-Connect Per Pair	\$4.03	\$21.56	1
9.7.7 UDF-Loop Charges			
Order Charge per 1st Pair Route/Order		\$563.63	1
Order Charge each. Addl. Pair Same Route		\$271.89	1
Termination, Fixed Per Pair/Office	\$7.01		1
Termination, Fixed Per Pair/Prem	\$6.42		1
Fiber Loop, per Route/Per Pair	\$110.86		1
Fiber Cross-Connect Per Pair	\$4.03	\$21.56	1
9.7.8 Extended Unbundled Dark Fiber (E-UDF)			
Order Charge per 1st Pair Route/Order		\$563.63	2
Order Charge each. Addl. Pair Same Route		\$271.89	2
Termination, Fixed Per Pair/Office	\$7.01		2
Termination, Fixed Per Pair/Prem	\$6.42		2
Fiber Transport, per Route/Per Pair	\$110.86		2
Fiber Cross-Connect Per Pair	\$4.03	\$21.56	2

NOTES:

* Unless otherwise indicated, all rates are pursuant to Arizona Corporation Commission Order Number 60635 in Cost Docket (Consolidated Arbitration) Number U-3021-96-448, effective January 30, 1998.

- [1] Rates proposed in Arizona Cost Docket 6/27/01 & Phase II Docket Number T-00000A-00-0194. (TELRIC)
- [2] Rates not proposed in Arizona Cost Docket (TELRIC)
- [3] ICB, Individual Case Basis pricing.

**EXHIBIT B
SERVICE INTERVAL TABLES***

1.0 Unbundled Loops, Line Sharing and Line Splitting Service Interval Table:

- (a) Established Service Intervals 2/4 Wire Analog (Voice Grade), 2-Wire Analog Distribution Loop:

a)	1-8 lines	5 Business days
b)	9-16 lines	6 Business days
c)	17-24 lines	7 Business days
d)	25 or more	ICB

- (b) Established Service Intervals for 2/4 Wire Non-Loaded Loops, Basic Rate ISDN Capable Loops, and ADSL Compatible Loops that do not require conditioning:

a)	1-8 lines	5 Business days
b)	9-16 lines	6 Business days
c)	17-24 lines	7 Business days
d)	25 or more	ICB

- (c) Established Service Intervals for xDSL-I/ BRI ISDN Capable Loops that do not require conditioning:

a)	1-8 lines	5 Business days
b)	9-16 lines	6 Business days
c)	17-24 lines	7 Business days

- (d) Established Service Intervals for existing DS-1 Capable Loops, DS1 Capable Feeder Loop:

a)	1 - 8 lines	5 Business days
b)	9 - 16	7 Business days
c)	17 - 24 lines	9 Business days
d)	25 or more	ICB

- (e) Established Service Intervals for existing DS3 Capable Loops:

a)	1-3 lines	7 Business days
b)	4 or more	ICB

- (f) Established Service Intervals for Line Sharing and Line Splitting that do not require conditioning:

a)	1-24 lines	3 Business days
d)	25 or More	ICB

**EXHIBIT B
SERVICE INTERVAL TABLES***

- (g) Conditioned Loops for 2/4 Wire Non-Loaded Loops, ADSL Compatible, Basic Rate ISDN Capable, xDSL-I Capable Loops, Line Sharing and Line Splitting:

a)	1-8 lines	15 Business days
b)	9 or more	ICB

- (h) Established Repair Intervals for Basic 2-wire Analog Loops, Line Sharing, Line Splitting, and Shared Distribution Loop:

24 Hours OSS
48 Hours AS

- (i) Established Repair Intervals for 4-wire Analog Loops, 2/4 Wire Non-Loaded Loops, Basic Rate ISDN Capable Loops, and ADSL Compatible Loops, xDSL-I Capable Loops, DS1 Capable Loops, DS3 Capable Loops, and Ocn Capable Loops:

4 Hours

- (j) Quick Loop

a)	1 to 8 Lines	Three (3) Business Days
b)	9 to 16 Lines	Three (3) Business Days
c)	17 to 24 Lines	Three (3) Business Days
d)	25 or more Lines	ICB

- (k) OCn Loop

1 or more Lines	ICB
-----------------	-----

- (l) Shared Distribution Loop

1 or more Lines	Five (5) Business Days
-----------------	------------------------

**EXHIBIT B
SERVICE INTERVAL TABLES***

2.0 Unbundled Dedicated Interoffice Transport (UDIT) Service Interval Table:

Product	Services Ordered	Installation Commitments	Repair Commitments
UDIT(Qwest Wire Center to Qwest Wire Center), UCCRE			
DS0	1 to 8	High Density: Five (5) Business Days	4 hrs. High Density
		Low Density: Six (6) Business Days	4 hrs. Low Density
	9 to 16	High Density: Six (6) Business Days	4 hrs. High Density
		Low Density: Seven (7) Business Days	4 hrs. Low Density
	17 to 24	High Density: Seven (7) Business Days	4 hrs. High Density
Low Density: Eight (8) Business Days		4 hrs. Low Density	
25 or more	ICB	ICB	
DS1	1 to 8	High Density: Five (5) Business Days	4 hrs High Density
		Low Density: Eight (8) Business Days	4 hrs Low Density
	9 to 16	High Density: Six (6) Business Days	4 hrs High Density
		Low Density: Nine (9) Business Days	4 hrs Low Density
	17 to 24	High Density: Seven (7) Business Days	4 hrs High Density
Low Density: Ten (10) Business Days		4 hrs Low Density	
25 or more	ICB	4 hrs	
DS3	1 to 3 Circuits	High Density: Seven (7) Business Days	4 hrs High Density
		Low Density: Nine (9) Business Days	4 hrs Low Density
	4 or more Circuits	ICB	4 hrs
OC3 and Higher	1 or more Circuits	ICB	4 hrs
UDIT (Termination at CLEC Wire Center or IXC POP) Facility	All	UDIT Interval + 3 days	4 hrs
Remote Node (must already be installed)/Remote Port	Any	ICB	ICB

**EXHIBIT B
SERVICE INTERVAL TABLES***

3.0 Unbundled Local Switching Service Interval Table:

Product	Services Ordered	Installation Commitments	Repair Commitments
Unbundled Switching			
Unbundled Switching – Line Side Analog With Line Class Code (LCC) already supported in requested switch.	1 to 8	High Density: Five (5) Business Days Low Density: Six (6) Business Days	24 hrs. High Density 24 hrs. Low Density
	9 to 16	High Density: Six (6) Business Days Low Density: Seven (7) Business Days	24 hrs. High Density 24 hrs. Low Density
	17 to 24	High Density: Seven (7) Business Days Low Density: Eight (8) Business Days	24 hrs. High Density 24 hrs. Low Density
	25 or more	ICB	24 hrs.
Unbundled Switching – Line Side Analog – Existing – Vertical Feature(s) (Features change without inward line activity and not impacting the design of the circuit.)	1 to 19	Two (2) Business Days	24 hrs. OOS 48 hrs. AS
	20 to 39	Four (4) Business Days	24 hrs. OOS 48 hrs. AS
	40 or more	ICB	24 hrs. OOS 48 hrs. AS
Unbundled Switching – Line Side Analog New Line Class Code (LCC) ordered through customized routing		ICB	24 hrs.
Unbundled Switching – BRI-ISDN Line-side Port. With a U S WEST standard configuration and Line Class Code (LCC) already supported in the requested switch	1 to 3 Lines	High Density: Seven (7) Business Days Low Density: ICB	24 hrs. High Density 24 hrs. Low Density
	4 or more	ICB	24 hrs.
	Unbundled Switching – BRI-ISDN Line-side Port. With non-standard configuration and Line Class Code (LCC) already supported in the requested switch	1 to 3 Lines	High Density: Seventeen (17) Business Days (includes 10 days for complex translations.) Low Density: ICB
4 or more		ICB	24 hrs.
Unbundled Switching – BRI-ISDN Line-side Port. Non supported Line Class Code (LCC) ordered through Customized Routing			ICB

**EXHIBIT B
SERVICE INTERVAL TABLES***

Unbundled Switching – DS1 Trunk Port	1 to 8 Ports	High Density: Five (5) Business Days	24 hrs. High Density
		Low Density: Six (6) Business Days	24 hrs. Low Density
	9 to 16 Ports	High Density: Six (6) Business Days	24 hrs. High Density
		Low Density: Seven (7) Business Days	24 hrs. Low Density
	17 to 24 Ports	High Density: Seven (7) Business Days	24 hrs. High Density
		Low Density: Eight (8) Business Days	24 hrs. Low Density
	25 or more Ports	ICB	24 hrs.
Unbundled Switching – Message Trunk Groups <ul style="list-style-type: none"> • Translation questionnaire required • Routing to trunks is ordered separately as Customized Routing • DS1 trunk port & UDIT in place. 	High Density	Seven (7) Business Days	24 hrs.
	1 to 24		
	25 to 48	Eight (8) Business Days	24 hrs.
	49 to 72	Ten (10) Business Days	24 hrs.
	73 to 96	Twelve (12) Business Days	24 hrs.
	97 to 120	Fourteen (14) Business Days	24 hrs.
	121 to 144	Fifteen (15) Business Days	24 hrs.
	145 to 168	Sixteen (16) Business Days	24 hrs.
	169 to 240	Eighteen (18) Business Days	24 hrs.
	241 or more	ICB	24 hrs.
	Low Density	Eighteen (18) Business Days	24 hrs.
	1 to 24		
	25 to 72	Nineteen (19) Business Days	24 hrs.
73 to 120	Twenty (20) Business Days	24 hrs.	
121 or more	ICB	24 hrs.	
Unbundled Switching – Two Way and DID Equivalent Group (add/change/increase) DS1 trunk port in place	1 to 8 Trunks	High Density: Five (5) Business Days	24 hrs. High Density
		Low Density: Six (6) Business Days	24 hrs. Low Density
	9 to 16 Trunks	High Density: Six (6) Business Days	24 hrs. High Density
		Low Density: Seven (7) Business Days	24 hrs. Low Density

**EXHIBIT B
SERVICE INTERVAL TABLES***

	17 to 24 Trunks	High Density: Seven (7) Business Days	24 hrs. High Density
		Low Density: Eight (8) Business Days	24 hrs. Low Density
	25 or more Trunks	ICB	24 hrs.
Unbundled Switching – PRI-ISDN Capable Trunk-Side DS1 Trunk port in place	1 to 8	High Density: Five (5) Business Days	4 hrs. High Density
		Low Density: Six (6) Business Days	4 hrs. Low Density
	9 to 16	High Density: Six (6) Business Days	4 hrs. High Density
		Low Density: Seven (7) Business Days	4 hrs. Low Density
	17 to 24	High Density: Seven (7) Business Days	4 hrs. High Density
		Low Density: Eight (8) Business Days	4 hrs. Low Density
	25 or more	ICB	4 hrs.
Unbundled Packet Switching	<ul style="list-style-type: none"> • Design changes – 8 Business days • Non-design changes – 5 Business days • Service changes – 5 Business days 	New service request – 10 Business days	24 hrs

**EXHIBIT B
SERVICE INTERVAL TABLES***

4.0 Unbundled Dark Fiber Interval Table:

Product	Activity/ Features	Services Ordered	FOC Guidelines	Installation Guidelines	Repair Guidelines
Dark Fiber					
Initial Records Inquiry (IRI) (simple & complex)			N/A	Ten (10) Business Days	N/A
Field Verification And Quote Preparation (FVOP)			N/A	Twenty (20) Business Days	N/A
Provisioning (non- FVOP requests)			N/A	Twenty (20) Business Days	
OC3 and Higher			N/A	ICB	

**EXHIBIT B
SERVICE INTERVAL TABLES***

5.0 Unbundled Network Elements Platform (UNE-P) Service Interval Table:

Product	Services Ordered	Installation Commitments	Repair Commitments
UNE-P POTS 'New'-Soft Dial Tone (SDT) [Where available] Facility Check indicates "AVAILABLE (SDT)" and DISPATCH "NO"		Two (2) Business Days (regardless of the time of day the request is received)	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'-Residence Flow Through, Fully Electronic (N, T Orders) Facility Check indicates "AVAILABLE" and DISPATCH "NO"	1 to 39 Lines	Three (3) Business Days	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'-Business Flow Through, Fully Electronic (N, T Orders) Facility Check indicates "AVAILABLE" and DISPATCH "NO"	1 to 19 Lines	Three (3) Business Days	24 hrs OOS 48 hrs AS
	20-39 Lines	Four (4) Business Days or next available due date thereafter as indicated by Appointment Scheduler.	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'-Residence Simple CO Features, or Number Changes without inward line activity, or Hunting changes without inward line activity	1 to 39 Lines	Three (3) Business Days	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'-Business Simple CO Features, or Number Changes without inward line activity, or Hunting changes without inward line activity	1 to 19 Lines	Three (3) Business Days	24 hrs OOS 48 hrs AS
	20-39 Lines	Four (4) Business Days	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'-Suspend/Restore	Customers with service placed on "vacation"	Next Business Day	24 hrs OOS 48 hrs AS
	Treatment for Non-payment issues	Same Business Day as payment receipt validated	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'-Residence New Installs, Address Changes, Changes with inward line activity Facility Check indicates "AVAILABLE DISP. REQ" and DISPATCH "YES"	1 to 39 Lines	Next available due date as indicated by Appointment Scheduler Note: Appointment Scheduler minimum default interval is 3 (Three) Business Days.	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS

**EXHIBIT B
SERVICE INTERVAL TABLES***

UNE-P POTS 'New'-Business New Installs, Address Changes, Changes with inward line activity Facility Check indicates "AVAILABLE DISP. REQ" and DISPATCH "YES"	1 to 19 Lines	Next available due date as indicated by Appointment Scheduler Note: Appointment Scheduler minimum default interval is 3 (Three) Business Days.	24 hrs OOS 48 hrs AS
	20-39 Lines	Four (4) Business Days or next available due date thereafter as indicated by Appointment Scheduler.	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'- <ul style="list-style-type: none"> ▪ Directory Listings Changes (R Orders) ▪ Voice Mail 	1-10 Listings	Two (2) Business Days	
	11 to 20 Listings	Five (5) Business Days	
	21-50 Listings	Ten (10) Business Days	
	51-100 Listings	Thirty (30) Business Days	
	Over 100 Listings	Sixty (60) Business Days	
	Add Voice Mail to POTS line	Three (3) Business Days	
Conversions to UNE-P POTS- POTS Residence to UNE-P - Conversion as Specified - Simple CO Features	1 to 39 Lines	Three (3) Business days	24 hrs OOS 48 hrs AS
	40 or more lines	ICB	24 hrs OOS 48 hrs AS
Conversions to UNE-P POTS- UNE-P to UNE-P POTS Residence - Conversion as Is	1 to 39 Lines	Same Business Day if received before 12:00 p.m., or, Next Business Day if received later than 12:00 p.m.	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
Conversions to UNE-P POTS- POTS Business to UNE-P - Conversion As Specified - Simple CO Features	1 to 19 Lines	Three (3) Business days	24 hrs OOS 48 hrs AS
	20 to 39 Lines	Four (4) Business Days	24 hrs OOS 48 hrs AS
	40 or more Line	ICB	24 hrs OOS 48 hrs AS
Conversions to UNE-P POTS- UNE-P to UNE-P POTS Business - Conversion As Is	1 to 39 Lines	Same Business Day if received before 12:00 p.m., or, Next Business Day if received later than 12:00 p.m.	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P Line Splitting – UNE-P POTS to UNE-P POTS with Line Splitting - Conversion As Specified	1 to 8 Lines	High Density: Five (5) Business Days Low Density: Six (6) Business Days	24 hrs OOS 48 hrs AS

**EXHIBIT B
SERVICE INTERVAL TABLES***

	9 to 16 Lines	High Density: Six (6) Business days Low Density: (9) Business Days	24 hrs OOS 48 hrs AS
	17 to 24 Lines	High Density: (7) Business Days	24 hrs OOS 48 hrs AS
	25-39 Lines	ICB	24 hrs OOS 48 hrs AS
	40 or more Lines or if Conditioning is required	ICB High Density: Five (5) Business Days	24 hrs OOS 48 hrs AS
UNE-P Line Splitting – POTS Residence or POTS Business with Line Sharing to UNE-P POTS with Line Splitting - Conversion as Specified	1 to 8 Lines	High Density: Six (5) Business days Low Density: Six (6) Business Days	24 hrs OOS 48 hrs AS
	9 to 16 Lines	High Density: Six (6) Business days Low Density: Nine (9) Business Days	24 hrs OOS 48 hrs AS
	17 to 24 Lines	High Density: Seven (7) Business Days Low Density: Ten (10) Business Days	24 hrs OOS 48 hrs AS
	25-39 Lines	ICB	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P PBX 'New'-	1 to 8 Trunks	Five (5) Business Days	4 hrs
	9 to 16 Trunks	Six (6) Business Days	4 hrs
	17 to 24 Trunks	Seven (7) Business Days	4 hrs
	25 or more Trunks	ICB	4 hrs
Conversions to UNE-P PBX – Conversion As Specified or Conversion As Is	1 to 8 Trunks	Five (5) Business Days	4 hrs
	9 to 16 Trunks	Six (6) Business Days	4 hrs
	17 to 24 Trunks	Seven (7) Business Days	4 hrs
	25 or more Trunks	ICB	4 hrs
UNE-P DSS 'New'- T1 Facility	1 to 3	Nine (9) Business Days	4 hrs
	4 or more	ICB	4 hrs
UNE-P DSS 'New'- Trunks	1 to 3 Lines	Twelve (12) Business Days	4 hrs
	4 to 6 Lines	Sixteen (16) Business Days	4 hrs
	7 to 9 Lines	Twenty (20) Business Days	4 hrs

**EXHIBIT B
SERVICE INTERVAL TABLES***

	10 to 12 Lines	Twenty four (24) Business Days	4 hrs
	13 or more Lines	ICB	4 hrs
Conversions to UNE-P DSS-T1 Facility	1 to 3	Nine (9) Business Days	4 hrs
	4 or more	ICB	4 hrs
Conversions to UNE-P DSS-Trunks	4 to 6 Lines	Sixteen (16) Business Days	4 hrs
	7 to 9 Lines	Twenty (20) Business Days	4 hrs
	10 to 12 Lines	Twenty four (24) Business Days	4 hrs
	13 or more Lines	ICB	4 hrs
UNE-P ISDN BRI 'New'- New Installs, Address Changes, Change to add Loop (N2Q)	1 to 10 Lines	Thirteen (13) Business Days	24 hrs
	11 or more Lines	ICB	24 hrs
UNE-P ISDN BRI 'New'- Add or Change Feature(s), Add Primary Directory Number (PDN) to established Loop (N2Q), Add Call Appearance	1 to 10 Lines	Three (3) Business Days	24 hrs
	11 or more Lines	ICB	24 hrs
Conversion to UNE-P ISDN BRI- Conversion As Is	1 to 10 Lines	Three (3) Business Days	24 hrs
	11 or more Lines	ICB	24 hrs
Conversion to UNE-P ISDN BRI- Conversion As Specified	1 to 10 Lines	Three (3) Business Days if a Loop is not involved (or) Thirteen (13) Business Days if a Loop is added or changed	24 hrs
	11 or more Lines	ICB	24 hrs
UNE-P ISDN PRI 'New'- T1 Facility	1 to 3	Nine (9) Business Days	4 hrs
	4 or more	ICB	4 hrs
UNE-P ISDN PRI 'New'- Trunks	1 to 3 Lines	Twelve (12) Business Days	4 hrs
	4 to 6 Lines	Sixteen (16) Business Days	4 hrs
	7 to 9 Lines	Twenty (20) Business Days	4 hrs
	10 to 12 Lines	Twenty four (24) Business Days	4 hrs
	13 or more Lines	ICB	4 hrs
Conversion to UNE-P ISDN PRI- T1 Facility	1 to 3	Nine (9) Business Days	4 hrs
	4 or more	ICB	4 hrs
Conversion to UNE-P ISDN PRI- Trunks	1 to 3 Lines	Twelve (12) Business Days	4 hrs
	4 to 6 Lines	Sixteen (16) Business Days	4 hrs
	7 to 9 Lines	Twenty (20) Business Days	4 hrs

**EXHIBIT B
SERVICE INTERVAL TABLES***

	10 to 12 Lines	Twenty four (24) Business Days	4 hrs
	13 or more Lines	ICB	4 hrs
UNE-P Centrex 21 - Non Designed- Conversions as Specified	1 to 10 Lines	Five (5) Business Days	24 hrs OOS 48 hrs AS
	11 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P Centrex 21 - Non Designed- New Installations	1 to 10 Lines [Facility check indicates "Available Dispatch Required" and Dispatch "Yes".]	Five (5) Business Days or Next available due date thereafter as indicated by Appointment Scheduler.	24 hrs OOS 48 hrs AS
	11 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] Common Block Configuration Required - Establish Common Block	1 to 10 Lines - No Optional Features	Twenty (20) Business Days	24 hrs OOS 48 hrs AS
	1 to 10 Lines - w/ Optional Features (i.e., ARS, DFIs, SMDR, UCD, etc.)	ICB	24 hrs OOS 48 hrs AS
	11-21 Lines – No Optional Features	Twenty (20) Business Days	24 hrs OOS 48 hrs AS
	11 to 21 Lines – w/Optional Features (i.e., ARS, DFIs, SMDR, UCD, etc.)	ICB	24 hrs OOS 48 hrs AS
	22 or more Lines with or without Optional Features	ICB	24 hrs OOS 48 hrs AS
UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] Common Block Configuration Required - Feature Additions requiring Common Block activity per Common Block	1 to 10 Lines	Twenty (20) Business Days	24 hrs OOS 48 hrs AS
	11 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] Common Block Configuration Required - Line Class Codes (LCCs)/ CAT/NCOS/DPAT additions/changes requiring Common Block work.	Per Common Block (must be existing Line Class Codes(LCCs)/ CAT/NCOS/DPAT)	Five (5) Business Days	24 hrs OOS 48 hrs AS
	If new LCC/CAT/NCOS or DPAT	Twenty (20) Business Days	24 hrs OOS 48 hrs AS

**EXHIBIT B
SERVICE INTERVAL TABLES***

UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] Common Block Configuration Required - Centrex Management System (CMS)	New Common Blocks & Cust ID's (lines installed at the same time the Common Block is installed)	Twenty (20) Business Days (after the initial Common Block & associated lines are installed)	N/A
UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] Common Block Configuration Required - Designed Services subsequent to initial Common Block installation	Tie Lines/DFI/FX	Thirteen (13) Business Days (may be longer due to facility due date requirements)	24 hrs OOS 48 hrs AS
UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required - Centrex Management System (CMS) Network Access Registers (NARs)	Additional/New Station Lines to be added to CMS	Five (5) Business Days after line is installed	N/A
	Additions	Five (5) Business Days	N/A
	Change from Non Blocked to Blocked Service	ICB	N/A
UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required - Station Lines (subsequent to the establishment of the Common Block) Includes: Conversions New Lines Moves NOTE: On conversions, numbers are "chipped" into the Common Block at the time of installation.	1 to 10 Lines per location	Five (5) Business Days or Next available due date thereafter as indicated by Appointment Scheduler.	24 hrs OOS 48 hrs AS
	11 to 20 Lines per location	Ten (10) Business Days or Next available due date thereafter as indicated by Appointment Scheduler.	24 hrs OOS 48 hrs AS
	21 or more Lines per location	ICB	24 hrs OOS 48 hrs AS
UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required Line Feature changes/additions/Removals	1 to 19 Lines	Three (3) Business Days	24 hrs OOS 48 hrs AS
	20 or more Lines	ICB	24 hrs OOS 48 hrs AS

**EXHIBIT B
SERVICE INTERVAL TABLES***

<p>UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required Designed Services subsequent to initial Common Block installation</p>	Tie Lines/DFI/FX	Thirteen (13) Business Days (may be longer due to facility due date requirements)	24 hrs OOS 48 hrs AS
<p>UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required Automatic Route Selection (ARS)</p>	Subsequent to Common Block Installation	Twenty (20) Business Days (may be longer if the activation of ARS is tied to a Private Line facility installation)	24 hrs OOS 48 hrs AS
	<p>Changes to Patterns: 1 to 25 changes 26 to 50 changes 51 or more changes</p>	<p>Business Days: Five (5) days Ten (10) days Twenty (20) days</p>	24 hrs OOS 48 hrs AS
	Adding new Patterns	Twenty (20) Business Days	24 hrs OOS 48 hrs AS
<p>UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required Uniform Call Distribution (UCD)</p>	Per Request	Thirteen (13) Business Days	24 hrs OOS 48 hrs AS
<p>UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required Additional Numbers subsequent to initial Common Block installation</p> <p>NOTE: Additional numbers are "chipped" into the Common Block at the time of request.</p>	Blocks (No limit on amount of numbers.)	Five (5) Business Days	N/A

**EXHIBIT B
SERVICE INTERVAL TABLES***

6.0 Enhanced Extended Loop Service Interval Table (EEL):

Product	Services Ordered	Installation Commitments	Repair Commitments
Enhanced Extended Loop (EEL)- DS0 or Voice Grade Equivalent	1 to 8	High Density: Five (5) Business Days	4 hrs High Density
		Low Density: Six (6) Business Days	4 hrs Low Density
	9 to 16	High Density: Six (6) Business Days	4 hrs High Density
		Low Density: Seven (7) Business Days	4 hrs Low Density
17 to 24	High Density: Seven (7) Business Days	4 hrs High Density	
	Low Density: Eight (8) Business Days	4 hrs Low Density	
25 or more	ICB	4 hrs	
Enhanced Extended Loop (EEL) – DS1	1 to 8	High Density: Five (5) Business Days	4 hrs High Density
		Low Density: Eight (8) Business Days	4 hrs Low Density
	9 to 16	High Density: Six (6) Business Days	4 hrs High Density
		Low Density: Nine (9) Business Days	4 hrs Low Density
17 to 24	High Density: Seven (7) Business Days	4 hrs High Density	
	Low Density: Ten (10) Business Days	4 hrs Low Density	
25 or more	ICB	4 hrs	
Enhanced Extended Loop (EEL) – DS3	1 to 3 Circuits	High Density: Seven (7) Business Days	4 hrs High Density
		Low Density: Nine (9) Business Days	4 hrs Low Density
	4 or more Circuits	ICB	4 hrs

**EXHIBIT B
SERVICE INTERVAL TABLES***

Enhanced Extended Loop Conversions (EEL-C) – Private Line (PLTS) - Conversion as is		ICB	24 hrs OOS 48 hrs AS
--	--	-----	-------------------------

* Installation Guidelines apply where facilities/network capacity is in place. Where facilities/network capacity are not in place, intervals are handled on an Individual Case Basis (ICB).

EXHIBIT C – Special Request Process

1. The Special Request Process shall be used for the following requests:
 - 1.1 Requesting specific product feature(s) be made available by Qwest that are currently available in a switch, but which are not activated.
 - 1.2 Requesting specific product feature(s) be made available by Qwest that are not currently available in a switch, but which are available from the switch vendor
 - 1.3 Requesting a combination of Unbundled Network Elements that is a combination not currently offered by Qwest as a standard product and:
 - 1.3.1 that is made up of UNEs that are defined by the FCC or the Commission as a network element to which Qwest is obligated to provide unbundled access, and;
 - 1.3.2 that is made up of UNEs that are ordinarily combined in the Qwest network.
 - 1.4 Requesting an Unbundled Network Element that does not require a technical feasibility analysis and has been defined by the FCC or the State Commission as a network element to which Qwest is obligated to provide unbundled access, but for which Qwest has not created a standard product, including, but not limited to, OC-192 (and such higher bandwidths that may exist) UDIT, EEL between OC-3 and OC-192 and new varieties of subloops.¹
2. Any request that requires an analysis of Technical Feasibility shall be treated as a Bona Fide Request (BFR), and will follow the BFR Process set forth in this Agreement. If it is determined that a request should have been submitted through the BFR process, Qwest will consider the BFR time frame to have started upon receipt of the original Special Request application form.
3. A Special Request shall be submitted in writing and on the appropriate Qwest form, which is located on Qwest's website.
4. Qwest shall acknowledge receipt of the Special Request within two (2) business days of receipt.
5. Qwest shall respond with an analysis, including costs and timeframes, within fifteen (15) business days of receipt of the Special Request. In the case of UNE Combinations, the analysis shall include whether the requested combination is a combination of network elements that are ordinarily combined in the Qwest network. If the request is for a combination of network elements that are not ordinarily combined in the Qwest network, the analysis shall indicate to CLEC that it should use the BFR process if CLEC elects to pursue its request.
6. Upon request, Qwest shall provide CLEC with Qwest's supporting cost data and/or

¹ Complies with ALJ's Recommendations Regarding General Terms and Conditions, BFR and Forecasting, In the Matter of US West Communications, Inc.'s Compliance With § 271 of the Telecommunications Act of 1996, Docket No. T-00000A-97-0238 (filed June 5, 2002) ("ALJ's GTC Recommendations") paras. 44-45.

EXHIBIT C – Special Request Process

studies for Unbundled Network Elements that CLEC wishes to order within seven (7) business days, except where Qwest cannot obtain a release from its vendors within seven (7) business days, in which case Qwest will make the data available as soon as Qwest receives the vendor release. Such cost data shall be treated as Confidential Information, if requested by Qwest under the non-disclosure sections of this Agreement.