

ORIGINAL



0000088817

RECEIVED

2008 SEP 19 P 3:35

ARIZONA CORP COMMISSION
DOCKET CONTROL

1 FENNEMORE CRAIG
 Patrick J. Black (No. 017141)
 Sarah A. Kubiak (No. 025014)
 2 3003 North Central Avenue, Suite 2600
 Phoenix, Arizona 85012
 3 Telephone: (602) 916-5000
 Facsimile: (602) 916-5600
 4 Email: pblack@fclaw.com
 Email: skubiak@fclaw.com
 5
 6 Attorneys for Cross Creek Ranch Water Company

BEFORE THE ARIZONA CORPORATION COMMISSION

9
 10 IN THE MATTER OF CROSS CREEK RANCH
 WATER COMPANY'S APPLICATION FOR
 APPROVAL OF ASSIGNMENT OF ASSETS
 11 VIA DISSOLUTION TO THE CROSS CREEK
 RANCH COMMUNITY ASSOCIATION,
 12 PURSUANT TO ARIZONA REVISED
 STATUTES 40-285, AND DELETION OF THE
 13 CERTIFICATE OF CONVENIENCE AND
 NECESSITY

DOCKET NO: W-04131A-08-0471
 DOCKET NO: W-20619A-08-0471

NOTICE OF FILING OF EXHIBIT

15 Cross Creek Ranch Water Company. ("CCRWC") hereby submits this Notice of Filing
 16 Supplemental Exhibit to its Application for Approval of Assignment and Transfer of Water
 17 Utility Assets to Cross Creek Ranch Community Association filed on September 8, 2008.

18 Attached hereto as Exhibit 1 is the legal description for the Cross Creek Ranch
 19 subdivision.

RESPECTFULLY SUBMITTED this 19th day of September 2008.

Arizona Corporation Commission
DOCKETED

SEP 19 2008

DOCKETED BY mn

FENNEMORE CRAIG, P.C.

By: [Signature]

Patrick J. Black
 Sarah A. Kubiak
 3003 North Central Avenue, Suite 2600
 Phoenix, Arizona 85012
 Attorneys for Cross Creek Ranch
 Water Company, Inc.

1 ORIGINAL and thirteen (13) copies
2 of the foregoing were **hand-delivered**
3 this 19th day of September 2008 to:

4 Docket Control
5 Arizona Corporation Commission
6 1200 W. Washington St.
7 Phoenix, AZ 85007

8 Copy of the foregoing **hand delivered**
9 this 19th day of September 2008 to:

10 Lyn Farmer
11 Chief Administrative Law Judge
12 Arizona Corporation Commission
13 1200 W. Washington Street
14 Phoenix, AZ 85007

15 Janice Alward
16 Legal Division
17 Arizona Corporation Commission
18 1200 W. Washington Street
19 Phoenix, AZ 85007

20 Steven Olea
21 Assistant Director, Utilities Division
22 Arizona Corporation Commission
23 1200 W. Washington Street
24 Phoenix, AZ 85007

25 Copy of the foregoing **mailed**
26 this 19th day of September 2008 to:

Reginald Lopez
Consumer Services Division
Arizona Corporation Commission
400 West Congress, Ste. 218
Tucson, AZ 85701-1347

By: Gudger Halsey-Bear

PHX/PBLACK/2111545.1/23936.001

EXHIBIT

1

LEGAL DESCRIPTION

Cross Creek Ranch Property

A parcel of land lying within Section 33, Township 17 North, Range 5 East, Gila and Salt River Base and Meridian, Yavapai County, Arizona, more particularly described as follows:

BEGINNING at the quarter corner common to Sections 28 and 33 of the above referenced township, marked by a BLM brass cap;
Thence along the north line of Section 33 South 87°56'46" West a distance 328.54 feet to the E-E-W 1/256 corner of Sections 28 and 33, as monumented with a rebar and cap marked "LS19853"; thence South 3°14'02" West a distance of 664.39 feet to the C-E-NE-NW 1/256 corner of Section 33, as monumented with a rebar and cap marked "LS19853"; thence North 88°18'23" East a distance of 221.45 feet to a point monumented with a rebar and cap marked "LS12535"; thence South 66°47'18" West, a distance of 166.25 feet; thence South 58°15'47" West, a distance of 367.20 feet; thence South 50°02'52" West, a distance of 344.43 feet; thence South 68°33'24" West, a distance of 114.13 feet; thence South 47°47'24" West, a distance of 305.46 feet; thence South 27°29'24" West, a distance of 165.61 feet; thence South 57°58'21" West, a distance of 215.29 feet; thence South 58°06'18" West, a distance of 236.38 feet; thence North 76°10'00" West, a distance of 413.39 feet; thence South 66°06'39" West, a distance of 281.57 feet; thence South 09°23'39" West, a distance of 335.31 feet; thence South 08°35'21" East, a distance of 301.72 feet; thence South 36°28'19" East, a distance of 432.64 feet; thence South 52°23'19" East, a distance of 500.70 feet; thence South 47°21'19" East, a distance of 99.54 feet; thence South 51°53'19" East, a distance of 150.84 feet to a point on the north-south centerline of the southwest quarter of said Section 33; thence along the north-south centerline of the southwest quarter of said Section 33, South 02°40'19" West, a distance of 101.51 feet to the C-N-SW 1/64 corner of Section 33; thence along the east-west centerline of the northeast quarter of the southwest quarter of said Section 33, North 88°59'04" East, a distance of 1306.97 feet to the C-N-S 1/64 of said Section 33, as monumented by a rebar with cap marked "LS16558"; thence along the east-west centerline of the northwest quarter of the southeast quarter of said Section 33, North 89°05'27" East, a distance of 1347.40 feet to the C-N-SE 1/64 corner of Section 33 monumented with a rebar and cap marked "LS16558"; thence along the east-west centerline of the northeast quarter of the southeast quarter, North 89°06'50" East, a distance of 673.83 feet to the NE-SE 1/64 corner of Section 33, monumented by a rebar and cap; thence along the north-south centerline of the northeast quarter of the southeast quarter of Section 33, North 04°22'51" East, a distance of 670.78 feet to the C-E-E 1/64 corner of said Section 33, monumented by a rebar and cap marked "LS16558"; thence along the east-west centerline of the section, South 88°43'01" West, a distance of 559.95 feet; a point monumented by a 1/2 inch rebar; thence North 00°09'51" East, a distance of 1207.19 feet; thence North 64°45'37" East, a distance of 109.15 feet; thence North 63°30'36" East, a distance of 414.82 feet; thence

LEGAL DESCRIPTION

Cross Creek Ranch Property

A parcel of land lying within Section 33, Township 17 North, Range 5 East, Gila and Salt River Base and Meridian, Yavapai County, Arizona, more particularly described as follows:

BEGINNING at the quarter corner common to Sections 28 and 33 of the above referenced township, marked by a BLM brass cap;
Thence along the north line of Section 33 South 87°56'46" West a distance 328.54 feet to the E-E-W 1/256 corner of Sections 28 and 33, as monumented with a rebar and cap marked "LS19853"; thence South 3°14'02" West a distance of 664.39 feet to the C-E-NE-NW 1/256 corner of Section 33, as monumented with a rebar and cap marked "LS19853"; thence North 88°18'23" East a distance of 221.45 feet to a point monumented with a rebar and cap marked "LS12535"; thence South 86°47'18" West, a distance of 166.25 feet; thence South 58°15'47" West, a distance of 367.20 feet; thence South 50°02'52" West, a distance of 344.43 feet; thence South 68°33'24" West, a distance of 114.13 feet; thence South 47°47'24" West, a distance of 305.46 feet; thence South 27°29'24" West, a distance of 165.61 feet; thence South 57°58'21" West, a distance of 215.29 feet; thence South 58°06'18" West, a distance of 236.38 feet; thence North 76°10'00" West, a distance of 413.39 feet; thence South 86°06'39" West, a distance of 281.57 feet; thence South 09°23'39" West, a distance of 335.31 feet; thence South 08°35'21" East, a distance of 301.72 feet; thence South 36°28'19" East, a distance of 432.64 feet; thence South 52°23'19" East, a distance of 500.70 feet; thence South 47°21'19" East, a distance of 99.54 feet; thence South 51°53'19" East, a distance of 150.84 feet to a point on the north-south centerline of the southwest quarter of said Section 33; thence along the north-south centerline of the southwest quarter of said Section 33, South 02°40'19" West, a distance of 101.51 feet to the C-N-SW 1/64 corner of Section 33; thence along the east-west centerline of the northeast quarter of the southwest quarter of said Section 33, North 88°59'04" East, a distance of 1306.97 feet to the C-N-S 1/64 of said Section 33, as monumented by a rebar with cap marked "LS16558"; thence along the east-west centerline of the northwest quarter of the southeast quarter of said Section 33, North 89°05'27" East, a distance of 1347.40 feet to the C-N-SE 1/64 corner of Section 33 monumented with a rebar and cap marked "LS16558"; thence along the east-west centerline of the northeast quarter of the southeast quarter, North 89°06'50" East, a distance of 673.83 feet to the NE-SE 1/64 corner of Section 33, monumented by a rebar and cap; thence along the north-south centerline of the northeast quarter of the southeast quarter of Section 33, North 04°22'51" East, a distance of 670.78 feet to the C-E-E 1/64 corner of said Section 33, monumented by a rebar and cap marked "LS16558"; thence along the east-west centerline of the section, South 88°43'01" West, a distance of 559.95 feet; a point monumented by a 1/2 inch rebar; thence North 00°09'51" East, a distance of 1207.19 feet; thence North 64°45'37" East, a distance of 109.15 feet; thence North 63°30'36" East, a distance of 414.82 feet; thence