

ORIGINAL



0000097871

COMMISSIONERS  
KRISTIN K. MAYES - Chairman  
GARY PIERCE  
PAUL NEWMAN  
SANDRA D. KENNEDY  
BOB STUMP



RECEIVED  
Executive Director

ARIZONA CORPORATION COMMISSION

2009 AUG 14 P 1:30

August 14, 2009

AZ CORP COMMISSION  
DOCKET CONTROL

Steve Wene  
1850 N. Central Ave, Suite 1100  
Phoenix, Arizona 85004

RE: IN THE MATTER OF THE APPLICATION OF ESTATE OF WILLIAM F. RANDALL  
DBA VALLE VERDE WATER COMPANY FOR AN INCREASE IN ITS WATER  
RATES. DOCKET NO. W-1 01431A-09-0360

LETTER OF DEFICIENCY

Dear Mr. Wene:

In reference to your rate application received on July 17, 2009, this letter is to inform you that your application has not met the sufficiency requirements as outlined in Arizona Administrative Code R14-2-103.

Staff has found deficiencies with your application, which are listed on a separate attachment. The 30-day sufficiency determination period will begin anew when the company corrects the deficiencies and Docket Control receives an original and sixteen copies of the corrected pages.

You have 15 calendar days, or until September 1, 2009, to correct the deficiencies or make other arrangements with Staff to remedy your rate application. If the corrections or other arrangements are not made by the above date, Staff will request your docket number be administratively closed. Docket Control will retain one copy of the original application for Commission records. You may file an original and sixteen copies of an updated application at a later date.

The Staff person assigned to your application is Pedro M. Chaves. He can be reached at (602) 364-0497, or toll free at (800) 222-7000, if you have any questions or concerns.

Sincerely,

Elijah Abinah  
Assistant Director  
Arizona Corporation Commission  
Utilities Division

Arizona Corporation Commission  
DOCKETED

AUG 14 2009

DOCKETED BY

Page 2

CC: Docket Control Center (fifteen copies)  
Lyn Farmer, Hearing Division  
Delbert Smith, Engineering  
Consumer Services  
Legal Division

VALLE VERDE WATER COMPANY  
DOCKET NO. W-001431A-09-0360  
RATE APPLICATION DEFICIENCY ITEMS  
AUGUST 14, 2009

1. The information on page 1 for PWS #12-025 of Exhibit 5 is incomplete. Please provide complete information.
2. The information on page 1 for PWS #12-009 of Exhibit 5 is incomplete. Please provide complete information.