

ORIGINAL



0000101325

GALLAGHER & KENNEDY

P.A.

LAW OFFICES

MICHAEL M. GRANT
DIRECT DIAL: (602) 530-8291
E-MAIL: MMG@GKNET.COM

RECEIVED

2009 JUL 27 P 1:12

AZ CORP COMMISSION
DOCKET CONTROL

2575 EAST CAMELBACK ROAD
PHOENIX, ARIZONA 85016-9225
PHONE: (602) 530-8000
FAX: (602) 530-8500
WWW.GKNET.COM

July 27, 2009

HAND DELIVERED

Docket Control
Arizona Corporation Commission
1200 W. Washington St.
Phoenix, AZ 85007

Re: *Legal Description Concerning the Safford Service Area; Graham County Electric Cooperative Application to Amend Its CC&N; Docket No. E-01749A-09-0185*

Dear Sir or Madam:

Enclosed are the original and 13 copies of a legal description that defines the boundary of the Safford Service Area. The Safford Service Area is shown on Exhibit B to the Territorial Settlement Agreement which is Exhibit 1 to the Cooperative's April 17, 2009 Application.

Very truly yours,

GALLAGHER & KENNEDY, P.A.

By: Michael M. Grant

MMG/plp
10430-13/2143830
Enclosures

cc (w/enclosures): Barb Wells, Utilities Division (delivered)
Dennis Kouts

Original and 13 copies filed with Docket Control this 27th day of July, 2009.

Arizona Corporation Commission
DOCKETED
JUL 27 2009
DOCKETED BY

EXHIBIT "A"

SERVICE BOUNDARY DESCRIPTION:

A boundary description for the Municipal Electric Utility Service Area of the City of Safford, Arizona, encompassing all or portions of Sections 5, 6, 7, 8, 9, 16, 17, 18, 19, 20, 29, 30, Township 7 South, Range 26 East AND Sections 12, 13, 24, Township 7 South, Range 25 East, all of Gila and Salt River Meridian, Graham County, Arizona, said boundary being more particularly described as follows;

COMMENCING at the Northwest corner of said Section 6;

Thence South $00^{\circ} 02' 48''$ West, along the West line of said Section 6, a distance of 2,239.79 feet to a point of intersection of said West line and the approximate centerline of the Gila River being a curve concave to the Northeast and the POINT OF BEGINNING of said boundary;

Thence Southeasterly along said Gila River approximate centerline, being a curve to the left, having a chord bearing of South $66^{\circ} 56' 09''$ East, a distance of 6,564.66 feet, a radius of 10,856.29 feet, and a central angle of $35^{\circ} 11' 49''$ for an arc distance of 6,669.03 feet;

Thence continue along said centerline South $82^{\circ} 37' 14''$ East, a distance of 4,534.80 feet to a point of curvature of a curve concave to the Southwest;

Thence Southeasterly along said centerline, along said curve to the right, having a chord bearing of South $56^{\circ} 44' 25''$ East, a distance of 4,543.12 feet, a radius of 5,508.17 feet, and a central angle of $48^{\circ} 42' 40''$ for an arc distance of 4,682.88 feet to the northeast corner of the current City of Safford City Limit boundary, and the Center-East Sixteenth Corner of said Section 9;

Thence leaving said Gila River centerline, South $00^{\circ} 02' 13''$ East, along the eastern City of Safford's City Limit boundary, being adjacent to the East Sixteenth line of said Sections 9 AND 16, a distance of 5,278.64 feet to a point of intersection with the Union Canal being the Center-East Sixteenth Corner of said Section 16;

EXHIBIT "A"

Thence along said Union Canal, North 89° 38' 26" West, along the East-West Mid-section line of said Section 16, a distance of 3,921.38 feet to the West Quarter Corner of said Section 16;

Thence South 00° 15' 29" West, along the East line of said Section 17 a distance of 2,635.04 feet to the Southeast corner of said Section 17.

Thence South 00° 14' 30" East, along the East line of said Section 20, being adjacent to Welker Lane, a distance of 4,905.90 feet to a point of intersection with the approximate centerline of the Highline Canal;

Thence along said Highline Canal approximate centerline the following twenty-eight (28) courses:

Thence North 75° 56' 45" West, a distance of 68.33 feet to a point of curvature of a curve concave to the Southwest;

Thence Northwesterly, along said curve to the left, having a chord bearing of North 79° 33' 45" West, a distance of 73.48 feet, a radius of 397.86 feet, and a central angle of 10° 35' 50" for an arc distance of 73.59 feet to a point of curvature of a curve concave to the Southwest;

Thence Northwesterly, along said curve to the left, having a chord bearing of North 80° 32' 16" West, a distance of 75.19 feet, a radius of 3,328.84 feet, and a central angle of 01° 17' 39" for an arc distance of 75.19 feet to a point of curvature of a curve concave to the Southwest;

Thence Northwesterly, along said curve to the left, having a chord bearing of North 81° 38' 03" West, a distance of 163.39 feet, a radius of 1,186.43 feet, and a central angle of 07° 53' 47" for an arc distance of 163.51 feet to a point of curvature of a curve concave to the Northeast;

EXHIBIT "A"

Thence Northwesterly, along said curve to the right, having a chord bearing of North $73^{\circ} 18' 03''$ West, a distance of 59.56 feet, a radius of 248.98 feet, and a central angle of $13^{\circ} 44' 24''$ for an arc distance of 59.71 feet to a point of curvature of a curve concave to the Southwest;

Thence Northwesterly, along said curve to the left, having a chord bearing of North $67^{\circ} 15' 30''$ West, a distance of 172.18 feet, a radius of 727.86 feet, and a central angle of $13^{\circ} 35' 07''$ for an arc distance of 172.58 feet to a point of curvature of a curve concave to the Northeast;

Thence Northwesterly, along said curve to the right, having a chord bearing of North $62^{\circ} 56' 58''$ West, a distance of 150.54 feet, a radius of 837.99 feet, and a central angle of $10^{\circ} 18' 24''$ for an arc distance of 150.74 feet to a point of curvature of a curve concave to the Southwest;

Thence Northwesterly, along said curve to the left, having a chord bearing of North $61^{\circ} 14' 34''$ West, a distance of 88.94 feet, a radius of 364.17 feet, and a central angle of $14^{\circ} 01' 41''$ for an arc distance of 89.16 feet to a point of curvature of a curve concave to the Northeast;

Thence Northwesterly, along said curve to the right, having a chord bearing of North $59^{\circ} 36' 04''$ West, a distance of 82.68 feet, a radius of 160.87 feet, and a central angle of $29^{\circ} 46' 58''$ for an arc distance of 83.62 feet to a point of curvature of a curve concave to the Southwest;

Thence Northwesterly, along said curve to the left, having a chord bearing of North $46^{\circ} 35' 02''$ West, a distance of 291.92 feet, a radius of 675.72 feet, and a central angle of $24^{\circ} 56' 56''$ for an arc distance of 294.24 feet to a point of curvature of a curve concave to the Northeast;

EXHIBIT "A"

Thence Northwesterly, along said curve to the right, having a chord bearing of North $50^{\circ} 06' 45''$ West, a distance of 154.39 feet, a radius of 1,294.59 feet, and a central angle of $06^{\circ} 50' 14''$ for an arc distance of 154.48 feet to a point of curvature of a curve concave to the Southwest;

Thence Northwesterly, along said curve to the left, having a chord bearing of North $85^{\circ} 53' 24''$ West, a distance of 116.27 feet, a radius of 87.40 feet, and a central angle of $83^{\circ} 23' 24''$ for an arc distance of 127.21 feet;

Thence South $39^{\circ} 34' 23''$ West, a distance of 197.30 feet to a point of curvature of a curve concave to the Northwest;

Thence Southwesterly, along said curve to the right, having a chord bearing of South $64^{\circ} 17' 24''$ West, a distance of 41.62 feet, a radius of 51.38 feet, and a central angle of $47^{\circ} 47' 16''$ for an arc distance of 42.85 feet;

Thence North $85^{\circ} 24' 00''$ West, a distance of 60.61 feet to a point of curvature of a curve concave to the Northeast;

Thence Northwesterly, along said curve to the right, having a chord bearing of North $36^{\circ} 38' 44''$ West, a distance of 70.97 feet, a radius of 53.76 feet, and a central angle of $82^{\circ} 37' 02''$ for an arc distance of 77.52 feet;

Thence North $04^{\circ} 42' 28''$ East, a distance of 59.23 feet to a point of curvature of a curve concave to the Southwest;

Thence Northwesterly, along said curve to the left, having a chord bearing of North $27^{\circ} 34' 28''$ West, a distance of 70.51 feet, a radius of 104.10 feet, and a central angle of $39^{\circ} 35' 27''$ for an arc distance of 71.93 feet to a point of curvature of a curve concave to the Southwest;

EXHIBIT "A"

Thence Northwesterly, along said curve to the left, having a chord bearing of North 57° 05' 41" West, a distance of 140.61 feet, a radius of 208.76 feet, and a central angle of 39° 21' 45" for an arc distance of 143.42 feet to a point of curvature of a curve concave to the Northeast;

Thence Northwesterly, along said curve to the right, having a chord bearing of North 57° 55' 34" West, a distance of 61.47 feet, a radius of 81.24 feet, and a central angle of 44° 27' 19" for an arc distance of 63.03 feet;

Thence North 40° 12' 21" West, a distance of 76.38 feet to a point of curvature of a curve concave to the Southwest;

Thence Northwesterly, along said curve to the left, having a chord bearing of North 66° 22' 14" West, a distance of 60.64 feet, a radius of 66.96 feet, and a central angle of 53° 50' 39" for an arc distance of 62.93 feet to a point of curvature of a curve concave to the Northeast;

Thence Northwesterly, along said curve to the right, having a chord bearing of North 85° 06' 53" West, a distance of 81.55 feet, a radius of 384.94 feet, and a central angle of 12° 09' 37" for an arc distance of 81.70 feet to a point of curvature of a curve concave to the Southwest;

Thence Northwesterly, along said curve to the left, having a chord bearing of North 85° 27' 18" West, a distance of 99.14 feet, a radius of 701.53 feet, and a central angle of 08° 06' 13" for an arc distance of 99.22 feet to a point of curvature of a curve concave to the Northeast;

Thence Northwesterly, along said curve to the right, having a chord bearing of North 83° 38' 43" West, a distance of 112.93 feet, a radius of 483.08 feet, and a central angle of 13° 25' 31" for an arc distance of 113.19 feet to a point of curvature of a curve concave to the Southwest;

EXHIBIT "A"

Thence Northwesterly, along said curve to the left, having a chord bearing of North 78° 54' 49" West, a distance of 161.39 feet, a radius of 957.47 feet, and a central angle of 09° 40' 09" for an arc distance of 161.58 feet to a point of curvature of a curve concave to the Northeast;

Thence Northwesterly, along said curve to the right, having a chord bearing of North 80° 10' 51" West, a distance of 109.94 feet, a radius of 338.75 feet, and a central angle of 18° 40' 43" for an arc distance of 110.43 feet to a point of curvature of a curve concave to the Southwest;

Thence Northwesterly, along said curve to the left, having a chord bearing of North 74° 30' 26" West, a distance of 212.44 feet, a radius of 2,508.66 feet, and a central angle of 04° 51' 13" for an arc distance of 212.51 feet to a point of intersection of the Highline Canal with the North-South Mid-section line of said Section 20;

Thence leaving said Highline Canal, South 00° 03' 08" East, along the North-South Mid-section line of said Sections 20 AND 29, being adjacent to Arizona State Highway 191, a distance of 1,802.19 feet to a point on the City of Safford's southern City Limit boundary;

Thence along said southern City Limit boundary the following eighteen (18) courses:

Thence South 89° 47' 27" West, a distance of 202.49 feet;

Thence South 00° 14' 08" East, a distance of 199.51 feet;

Thence South 89° 47' 28" West, a distance of 198.50 feet;

Thence South 00° 14' 12" East, a distance of 225.48 feet;

Thence South 89° 47' 30" West, a distance of 525.00 feet;

Thence South 00° 14' 10" East, a distance of 371.78 feet;

EXHIBIT "A"

Thence South 89° 55' 45" West, along the North Sixteenth line of said Section 29, a distance of 1,704.61 feet;

Thence North 00° 07' 49" West, along the West line of said Section 29, a distance of 1,317.71 feet;

Thence South 89° 47' 18" West, along the South line of said Section 19, a distance of 2,615.75 feet;

Thence South 00° 17' 29" East, a distance of 8.88 feet;

Thence North 89° 09' 06" East, a distance of 164.12 feet;

Thence South 80° 57' 10" East, a distance of 1,577.26 feet;

Thence South 41° 50' 05" West, a distance of 1,426.59 feet;

Thence South 89° 55' 45" West, a distance of 110.00 feet;

Thence South 00° 10' 25" East, a distance of 1,322.07 feet;

Thence South 89° 52' 51" West, along the East-West Mid-section line of said Section 30. a distance of 1,927.11 feet;

Thence North 00° 06' 11" East, along the West Sixteenth line of said Section 30, a distance of 2,589.18 feet;

Thence South 89° 47' 58" West, a distance of 1,322.45 feet to a point of intersection of said southern City Limit boundary with the City of Safford's western City Limit boundary;

EXHIBIT "A"

Thence along said western City Limit boundary the following thirteen (13) courses:

Thence North $00^{\circ} 02' 56''$ East, being adjacent to Twentieth Avenue, a distance of 3,742.22 feet;

Thence North $65^{\circ} 41' 15''$ West, a distance of 1,839.19 feet;

Thence South $82^{\circ} 18' 45''$ West, a distance of 924.50 feet;

Thence North $00^{\circ} 06' 09''$ East, along the North-South Mid-section line of said Sections 13 and 24, a distance of 4,917.39 feet;

Thence South $89^{\circ} 52' 59''$ East, along the North Sixteenth line of said Section 13, a distance of 2,634.80 feet;

Thence North $00^{\circ} 07' 21''$ East, along the West line of said Sections 7 and 18, being adjacent to Twentieth Avenue, a distance of 3,011.82 feet to a point of intersection of said West line and the South Right-of-Way line of Arizona State Highway 70 being a curve concave to the Northeast;

Thence Northwesterly along said South Right-of-Way line, along said curve to the right, having a chord bearing of North $52^{\circ} 13' 32''$ West, a distance of 612.03 feet, a radius of 3,695.58 feet, and a central angle of $09^{\circ} 29' 59''$ for an arc distance of 612.73 feet;

Thence leaving said South Right-of-Way line, North $00^{\circ} 25' 52''$ East, a distance of 1,864.49 feet;

Thence North $73^{\circ} 40' 50''$ East, a distance of 44.93 feet;

Thence North $79^{\circ} 11' 39''$ East, a distance of 106.30 feet;

Thence North $86^{\circ} 49' 49''$ East, a distance of 140.00 feet;

EXHIBIT "A"

Thence South $89^{\circ} 21' 17''$ East, a distance of 184.00 feet;

Thence North $00^{\circ} 03' 53''$ East, along the West line of said Sections 7 and 18, a distance of 1,304.25 feet;

Thence leaving said western City Limit boundary, North $00^{\circ} 02' 46''$ East, along the West line of said Section 6 a distance of 2,962.02 feet to the POINT OF BEGINNING.