

ORIGINAL THIS AMENDMENT:

Passed _____ Passed as amended by _____

Failed _____ Not Offered _____



0000115811

RECEIVED

2010 AUG 20 P 4: 55

AZ CORP COMMISSION
DOCKET CONTROL

MAYES PROPOSED AMENDMENT 1

TIME/DATE PREPARED: August 20, 2010

COMPANY: Global Water

AGENDA ITEM NO. 21

DOCKET NO. SW-20445A-09-0077,
W-02451A-09-0078, W-01732A-09-0079,
W-20446A-09-0080, W-02450A-09-0081,
W-01212A-09-0082.

OPEN MEETING DATE: August 24-25, 2010

Page 67, line 8.5 INSERT:

“While the Commission recognizes the Company’s efforts to develop a DSM program, we believe some additional guidance may be necessary. We believe it is reasonable to require the Company to develop at minimum 10 BMPs or 10 equivalent elements, applicable for each of the Company’s water systems with average customer counts exceeding 5,000, and at least 3 BMPs or 3 equivalent elements, for the Company’s remaining water systems, as part of its DSM Program for Commission consideration.”

Page 85, line 2, INSERT AFTER “... consideration.”

“The Demand Side Management program shall incorporate at minimum 10 Best Management Practices, or their equivalent elements, applicable for each of the Company’s water systems with average customer counts exceeding 5,000, and at least 3 BMPs or 3 equivalent elements, for the Company’s remaining water systems, for each of the Company’s systems addressed herein.”

MAKE ALL CONFORMING CHANGES

Arizona Corporation Commission
DOCKETED
AUG 20 2010

DOCKETED BY