

ORIGINAL OPEN MEETING AGENDA ITEM



0000118937

BEFORE THE ARIZONA CORPORATION COMMISSION

RECEIVED

COMMISSIONERS

KRISTIN K. MAYES, CHAIRMAN
GARY PIERCE
PAUL NEWMAN
SANDRA D. KENNEDY
BOB STUMP

2010 OCT 20 A 9:43

AZ CORP COMMISSION
DOCKET CONTROL

IN THE MATTER OF THE APPLICATION OF
LITCHFIELD PARK SERVICE COMPANY,
AN ARIZONA CORPORATION, FOR A
DETERMINATION OF THE FAIR VALUE OF
ITS UTILITY PLANTS AND PROPERTY AND
FOR INCREASES IN ITS WATER AND
WASTEWATER RATES AND CHARGES FOR
UTILITY SERVICE BASED THEREON.

DOCKET NO. SW-01428A-09-0103

IN THE MATTER OF THE APPLICATION OF
LITCHFIELD PARK SERVICE COMPANY,
AN ARIZONA CORPORATION, FOR A
DETERMINATION OF THE FAIR VALUE OF
ITS UTILITY PLANTS AND PROPERTY AND
FOR INCREASES IN ITS WATER RATES
AND CHARGES FOR UTILITY SERVICE
BASED THEREON.

DOCKET NO. W-01427A-09-0104

IN THE MATTER OF THE APPLICATION OF
LITCHFIELD PARK SERVICE COMPANY,
AN ARIZONA CORPORATION, FOR
AUTHORITY (1) TO ISSUE EVIDENCE OF
INDEBTEDNESS IN AN AMOUNT NOT TO
EXCEED \$1,755,000 IN CONNECTION WITH
(A) THE CONSTRUCTION OF TWO
RECHARGE WELL INFRASTRUCTURE
IMPROVEMENTS AND (2) TO ENCUMBER
ITS REAL PROPERTY AND PLANT AS
SECURITY FOR SUCH INDEBTEDNESS.

DOCKET NO. W-01427A-09-0116

Arizona Corporation Commission
DOCKETED
OCT. 20 2010

DOCKETED BY

1 IN THE MATTER OF THE APPLICATION OF
2 LITCHFIELD PARK SERVICE COMPANY,
3 AN ARIZONA CORPORATION, FOR
4 AUTHORITY (1) TO ISSUE EVIDENCE OF
5 INDEBTEDNESS IN AN AMOUNT NOT TO
6 EXCEED \$1,170,000 IN CONNECTION WITH
7 (A) THE CONSTRUCTION OF ONE 200 KW
8 ROOF MOUNTED SOLAR GENERATOR
9 INFRASTRUCTURE IMPROVEMENTS AND
10 (2) TO ENCUMBER ITS REAL PROPERTY
11 AND PLANT AS SECURITY FOR SUCH
12 INDEBTEDNESS.

DOCKET NO. W-01427A-09-0120

**CITY OF LITCHFIELD PARK'S
NOTICE OF FILING PROPOSED
AMENDMENT TO
RECOMMENDED OPINION AND
ORDER**

9 The City of Litchfield Park hereby files a Proposed Amendment to the
10 Recommended Opinion and Order in the above-referenced dockets.

11 DATED this 20th day of October, 2010.

13 CURTIS, GOODWIN, SULLIVAN,
14 UDALL & SCHWAB, P.L.C.

15 By: 

16 William P. Sullivan
17 Susan D. Goodwin
18 Larry K. Udall
19 501 East Thomas Road
20 Phoenix, Arizona 85012-3205
21 Attorneys for the City of Litchfield Park
22
23
24
25

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25

PROOF OF AND CERTIFICATE OF MAILING

I hereby certify that on this 20th day of October, 2010, I caused the foregoing document to be served on the Arizona Corporation Commission by delivering the original and thirteen (13) copies of the above to:

Docket Control
Arizona Corporation Commission
1200 West Washington
Phoenix, Arizona 85007

COPY of the foregoing e-mailed
this 20th day of October, 2010 to:

Kevin Torrey, Esq.
Legal Division
Arizona Corporation Commission
1200 West Washington
Phoenix, Arizona 85007

Martin Aronson
Robert J. Moon
Morrill & Aronson, PLC
One East Camelback Road, Suite 340
Phoenix, Arizona 85012-0000


Jay L. Shapiro
Todd C. Wiley
FENNEMORE CRAIG PC
3003 N. Central Ave., Suite 2600
Phoenix, Arizona 85012
Attorneys for Litchfield Park Service Co.

Craig A. Marks
Craig A. Marks PLC
10645 North Tatum Blvd., Ste 200-676
Phoenix, Arizona 85028

Copies of the foregoing mailed this 20th day of
October, 2010 to:

Michelle Wood, Counsel
Residential Utility Consumer Office
1110 West Washington Street, Suite 220
Phoenix, Arizona 85007-2958

Chad & Jessica Robinson
15629 W. Meadowbrook Ave.
Goodyear, Arizona 85395



F:\83\9-10\Notice of Filing Proposed Amendment to ROO

AMENDMENT
PROPOSED BY CITY OF LITCHFIELD PARK
(RATE DESIGN)

COMPANY: Litchfield Park Service Company AGENDA ITEM NO. 15

DOCKET NO. SW-0148A-09-0103, OPEN MEETING DATE: 10-19-10
W-01427A-09-0104, W-01427A-09-0116,
W-01427A-09-0120

Page 68, Line 13 after "case" INSERT "for most meter sizes"

Page 68, Line 16 after "meters." INSERT a new sentence: "We will direct the use of a three tier rate design for 5/8-inch, 3/4-inch and residential 1-inch meters, but recognize the differences between the water use by the customers with a 1-inch meter by adopting a tiers of 0 to 5,000 gallons, 5001 to 40,000 gallons and over 40,000 for 1-inch meters in place of the tiers set forth in the alternative Staff recommendation.

Page 68, Lines 16 - 19 DELETE the sentence beginning with "By" and ending with "homes."

Page 69, Lines 6 – 8 DELETE the sentence beginning with "Rather" and ending with "used."

Page 69, Line 9 after "design" INSERT "as modified"

Page 81, Line 11 after "that" INSERT "the tiers for residential 1-inch meters shall be 0 to 5,000 gallons, 5001 to 40,000 gallons and over 40,000 and, in accordance with the agreement between LPSCO and the City"

Page 81, Lines 12-13 DELETE ", in accordance with the agreement between LPSCO and the CITY"

Make all conforming changes, including without limitation, the Discussion at Page 73, Line 17 through Page 75, Line 8, Findings of Fact 42 through 45 and Exhibits B and C.