

ORIGINAL

OPEN MEETING AGENDA ITEM



0000145206

May 29, 2013

RECEIVED

2013 MAY 30 P 2:40

AZ CORP COMMISSION
DOCKET CONTROL

Arizona Corporation Commission
Docket Control
1200 W. Washington St.
Phoenix, AZ 85007

Docket E-00000C-11-0328 Smart Meters

To Whom It May Concern:

This filing for the Smart meter docket #E-00000C-11-0328 contains an original filing plus 13 copies and is being filed on behalf of the Safer Utilities Network.

Sincerely,

Frank R. Mead
LoronaMead, PLC
Attorneys for Safer Utilities Network

Enl.: Certificate of Service

Arizona Corporation Commission

DOCKETED

MAY 30 2013

DOCKETED BY	
-------------	--

Certificate of Service

The encloses were MAILED this 29th day of May, 2013, to the following:

Arizona Public Service Company

Jeffrey Johnson
P.O. Box 53999, STA. 9905
Phoenix, Arizona 85072-3999

Arizona Public Service Company

Thomas Mumaw
P.O. Box 53999, Station 8695
Phoenix, Arizona 85072-3999

Arizona Public Service Company

Michael Curtis
501 East Thomas Road
Phoenix, Arizona 85012-3205

Arizona Public Service Company

William Sullivan
501 East Thomas Road
Phoenix, Arizona 85012-3205

Arizona Public Service Company

Charles Moore
1878 W. White Mountain Blvd.
Lakeside, Arizona 85929

Mohave Electric Cooperative, Inc.

Peggy Gillman
P.O. Box 1045
Bullhead City, Arizona 86430

Mohave Electric Cooperative, Inc.

Tyler Carlson
P.O. Box 1045
Bullhead City, Arizona 86430

Mohave Electric Cooperative, Inc.

M. Jo Smith
88 E. Broadway
Tucson, Arizona 85701

Mohave Electric Cooperative, Inc.

Bradley Carroll
88 E. Broadway Blvd. MS HQE910
P.O. Box 711
Tucson, Arizona 85702

Mohave Electric Cooperative, Inc.

Michael Patten
Roshka DeWulf & Patten, PLC
One Arizona Center
400 E. Van Buren St. - 800
Phoenix, Arizona 85004

Mohave Electric Cooperative, Inc.

John Wallace
120 N. 44th St. - 100
Phoenix, Arizona 85034

Mohave Electric Cooperative, Inc.

Janice Alward
1200 W. Washington
Phoenix, Arizona 85007

Mohave Electric Cooperative, Inc.

Steve Olea
1200 W. Washington St.
Phoenix, Arizona 85007

Arizona Corporation Commission

Lyn Farmer
1200 W. Washington
Phoenix, Arizona 85007-2927

Electromagnetic Safety Alliance, Inc

Elizabeth Kelley
303 N. Gaia Pl
Tucson, Arizona 85745

Smart Meters: Correcting the Gross Misinformation

agfauteux | 11 juillet 2012 | 8 Commentaires

RECEIVED

2013 MAY 30 P 2:40

Docket E-00000C-11-0328 Smart Meters
SECUR COMMISSION
DOCKET CONTROL

Quebec-based magazine *La Maison du 21e siecle* asked physician **David O. Carpenter**, former founding dean of the University at Albany (NY)'s School of Public Health, to comment on a letter published in the Montreal daily *Le Devoir* last May 24. This letter claimed wireless smart meters pose no risk to public health. Some forty international experts contributed to the following rebuttal.

We, the undersigned are a group of scientists and health professionals who together have coauthored hundreds of peer-reviewed studies

Picture deleted

Dr David O. Carpenter, founder, University at Albany (NY) School of Public Health

on the health effects of electromagnetic fields (EMFs). We wish to correct some of the gross misinformation found in the letter regarding wireless "smart" meters that was published in the Montreal daily *Le Devoir* on May 24. Submitted by a group Quebec engineers, physicists and chemists, the letter in question reflects an obvious lack of understanding of the science behind the health impacts of the radiofrequency (RF)/microwave EMFs emitted by these meters.

The statement that « Thousands of studies, both epidemiological and experimental in humans, show no increase in cancer cases as a result of exposure to radio waves of low intensity... » is false (1). In fact, only a few such studies — two dozen case-control studies of mobile phone use, certainly not thousands, have reported no elevations of cancer, and most were funded by the wireless industry. In addition, these reassuring studies contained significant experimental design flaws, mainly the fact that the populations followed were too small and were followed for a too short period of time.

Non industry-funded studies have clearly demonstrated a significant increase in cancer cases among individuals who have suffered from prolonged exposure to low-level microwaves, transmitted notably by radio antennas. The effects were best documented in meta-analyses that have been published and that include grouped results from several different studies: these analyses consistently showed an increased risk of brain cancer among regular users of a cell phone who have been exposed to microwaves for at least ten years.

Brain Cancer Rates

Furthermore, the argument that brain cancer rates do not indicate an overall increase in incidence is not evidence that cell phones are safe: the latency for brain cancer in adults after environmental exposure can be long, up to 20-30 years. Most North Americans haven't used cell phones extensively for that long. The evidence of the link between long-term cell phone use and

brain cancer comes primarily from Northern Europe, where cell phones have been commonly used since the 1990s.

Children are especially at risk. In May 2012, the U.K.'s Office of National Statistics reported a 50 percent increase in incidence of frontal and temporal lobe tumors in children between 1999 and 2009. This statistic is especially disturbing since in May 2011, after reviewing the published scientific literature regarding cancers affecting cell phone users, the International Agency for Research on Cancer (IARC) classified radiofrequency radiation as a 2B, possible human carcinogen. Despite the absence of scientific consensus, the evidence is sufficiently compelling for any cautious parent to want to reduce their loved one's exposure to RF/microwave emissions as much as possible, as recommended by various countries such as Austria, Belgium, Germany, Russia and the United Kingdom.

Electrosensitivity

Public fears about wireless smart meters are well-founded. They are backed by various medical authorities such as the Public Health Departments of Santa Cruz County (California) and of Salzburg State (Austria). These authorities are worried about the growing number of citizens who say they have developed electrohypersensitivity (EHS), especially since for many of them, the symptoms developed after the installation of such meters (it takes some time for most people to link the two events).

Since the turn of the millennium, people are increasingly affected by ambient microwaves due to the growing popularity of wireless devices such as cell phones and Wi-Fi Internet. Therefore, the mass deployment of smart grids could expose large chunks of the general population to alarming risk scenarios without their consent. According to seven surveys done in six European countries between 2002 and 2004, about 10% of Europeans have become electrosensitive, and experts fear that percentage could reach 50% by 2017. The most famous person to publicly reveal her electrosensitivity is Gro Harlem Brundtland, formerly Prime Minister of Norway and retired Director of the World Health Organization (WHO).

While there is no consensus on the origins and mechanisms of EHS, many physicians and other specialists around the world have become aware that EHS symptoms (neurological dermatological, acoustical, etc.) seem to be triggered by exposure to EMF levels well below current international exposure limits, which are established solely on short-term thermal effects (2). Organizations such as the Austrian Medical Association and the American Academy of Environmental Medicine have recognized that the ideal way to treat of EHS is to reduce EMF exposure.

Therefore, caution is warranted because the growing variety of RF/microwave emissions produced by many wireless devices such as smart meters have never been tested for their potential biological effects.

Well-known bioeffects

While the specific pathways to cancer are not fully understood, it is scientifically unacceptable to deny the weight of the evidence regarding the increase in cancer cases in humans that are exposed to high levels of RF/microwave radiation.

The statement that « there is no established mechanism by which a radio wave could induce an adverse effect on human tissue other than by heating » is incorrect, and reflects a lack of awareness and understanding of the scientific literature on the subject. In fact, more than a thousand studies done on low intensity, high frequency, non-ionizing radiation, going back at least fifty years, show that some biological mechanisms of effect do not involve heat. This radiation sends signals to living tissue that stimulate biochemical changes, which can generate various symptoms and may lead to diseases such as cancer.

Even though RF/microwaves don't have the energy to directly break chemical bonds, unlike ionizing radiation such as X-rays, there is scientific evidence that this energy can cause DNA damage indirectly leading to cancer by a combination of biological effects. Recent publications have documented the generation of free radicals, increased permeability of the blood brain barrier allowing potentially toxic chemicals to enter the brain, induction of genes, as well as altered electrical and metabolic activity in human brains upon application of cell phone RF/microwaves similar to those produced by smart meters.

These effects are cumulative and depend on many factors including RF/microwave levels, frequency, waveform, exposure time, biovariability between individuals and combination with other toxic agents. Clear evidence that these microwaves are indeed bioactive has been shown by the fact that low-intensity EMFs have proven clinically useful in some circumstances. Pulsed EMFs have long been used to successfully treat bone fractures that are resistant to other forms of therapy. More recently, frequency-specific, amplitude-modulated EMFs have been found useful to treat advanced carcinoma and chronic pain.

High frequency EMFs such as the microwaves used in cell phones, smart meters, Wi-Fi and cordless "DECT" phones, appear to be the most damaging when used commonly. Most of their biological effects, including symptoms of electrohypersensitivity, can be seen in the damage done to cellular membranes by the loss of structurally-important calcium ions. Prolonged exposure to these high frequencies may eventually lead to cellular malfunction and death.

Furthermore, malfunction of the parathyroid gland, located in the neck just inches from where one holds a cell phone, may actually cause electrohypersensitivity in some people by reducing the background level of calcium ions in the blood. RF/microwave radiation is also known to decrease the production of melatonin, which protects against cancer, and to promote the growth of existing cancer cells.

Early warning scientists attacked

In recommending that the Precautionary Principle be applied in EMF matters, the European Environment Agency's Director Jacqueline McGlade wrote in 2009: "We have noted from previous health hazard histories such as that of lead in petrol, and methyl mercury, that 'early warning' scientists frequently suffer from discrimination, from loss of research funds, and from unduly personal attacks on their scientific integrity. It would be surprising if this is not already a feature of the present EMF controversy... » Such unfortunate consequences have indeed occurred.

The statement in the *Le Devoir* letter that « if we consider that a debate should take place, it should focus exclusively on the effects of cell phones on health » is basically an acknowledgement that there is at least some reason to be concerned about cell phones. However, while the immediate exposure from a cell phone is of much greater intensity than the exposure from smart meters, cell phone use is temporary.

Smart meters

Wireless smart meters typically produce atypical, relatively potent and very short pulsed RF/microwaves whose biological effects have never been fully tested. They emit these millisecond-long RF bursts on average 9,600 times a day with a maximum of 190,000 daily transmissions and a peak level emission two and a half times higher than the stated safety signal, as the California utility Pacific Gas & Electric recognized before that State's Public Utilities Commission. Thus people in proximity to a smart meter are at risk of significantly greater aggregate exposure than with a cell phone, not to mention the cumulative levels of RF/microwaves that people living near several meters are exposed to.

People are exposed to cell phone microwaves primarily in the head and neck, and only when they use their device. With smart meters, the entire body is exposed to the microwaves, which increases the risk of overexposure to many organs.

In addition to these erratic bursts of modulated microwaves coming from smart meters that are transferring usage data to electric, gas and water utilities, wireless and wired smart (powerline communication) meters are also a major source of "dirty electricity" (electrical interference of high frequency voltage transients typically of kilohertz frequencies). Indeed, some scientists, such as American epidemiologist Sam Milham, believe that many of the health complaints about smart meters may also be caused by dirty electricity generated by the « switching » power supply activating all smart meters. Since the installation of filters to reduce dirty electricity circulating on house wiring has been found to relieve symptoms of EHS in some people, this method should be considered among the priorities aimed at reducing potential adverse impacts.

Rather be safe than sorry

The apparent adverse health effects noted with smart meter exposure are likely to be further exacerbated if smart appliances that use wireless communications become the norm and further increase unwarranted exposure.

To date, there have been few independent studies of the health effects of such sources of more continuous but lower intensity microwaves. However, we know after decades of studies of hazardous chemical substances, that chronic exposure to low concentrations of microwaves can cause equal or even greater harm than an acute exposure to high concentrations of the same microwaves.

This is why so many scientists and medical experts urgently recommend that measures following the Precautionary Principle be applied immediately — such as using wired meters — to reduce biologically inappropriate microwave exposure. We are not advocating the abolishment of RF technologies, only the use of common sense and the development and implementation of best practices in using these technologies in order to reduce exposure and risk of health hazards.

1. Scientific papers on EMF health effects

2. Explanation and studies on electrosensitivity

3. Governments and organizations that ban or warn against wireless technology

- David O. Carpenter, MD, Director, Institute for Health & the Environment, University at Albany, USA
- Jennifer Armstrong, MD, Past President, Canadian Society of Environmental Medicine, Founder, Ottawa Environmental Health Clinic, Ontario, Canada
- Pierre L. Auger, M. D., FRCPC, Occupational medicine, Multiclinique des accidentés 1464, Montreal, Quebec, Canada
- Fiorella Belpoggi, Director Cesare Maltoni Cancer Research Center, Ramazzini Institute, Bologna, Italy
- Martin Blank, PhD, former President, Bioelectromagnetics Society, Special Lecturer, Department of Physiology and Cellular Biophysics, Columbia University Medical Center, New York, USA
- Barry Breger, MD, Centre d'intégration somatosopique (orthomolecular medicine), Montreal, Quebec
- John Cline, MD, Professor, Institute for Functional Medicine, Federal Way, WA, USA, Medical Director, Cline Medical Centre, Nanaimo, BC, Canada
- Alvaro Augusto de Salles, PhD, Professor of Electrical Engineering, Federal University of Rio Grande do Sul, Porto Alegre, Brazil
- Christos Georgiou, Prof. Biochemistry, Biology Department, University of Patras, Greece
- Andrew Goldsworthy, PhD, Honorary lecturer in Biology, Imperial College, London, UK
- Claudio Gómez-Perretta, MD, PhD, Director, Centro de Investigación, Hospital Universitario LA Fe, Valencia, Spain
- Livio Giuliani, PhD, Senior Researcher, National Insurance Institute (INAIL), Chief of Radiation and Ultrasounds Research Unit, Rome, Italy
- Yury Grigoriev, PhD, Chair Russian National Committee on Non-Ionizing Radiation Protection, Moscow, Russia
- Settimio Grimaldi, PhD, Director, Institute of Translational Pharmacology (Neurobiology and molecular medicine), National Research Council, Rome, Italy
- Magda Havas, PhD, Centre for Health Studies, Trent University, Canada
- Lennart Hardell, MD, Professor of Oncology, University Hospital, Örebro, Sweden
- Denis L. Henshaw, PhD, Professor of Physics, Head of The Human Radiation Effects Group, University of Bristol, UK
- Ronald B. Herberman, MD, Chairman of Board, Environmental Health Trust, and Founding Director emeritus, University of Pittsburgh Cancer Institute, USA
- Isaac Jamieson, PhD Environmental Science (electromagnetic phenomena in the built environment), independent architect, scientist and environmental consultant, Hertfordshire, UK
- Olle Johansson, PhD, Professor of Neuroscience (Experimental Dermatology Unit), Karolinska Institute, Stockholm, Sweden
- Yury Kronn, PhD, Soviet authority on physics of nonlinear vibrations and high frequency electromagnetic vibrations, founder of Energy Tools International, Oregon, USA
- Henry Lai, PhD, Professor of Bioengineering, University of Washington School of Medicine, Seattle, WA, USA
- Abraham R. Liboff, PhD, Professor Emeritus, Department of Physics, Oakland University,

Rochester, Michigan, USA

- Don Maisch, PhD, Researcher on radiation exposure standards for telecommunications frequency, EMFacts Consultancy, Tasmania, Australia
- Andrew A. Marino, MD, PhD, JD, Professor of Neurology, LSU Health Sciences Center, Shreveport, LA, USA
- Karl Maret, MD, M.Eng., President, Dove Health Alliance, Aptos, CA, USA
- Sam Milham, MD, former chief epidemiologist, Washington State Department of Health, USA
- Joel M. Moskowitz, PhD, Director, Center for Family and Community Health, School of Public Health, University of California, Berkeley
- Gerd Oberfeld, MD, Public Health Department, Salzburg State Government, Austria
- Jerry L. Phillips, PhD, Director, Center for Excellence in Science, Department of Chemistry and Biochemistry, University of Colorado, USA
- John Podd, PhD, Professor of Psychology (experimental neuropsychology), Massey University, New-Zeland
- William J. Rea, MD, thoracic and cardiovascular surgeon, founder of the Environmental Health Center, Dallas, Tx, USA
- Elihu D. Richter, MD, Professor, Hebrew University-Hadassah School of Public Health and Community Medicine, Jerusalem, Israel
- Leif G. Salford, MD, Senior Professor of Neurosurgery, Lund University, Sweden
- Nesrin Seyhan, MD, Founder and Chair of Biophysics, Medical Faculty of Gazi University, Turkey
- Cyril W. Smith, PhD, lead author of "Electromagnetic Man", retired from Electronic and Electrical Engineering, University of Salford, UK
- Morando Soffritti, MD, Scientific Director of the European Foundation for Oncology and Environmental Sciences "B. Ramazzini" in Bologna, Italy
- Antoinette "Toni" Stein, PhD, Collaborative on Health and the Environment (CHE-EMF Working Group), Co-Coordinator, Berkeley, CA, USA
- Stanislaw Szmitowski, MD, PhD Professor of Pathophysiology, Consulting Expert, former director of Microwave Safety, Military Institute of Hygiene and Epidemiology, Warsaw, Poland
- Bradford S. Weeks, MD, Director, The Weeks Clinic, Clinton, WA, USA
- Stelios A. Zinelis, MD, Vice-President, Hellenic Cancer Society, Cefallonia, Greece

Coordination: Andre Fauteux, Publisher and Editor in chief, la Maison du 21e siècle magazine, Sainte-Adèle, Quebec, Canada.

Pas d'articles similaires.



American Academy of Environmental Medicine

6505 E Central • Ste 296 • Wichita, KS 67206
Tel: (316) 684-5500 • Fax: (316) 684-5709
www.aaemonline.org

Executive Committee

President

A.L. Barrier, M.D., FAAO-HNS
One Hospital Drive
Columbia, MO 65212

President-Elect

Amy Dean, D.O.
1955 Pauline Blvd Ste 100D
Ann Arbor, MI 48103

Secretary

Charles L. Crist, M.D.
3009 Falling Leaf Ctr, Ste 1
Columbia, MO 65201

Treasurer

James W. Willoughby, II, D.O.
24 Main St.
Liberty, MO 64068

Immediate Past President

Robin Bernhoft, M.D., FAAEM

Advisor

Gary R. Oberg, M.D., FAAEM

Board of Directors

Craig Bass, M.D.
Amy Dean, D.O.
Stephen Genuis, M.D., FAAEM
Martha Grout, M.D., MD(H)
Janette Hope, M.D.
W. Alan Ingram, M.D.
Derek Lang, D.O.
Glenn A. Toth, M.D.
Ty Vincent, M.D.

Continuing Medical Education

Chairman
James W. Willoughby, II, D.O.
24 Main St.
Liberty, MO 64068

Executive Director

De Rodgers Fox

American Academy of Environmental Medicine Recommendations Regarding Electromagnetic and Radiofrequency Exposure

Physicians of the American Academy of Environmental Medicine recognize that patients are being adversely impacted by electromagnetic frequency (EMF) and radiofrequency (RF) fields and are becoming more electromagnetically sensitive.

The AAEM recommends that physicians consider patients' total electromagnetic exposure in their diagnosis and treatment, as well as recognition that electromagnetic and radiofrequency field exposure may be an underlying cause of a patient's disease process.

Based on double-blinded, placebo controlled research in humans,¹ medical conditions and disabilities that would more than likely benefit from avoiding electromagnetic and radiofrequency exposure include, but are not limited to:

- Neurological conditions such as paresthesias, somnolence, cephalgia, dizziness, unconsciousness, depression
- Musculoskeletal effects including pain, muscle tightness, spasm, fibrillation
- Heart disease and vascular effects including arrhythmia, tachycardia, flushing, edema
- Pulmonary conditions including chest tightness, dyspnea, decreased pulmonary function
- Gastrointestinal conditions including nausea, belching
- Ocular (burning)
- Oral (pressure in ears, tooth pain)
- Dermal (itching, burning, pain)
- Autonomic nervous system dysfunction (dysautonomia).

Based on numerous studies showing harmful biological effects from EMF and RF exposure, medical conditions and disabilities that would more than likely benefit from avoiding exposure include, but are not limited to:

- Neurodegenerative diseases (Parkinson's Disease, Alzheimer's Disease, and Amyotrophic Lateral Sclerosis).²⁻⁶
- Neurological conditions (Headaches, depression, sleep disruption, fatigue, dizziness, tremors, autonomic nervous system dysfunction, decreased memory, attention deficit disorder, anxiety, visual disruption).⁷⁻¹⁰
- Fetal abnormalities and pregnancy.^{11,12}
- Genetic defects and cancer.^{2,3,13-19}
- Liver disease and genitourinary disease.^{12,20}

Because Smart Meters produce Radiofrequency emissions, it is recommended that patients with the above conditions and disabilities be accommodated to protect their health. The AAEM recommends: that no Smart Meters be on these patients' homes, that Smart Meters be removed within a reasonable distance of patients' homes depending on the patients' perception and/or symptoms, and that no collection meters be placed near patients' homes depending on patients' perception and/or symptoms.

Submitted by: Amy L. Dean, DO and William J. Rea, MD

Approved July 12, 2012 by the Executive Committee of the American Academy of Environmental Medicine

Bibliography

1. Rea WJ, Pan Y, Fenyves EJ, et al. Electromagnetic field sensitivity. *Journal of Bioelectricity*. 1991; 10(1 &2): 243-256.
2. Xu S, Zhou Z, Zhang L, et al. Exposure to 1800 MHz radiofrequency radiation induces oxidative damage to mitochondrial DNA in primary cultured neurons. *Brain Research*. 2010; 1311: 189-196.
3. Zhao T, Zou S, Knapp P. Exposure to cell phone radiation up-regulates apoptosis genes in primary cultures of neurons and astrocytes. *Neurosci Lett*. 2007; 412(1): 34-38.
4. Nittby H, Brun A, Eberhardt J, et al. Increased blood-brain barrier permeability in mammalian brain 7 days after exposure to the radiation from a GSM-900 mobile phone. *Pathophysiology*. 2009; 16: 103-112.
5. Awad SM, Hassan NS. Health Risks of electromagnetic radiation from mobile phone on brain of rats. *J. Appl. Sci. Res*. 2008; 4(12): 1994-2000.
6. Leszczynski D, Joenvaara S. Non-thermal activation of the hsp27/p38MAPK stress pathway by mobile phone radiation in human endothelial cells: Molecular mechanism for cancer - and blood-brain barrier - related effects. *Differentiation*. 2002; 70: 120-129.
7. Santini R, Santini P, Danze JM, et al. Study of the health of people living in the vicinity of mobile phone base stations: 1. Influences of distance and sex. *Pathol Biol*. 2002; 50: 369-373.
8. Abdel-Rassoul G, Abou El-Fateh O, Abou Salem M, et al. Neurobehavioral effects among inhabitants around mobile phone base stations. *Neurotox*. 2007; 28(2): 434-440.
9. Hutter HP, Moshammer H, Wallner P, Kundi M. Subjective symptoms, sleeping problems, and cognitive performance in subjects living near mobile phone base stations. *Occup. Environ. Med*. 2006; 63: 307-313.

10. Kolodynski AA, Kolodynska VV. Motor and psychological functions of school children living in the area of the Skrunda Radio Location Station in Latvia. *Sci. Total Environ.* 1996; 180: 87-93.
11. Magras IN, Xenos TD. RF radiation-induced changes in the prenatal development of mice. *Bioelectromagnetics.* 1997; 18:455-461.
12. Ingole IV, Ghosh SK. Cell phone radiation and developing tissues in chick embryo - a light microscopic study of kidneys. *J. Anat. Soc. India.* 2006; 55(2): 19-23.
13. Phillips JL, Singh NP, Lai H. Electromagnetic fields and DNA damage. *Pathophysiology.* 2009; 16: 79-88.
14. Ruediger HW. Genotoxic effects of radiofrequency electromagnetic fields. *Pathophysiology.* 2009; 16(2): 89-102.
15. Lee S, Johnson D, Dunbar K. 2.45 GHz radiofrequency fields alter gene expression on cultured human cells. *FEBS Letters.* 2005; 579: 4829-4836.
16. Demisia G, Vlastos D, Matthopoulos DP. Effect of 910-MHz electromagnetic field on rat bone marrow. *The Scientific World Journal.* 2004; 4(S2): 48-54.
17. Lai H, Singh NP. Magnetic-field-induced DNA strand breaks in brain cells of the rat. *Environmental Health Perspectives.* 2004; 112(6): 687-694. Available from: <http://ehp03.niehs.nih.gov/article/info:doi/10.1289/ehp.6355>
18. Mashevich M, Foldman D, Kesar, et al. Exposure of human peripheral blood lymphocytes to electromagnetic fields associated with cellular phones leads to chromosomal instability. *Bioelectromagnetics.* 2003; 24: 82-90.
19. Ban R, Grosse Y, Lauby-Secretan B, et al. Carcinogenicity of radiofrequency electromagnetic fields. *The Lancet Oncology.* 2011; 12(7): 624-626. Available from: [http://www.thelancet.com/journals/lanonc/article/PIIS1470-2045\(11\)70147-4/fulltext?_eventId=login](http://www.thelancet.com/journals/lanonc/article/PIIS1470-2045(11)70147-4/fulltext?_eventId=login)
20. Lubec G, Wolf C, Bartosch B. Amino acid isomerisation and microwave exposure. *Lancet.* 1989; 334: 1392-1393.